



State of Illinois
Illinois Department of Public Health

Illinois County Cancer Statistics Review Incidence, 2014-2018

Epidemiologic Report Series 21:03

May 2021



Illinois County Cancer Statistics Review

Incidence, 2014-2018



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois

May 2021

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.
Deputy Director

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number 5-NU58DP006315-04-00 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Garner K, Shen T. Illinois County Cancer Statistics Review Incidence, 2014-2018. Epidemiologic Report Series 21:03. Springfield, Ill.: Illinois Department of Public Health, May 2021.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes the cancer incidence data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

ILLINOIS COUNTY CANCER STATISTICS REVIEW

INCIDENCE, 2014 – 2018

TABLE OF CONTENTS

Overview and Technical Notes	1
------------------------------	---

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race.....	I-1
All Sites Combined.....	I-2
Oral Cavity and Pharynx.....	I-6
Colon and Rectum.....	I-10
Lung and Bronchus.....	I-14
Melanoma of the Skin.....	I-18
Female Breast (invasive).....	I-22
Cervix.....	I-25
Female Breast (in situ).....	I-28
Prostate.....	I-31

SECTION II

Percent Distribution of Stage at Diagnosis by County.....	II-1
Oral Cavity and Pharynx.....	II-2
Colon and Rectum.....	II-5
Melanoma of the Skin.....	II-8
Female Breast.....	II-11
Cervix.....	II-14
Prostate.....	II-17

SECTION III

County-specific Cancer Incidence Rates, All Races.....	III-1
Illinois.....	III-2
Adams County.....	III-3

Alexander County.....	III-4
Bond County.....	III-5
Boone County.....	III-6
Brown County.....	III-7
Bureau County.....	III-8
Calhoun County.....	III-9
Carroll County.....	III-10
Cass County.....	III-11
Champaign County.....	III-12
Christian County.....	III-13
Clark County.....	III-14
Clay County.....	III-15
Clinton County.....	III-16
Coles County.....	III-17
Cook County.....	III-18
Crawford County.....	III-19
Cumberland County.....	III-20
DeKalb County.....	III-21
DeWitt County.....	III-22
Douglas County.....	III-23
DuPage County.....	III-24
Edgar County.....	III-25
Edwards County.....	III-26
Effingham County.....	III-27
Fayette County.....	III-28
Ford County.....	III-29
Franklin County.....	III-30
Fulton County.....	III-31
Gallatin County.....	III-32
Greene County.....	III-33
Grundy County.....	III-34
Hamilton County.....	III-35
Hancock County.....	III-36
Hardin County.....	III-37
Henderson County.....	III-38
Henry County.....	III-39
Iroquois County.....	III-40
Jackson County.....	III-41
Jasper County.....	III-42
Jefferson County.....	III-43
Jersey County.....	III-44
Jo Daviess County.....	III-45

Johnson County.....	III-46
Kane County.....	III-47
Kankakee County.....	III-48
Kendall County.....	III-49
Knox County.....	III-50
Lake County.....	III-51
LaSalle County.....	III-52
Lawrence County.....	III-53
Lee County.....	III-54
Livingston County.....	III-55
Logan County.....	III-56
McDonough County.....	III-57
McHenry County.....	III-58
McLean County.....	III-59
Macon County.....	III-60
Macoupin County.....	III-61
Madison County.....	III-62
Marion County.....	III-63
Marshall County.....	III-64
Mason County.....	III-65
Massac County.....	III-66
Menard County.....	III-67
Mercer County.....	III-68
Monroe County.....	III-69
Montgomery County.....	III-70
Morgan County.....	III-71
Moultrie County.....	III-72
Ogle County.....	III-73
Peoria County.....	III-74
Perry County.....	III-75
Piatt County.....	III-76
Pike County.....	III-77
Pope County.....	III-78
Pulaski County.....	III-79
Putnam County.....	III-80
Randolph County.....	III-81
Richland County.....	III-82
Rock Island County.....	III-83
St. Clair County.....	III-84
Saline County.....	III-85
Sangamon County.....	III-86
Schuylerville County.....	III-87

Scott County.....	III-88
Shelby County.....	III-89
Stark County.....	III-90
Stephenson County.....	III-91
Tazewell County.....	III-92
Union County.....	III-93
Vermilion County.....	III-94
Wabash County.....	III-95
Warren County.....	III-96
Washington County.....	III-97
Wayne County.....	III-98
White County.....	III-99
Whiteside County.....	III-100
Will County.....	III-101
Williamson County.....	III-102
Winnebago County.....	III-103
Woodford County.....	III-104

SECTION IV

County-specific Cancer Incidence Rates by Race.....	IV-1
Whites	
Illinois.....	IV-2
Champaign County.....	IV-3
Cook County.....	IV-4
DuPage County.....	IV-5
Kane County.....	IV-6
Kankakee County.....	IV-7
Lake County.....	IV-8
Macon County.....	IV-9
Madison County.....	IV-10
Peoria County.....	IV-11
Rock Island County.....	IV-12
St. Clair County.....	IV-13
Sangamon County.....	IV-14
Vermilion County.....	IV-15
Will County.....	IV-16
Winnebago County.....	IV-17
Blacks	
Illinois.....	IV-18
Champaign County.....	IV-19

Cook County.....	IV-20
DuPage County.....	IV-21
Kane County.....	IV-22
Kankakee County.....	IV-23
Lake County.....	IV-24
Macon County.....	IV-25
Madison County.....	IV-26
Peoria County.....	IV-27
Rock Island County.....	IV-28
St. Clair County.....	IV-29
Sangamon County.....	IV-30
Vermilion County.....	IV-31
Will County.....	IV-32
Winnebago County.....	IV-33

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity.....	V-1
Non-Hispanics	
Illinois.....	V-2
Cook County.....	V-3
DuPage County.....	V-4
Kane County.....	V-5
Lake County.....	V-6
Will County.....	V-7
Hispanics	
Illinois.....	V-8
Cook County.....	V-9
DuPage County.....	V-10
Kane County.....	V-11
Lake County.....	V-12
Will County.....	V-13
APPENDIX A: Illinois County Population Totals, 2014-2018.....	A-1
APPENDIX B: ISCR County Cancer Site Groups.....	B-1
APPENDIX C: Formulas for Rates.....	C-1

OVERVIEW AND TECHNICAL NOTES

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 2014 – 2018

OVERVIEW

This report presents cancer incidence in Illinois' 102 counties for 2014 through 2018. The first two sections of the report include tables designed to facilitate county comparisons. County-specific tables with expanded cancer sites are included in Section III for all races. Cancer incidence data for Whites and Blacks are included in Section IV for 15 counties, including Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, Sangamon, St. Clair, Vermilion, Will, and Winnebago; these counties have sufficiently large Black populations to allow meaningful statistics for the race group. Cancer incidence for Hispanics (of any race) and non-Hispanics (of any race) are included in Section V for five counties (Cook, DuPage, Kane, Lake, and Will) that have sufficiently large Hispanic populations to allow meaningful statistics for the ethnicity group. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95% confidence intervals are presented for all sites combined: oral cavity and pharynx; colon and rectum; lung and bronchus; melanoma of the skin by sex, race, and Hispanic ethnicity (selected counties); and for female breast invasive and *in situ*, cervix and prostate by race and Hispanic ethnicity (selected counties). These sites were chosen based on two considerations: 1) the need to facilitate evaluation of various cancer prevention and control programs, and 2) the sufficient number of cases to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant, and unstaged for cancers of the oral cavity and pharynx (both sexes); colon and rectum (both sexes); melanoma and the skin (both sexes); and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant, and unstaged stage categories. Data by race and Hispanic ethnicity are available for the selected counties.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented for all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 2014 – 2018. Since the incidence for female breast cancer *in situ* is highly correlated with mammography screening usage, it also is reported in the section. All tables in the section contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95% confidence intervals for each cancersite by sex category for all races.

Section IV. For the 15 above-mentioned counties with sufficiently large Black populations, tables in the same format as Section III are presented for Whites and Blacks.

Section V. For the five above-mentioned counties with sufficiently large Hispanic populations, tables in the same format as Section III are presented for Hispanics (of any race) and non-Hispanics (of any race).

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.¹ For data used in this publication, 6.7% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths in an effort to identify the cases not reported to ISCR. Between 2014 and 2018, 1.8% of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the 2- to 4-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as November 2020.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public; however, the identification or contact of individuals is prohibited.

In an effort to exclude identifying information on individual patients, the data (e.g., age, race, Hispanic ethnicity, year of diagnosis, and type of cancer) have been reported in aggregate categories, the number of which depends on the size of the geographic area.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

Population Estimates

Age-, sex-, and race/ethnicity-specific population counts for Illinois and Illinois counties for each year were obtained from the Vintage 2019 bridged-race postcensal population estimates files. Population estimates by age, sex, race, and Hispanic origin were produced by the U.S. Census Bureau's Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>), in collaboration with the National Center for Health Statistics. The population estimates used in this report incorporate Vintage 2019 bridged single-race estimates (for 2014-2018) derived from the original multiple racecategories in the 2010 Census (as specified in the 1997 U.S. Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center forHealth Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

Population estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. In addition, differences in incidence rates may not solely be the result of changes in population estimates. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Incidence Sites

All cases diagnosed during 2014 through 2018 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.³ Cancer sites in this report were grouped according to site group definitions established by the Surveillance Epidemiology and End Results (SEER) program of NCI⁴ and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.⁴⁻⁶ The ISCR cancer site groups used in the county tables are listed in Appendix B.

Beginning with the 1998-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers. However, due to small numbers of cases at the county level, these two sites are not shown in this report.

When comparing this report to the ones published before the 2001-2005 county report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Because of the way cancers are grouped in this report, these changes would have a slight or small impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 2006-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will indeed use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 2014 – 2018.⁷ Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.⁸ The formulas for rate calculations are displayed in Appendix C.

Race Categories

The race-specific categories in this report are all races for Illinois and all 102 counties. Data for Whites and Blacks are presented for Illinois and 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will, and Winnebago) with sufficient Black population estimates and annual cancer incidence for Blacks to allow for stable statistics. Cases reported as “other” or “unknown” race are included in the “all races” category.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 were linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population.⁹ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites or Blacks due to the small number of cases affected.

Hispanic Ethnicity Categories

Through the use of the NAACCR Hispanic identification algorithm (NHIA), improvements have been made in classifying cases as Hispanic or Latino for diagnosis years 1990 through 2018.¹⁰ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹¹ Cases that meet certain criteria around race and birthplace, and who are also identified as non-Hispanic, Hispanic not otherwise specified, Spanish surname only, and unknown ethnicity are examined. Through the use of race, birthplace, last name, first name, and maiden name, NHIA assigns a more specific and sometimes different ethnicity to these cases.

The Hispanic ethnicity-specific categories are presented in this report for Illinois and five counties (Cook, DuPage, Kane, Lake, and Will) with sufficient Hispanic population estimates and annual cancer incidence for Hispanics to allow meaningful statistics. To be consistent with national data, cases reported as “unknown” ethnicity are included in the non-Hispanic category.⁴⁻⁶

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data.¹² In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for diagnosis years 1996-2017. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2020, ISCR quality control data for the diagnosis years considered in this report (2014 – 2018) are as follows:

Year	Completeness (NAACCR Method- As of 11-20)	Pass EDITS	DCO	Unresolved Duplicate Per 1,000	Missing Data Fields			
					Sex	Age	County	Race
2014	100%	100%	2.1%	0.2	0.0%	0.0%	0.0%	1.1%
2015	100%	100%	2.1%	0.9	0.0%	0.0%	0.0%	1.1%
2016	100%	100%	2.0%	0.9	0.0%	0.0%	0.0%	1.0%
2017	100%	100%	2.0%	0.6	0.0%	0.0%	0.0%	0.9%
2018	100%	100%	1.5%	0.7	0.0%	0.0%	0.0%	1.7%

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences also could be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 2014–2018 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. Counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances is equal to or exceeds 25%. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.

- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95% probability where the “true” rate for the county or the state may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.¹³
- Population estimates used for denominators may be inaccurate. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 2010 census population counts. Also, keep in mind when comparing this report to earlier versions, the methods for developing the population estimates have changed and denominator data will lack comparability. Ensuring the same estimate methods (e.g., revised intercensal estimates and Vintage 2019) are used across the time period being examined accounts for this issue.

REFERENCES

1. Lehnher M, Havener LA. Assessment of interstate exchange of cancer data, 1986 – 1998. ISCR Quality Control Series 02:1. Springfield, Ill.: Illinois Department of Public Health, January 2002.
2. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2018*. U.S. Census Bureau . <https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2010-2019/2019-est-relnotes.pdf> Accessed April 26, 2021.
3. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sabin L, Parkin DM, Whelan S (eds). International Classification of Diseases for Oncology. 3rd edition. Geneva: World Health Organization, 2000.
4. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2018, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2018/, based on November 2020 SEER data submission, posted to the SEER website, April 2021.
5. Sherman R, Firth R, Charlton M, et al (eds). Cancer in North America: 2013-2017. *Volume One: Combined Cancer Incidence for the United States, Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2020.
6. Sherman R, Firth R, Charlton M, et al (eds). Cancer in North America: 2013-2017. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2020.
7. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) version 8.3.9, March 12, 2021.
8. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15(6):547-569.
9. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
10. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003*. Springfield, Ill: North American Association of Central Cancer Registries, October 2003.

11. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill: North American Association of Central Cancer Registries, October 2004.
12. Hofferkamp, J (Ed). Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
13. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-1.

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race Illinois, 2014-2018

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	347,861	466.8	465.2	468.4	172,007	503.6	501.1	506.0	175,854	444.5	442.4	446.6
Adams	2,185	484.2	463.1	506.0	1,092	506.7	476.2	538.8	1,093	471.0	441.7	501.9
Alexander	246	508.0	442.7	581.1	137	582.1	485.1	695.4	109	450.6	363.6	553.5
Bond	560	496.9	455.5	541.5	300	553.0	490.7	621.6	260	468.1	409.7	533.1
Boone	1,412	457.0	433.0	482.0	693	469.9	434.7	507.4	719	453.7	420.5	489.0
Brown	188	508.4	437.8	587.7	119	642.6	529.6	772.7	69	395.6	304.7	508.2
Bureau	1,236	506.5	477.3	537.1	662	568.8	525.0	615.7	574	462.5	422.9	505.2
Calhoun	178	445.7	379.8	521.7	109	561.8	458.8	685.1	69	349.5	265.4	455.4
Carroll	514	458.1	416.0	503.7	269	473.9	415.4	539.3	245	453.9	393.1	522.3
Cass	445	553.6	502.1	609.2	241	631.5	552.6	718.9	204	492.6	424.8	568.7
Champaign	4,451	446.6	433.2	460.4	2,261	492.6	471.8	514.0	2,190	414.7	397.0	433.1
Christian	1,314	567.9	536.6	600.7	719	657.1	609.0	708.2	595	497.1	455.5	541.9
Clark	524	482.8	440.6	528.1	263	529.5	465.5	600.4	261	464.2	406.2	528.6
Clay	531	560.5	511.7	613.0	295	661.4	585.8	744.8	236	478.3	414.6	549.7
Clinton	1,165	491.6	463.0	521.6	605	529.4	487.1	574.5	560	469.2	429.4	511.9
Coles	1,367	449.5	425.1	474.9	697	501.0	463.6	540.8	670	414.1	381.7	448.5
Cook	130,360	449.5	447.0	452.0	62,570	484.2	480.3	488.1	67,790	430.1	426.8	433.4
Crawford	636	474.6	437.5	514.2	328	531.1	474.2	593.4	308	441.8	391.1	498.0
Cumberland	334	453.4	404.0	507.5	168	470.8	400.0	551.4	166	438.2	370.1	516.1
DeKalb	2,545	505.4	485.6	525.9	1,292	555.3	524.4	587.4	1,253	472.0	445.5	499.6
DeWitt	575	529.4	485.4	576.5	270	530.5	467.2	600.5	305	537.0	475.6	604.9
Douglas	618	494.0	454.6	536.1	306	512.5	455.5	575.0	312	491.0	435.5	551.9
DuPage	24,972	459.9	454.0	465.8	12,082	486.8	477.8	495.9	12,890	446.4	438.5	454.4
Edgar	566	433.7	397.0	473.2	306	505.7	448.7	568.7	260	383.8	335.0	438.4
Edwards	191	401.7	344.4	466.7	88	389.7	310.6	485.1	103	429.4	345.6	529.2
Effingham	1,085	497.7	467.6	529.4	558	549.4	503.4	598.6	527	466.0	425.1	509.9
Fayette	650	441.9	407.8	478.4	363	513.4	461.2	570.2	287	382.4	337.1	432.7
Ford	476	525.2	477.0	577.3	241	567.4	495.7	647.1	235	497.4	431.9	570.6
Franklin	1,471	531.3	503.5	560.3	782	597.1	554.8	642.0	689	481.0	443.9	520.6
Fulton	1,250	504.9	476.3	535.0	641	539.9	498.2	584.5	609	492.8	451.4	537.3
Gallatin	173	457.3	387.5	537.2	96	540.4	432.1	670.1	77	384.0	296.8	491.5
Greene	497	538.0	490.4	589.5	233	536.3	468.3	612.2	264	547.2	480.1	621.9
Grundy	1,501	546.8	519.0	575.8	796	621.1	576.9	667.8	705	497.1	460.4	536.0
Hamilton	288	470.2	415.3	531.1	166	589.0	500.4	690.3	122	378.5	310.1	459.2
Hancock	662	490.4	451.1	532.4	329	494.6	440.2	554.7	333	495.1	438.2	557.8
Hardin	156	450.7	378.2	535.8	95	549.0	438.5	684.9	61	357.5	265.9	476.6
Henderson	244	420.3	365.9	482.0	113	387.9	316.2	474.3	131	450.2	370.7	544.6
Henry	1,654	476.9	453.2	501.5	869	518.5	483.5	555.5	785	447.8	415.1	482.5
Iroquois	1,027	495.6	464.4	528.6	529	533.1	487.2	582.5	498	468.1	425.2	514.6
Jackson	1,391	448.3	424.2	473.5	725	500.6	463.7	539.8	666	414.4	382.0	448.9
Jasper	316	471.9	419.1	530.0	173	521.2	444.2	608.9	143	434.6	362.1	518.3
Jefferson	1,322	518.6	490.2	548.3	713	584.7	541.7	630.4	609	476.2	437.1	518.0
Jersey	739	492.8	456.7	531.3	375	531.3	477.5	589.9	364	467.6	418.4	521.4
Jo Daviess	855	467.4	433.6	503.6	471	519.4	470.0	573.3	384	421.7	375.4	472.9
Johnson	399	439.2	395.8	486.6	242	530.2	463.9	604.2	157	353.9	297.5	419.4
Kane	12,145	435.5	427.6	443.5	6,035	468.8	456.6	481.3	6,110	415.3	404.8	426.1
Kankakee	3,410	509.2	491.8	527.1	1,715	536.8	511.1	563.6	1,695	489.1	465.3	513.8
Kendall	2,697	498.1	478.7	518.0	1,318	539.8	509.1	571.7	1,379	471.8	446.6	498.0
Knox	1,711	476.1	452.7	500.5	856	497.6	463.9	533.4	855	465.2	432.0	500.4
Lake	17,767	458.3	451.3	465.2	8,655	477.4	467.0	488.0	9,112	448.7	439.3	458.3
LaSalle	3,774	506.7	490.1	523.7	1,995	565.1	539.9	591.3	1,779	463.4	440.9	486.8
Lawrence	495	471.6	430.2	516.1	265	541.6	477.6	612.1	230	442.2	382.9	508.7
Lee	1,158	483.1	454.7	513.0	610	504.9	464.6	547.9	548	474.4	433.0	519.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	1,286	531.6	501.9	562.7	676	592.5	547.5	640.4	610	486.8	446.8	529.6
Logan	1,072	563.8	529.7	599.6	531	604.6	553.4	659.4	541	545.2	498.1	595.9
Macon	3,962	546.6	529.0	564.7	2,029	602.4	575.6	630.1	1,933	507.1	483.4	531.8
Macoupin	1,713	526.2	500.6	553.0	921	601.9	562.5	643.5	792	468.4	434.5	504.5
Madison	8,234	490.7	479.8	501.7	3,949	516.2	499.8	533.0	4,285	478.8	464.0	494.0
Marion	1,438	557.6	528.0	588.6	781	639.5	594.2	687.5	657	496.5	457.0	538.8
Marshall	468	524.0	474.7	577.5	246	572.6	500.1	653.9	222	487.6	420.8	563.1
Mason	535	513.7	469.1	561.9	280	567.3	500.7	641.3	255	481.7	420.6	550.1
Massac	488	480.0	436.5	527.1	263	547.8	481.4	621.5	225	424.6	367.6	488.7
McDonough	884	491.5	458.0	526.9	415	494.4	446.2	546.6	469	498.9	451.6	550.0
McHenry	7,991	459.8	449.4	470.3	3,929	480.7	465.0	496.8	4,062	448.6	434.5	463.1
McLean	3,798	437.6	423.5	452.1	1,856	461.2	439.8	483.4	1,942	426.3	407.0	446.2
Menard	461	544.0	493.2	598.9	249	636.2	556.3	725.1	212	473.7	408.9	546.7
Mercer	604	529.9	486.6	576.5	332	583.3	520.2	653.0	272	485.2	425.7	551.5
Monroe	973	435.8	408.0	465.2	501	464.0	422.8	508.3	472	416.9	378.7	458.2
Montgomery	994	491.2	460.0	524.0	533	549.9	503.3	599.9	461	453.2	409.5	500.5
Morgan	1,306	555.7	524.9	588.0	691	626.0	579.2	675.8	615	517.2	474.3	563.2
Moultrie	443	467.8	423.5	515.7	238	541.1	472.7	617.0	205	413.1	355.4	478.0
Ogle	1,609	474.7	451.1	499.4	787	474.5	441.1	509.9	822	480.5	446.7	516.3
Peoria	5,581	500.1	486.7	513.8	2,845	552.7	532.1	573.9	2,736	463.2	445.3	481.6
Perry	677	493.9	456.4	533.9	342	497.7	445.5	554.6	335	510.9	454.0	573.3
Piatt	556	496.3	454.3	541.4	274	504.4	444.7	570.6	282	497.1	437.6	562.9
Pike	591	529.6	485.8	576.6	319	599.3	533.6	671.5	272	475.5	416.2	541.5
Pope	170	488.2	408.6	581.5	101	585.9	462.0	737.2	69	392.4	297.3	516.8
Pulaski	213	514.7	443.9	594.7	108	529.1	430.1	646.7	105	512.7	411.7	632.8
Putnam	177	391.1	332.2	458.8	105	476.5	384.6	586.5	72	321.1	245.9	415.4
Randolph	1,047	476.4	447.1	507.1	548	517.8	474.5	564.2	499	474.0	430.0	521.6
Richland	548	497.0	454.5	542.7	297	551.3	489.1	619.9	251	462.5	403.3	528.5
Rock Island	4,334	453.5	439.6	467.8	2,206	488.3	467.6	509.7	2,128	432.0	412.8	451.9
Saline	858	505.3	470.9	541.6	447	574.3	521.1	631.8	411	456.0	410.7	505.2
Sangamon	6,863	548.8	535.5	562.4	3,398	602.9	582.2	624.3	3,465	514.2	496.5	532.5
Schuylerville	275	509.0	448.2	576.7	158	580.3	490.6	683.9	117	438.5	357.6	534.7
Scott	197	549.0	472.3	635.8	93	556.2	445.6	688.3	104	543.7	439.0	668.7
Shelby	830	507.9	472.0	546.1	457	575.2	521.6	633.3	373	449.5	401.4	502.3
St Clair	7,345	473.4	462.3	484.6	3,613	517.6	500.3	535.4	3,732	445.0	430.4	460.0
Stark	198	484.4	415.9	562.1	109	539.9	439.8	658.8	89	439.6	346.2	552.5
Stephenson	1,394	410.2	387.7	433.8	693	433.0	400.2	468.0	701	395.9	364.7	429.2
Tazewell	4,439	508.5	493.2	524.2	2,222	541.4	518.6	565.0	2,217	489.2	468.1	511.1
Union	624	496.0	456.2	538.7	345	560.1	500.7	625.3	279	444.2	390.3	504.1
Vermilion	2,683	513.9	494.0	534.5	1,378	560.1	530.2	591.4	1,305	483.9	456.5	512.6
Wabash	374	454.4	407.1	506.0	197	511.6	439.8	592.6	177	399.7	338.9	469.5
Warren	542	488.2	446.0	533.5	274	493.8	435.2	558.7	268	495.3	433.4	563.6
Washington	486	492.2	447.7	540.3	272	556.6	489.8	630.6	214	428.7	370.7	494.1
Wayne	566	461.7	422.9	503.4	286	479.6	424.4	540.8	280	451.5	396.8	512.2
White	527	507.1	462.6	555.1	269	549.0	483.4	621.9	258	481.2	420.0	549.7
Whiteside	1,863	459.7	438.2	482.1	967	507.0	474.7	541.2	896	424.8	395.8	455.6
Will	17,535	491.5	484.1	499.0	8,829	538.6	526.9	550.5	8,706	459.9	450.1	469.8
Williamson	2,289	514.8	493.4	537.0	1,211	580.0	547.1	614.5	1,078	465.0	436.5	495.0
Winnebago	8,189	459.4	449.2	469.8	3,967	475.9	460.8	491.4	4,222	453.5	439.4	468.0
Woodford	1,205	486.4	458.4	515.8	639	530.2	488.7	574.5	566	450.4	412.3	491.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	286,558	470.6	468.8	472.4	142,355	502.8	500.2	505.5	144,203	452.3	449.9	454.7
Champaign	3,815	454.7	439.9	469.9	1,940	497.5	474.9	520.9	1,875	425.8	405.8	446.4
Cook	87,755	446.2	443.2	449.2	42,483	472.6	468.0	477.2	45,272	434.1	430.0	438.2
DuPage	22,240	478.8	472.4	485.4	10,788	507.4	497.5	517.4	11,452	465.9	457.0	474.9
Kane	11,150	441.3	432.9	449.7	5,530	473.2	460.3	486.3	5,620	423.3	412.0	434.7
Kankakee	2,903	499.8	481.2	519.0	1,443	518.8	491.7	547.1	1,460	488.2	462.5	515.0
Lake	15,732	466.7	459.2	474.2	7,666	482.3	471.1	493.6	8,066	460.4	450.1	471.0
Macon	3,424	547.0	527.7	566.8	1,733	587.3	559.0	616.9	1,691	521.0	494.4	548.7
Madison	7,656	489.8	478.6	501.3	3,675	513.3	496.4	530.7	3,981	480.2	464.7	496.1
Peoria	4,614	489.4	474.8	504.3	2,330	532.9	510.9	555.7	2,284	460.6	440.8	481.1
Rock Island	3,956	454.1	439.3	469.2	1,990	482.7	461.0	505.3	1,966	437.3	416.8	458.6
Sangamon	6,234	552.3	538.2	566.8	3,110	607.7	585.8	630.2	3,124	517.3	498.3	536.9
St Clair	5,334	473.8	460.7	487.1	2,663	511.3	491.4	531.7	2,671	452.5	434.8	470.9
Vermilion	2,445	518.4	497.1	540.4	1,240	553.5	522.2	586.3	1,205	497.9	468.2	529.1
Will	15,052	499.5	491.4	507.8	7,542	541.7	529.0	554.6	7,510	473.0	462.1	484.0
Winnebago	7,314	465.9	454.9	477.1	3,525	476.0	460.0	492.5	3,789	466.8	451.3	482.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,862	483.3	478.8	487.8	22,603	552.9	545.4	560.5	24,259	439.1	433.5	444.8
Champaign	443	446.1	403.1	492.1	226	511.2	441.2	588.5	217	393.1	340.4	451.3
Cook	34,784	488.0	482.8	493.3	16,398	558.6	549.8	567.5	18,386	444.6	438.1	451.3
DuPage	806	454.6	419.5	491.5	360	485.2	427.6	547.7	446	433.2	389.3	480.4
Kane	581	435.9	398.8	475.3	307	505.7	445.5	571.4	274	380.0	334.3	429.9
Kankakee	465	585.6	531.5	643.6	246	667.1	581.6	761.2	219	519.6	451.3	595.1
Lake	1,019	445.7	417.1	475.6	516	504.6	457.5	555.1	503	404.2	368.3	442.5
Macon	480	537.2	488.4	589.6	269	693.6	606.6	789.1	211	420.4	364.2	482.6
Madison	494	518.2	471.4	568.1	235	568.8	493.2	652.2	259	480.9	422.2	545.2
Peoria	767	542.2	502.5	584.0	404	653.0	586.5	724.6	363	460.5	412.4	512.5
Rock Island	274	417.3	367.7	471.4	151	492.5	412.4	582.7	123	362.0	299.5	433.4
Sangamon	542	549.6	501.7	600.5	251	579.6	502.7	664.4	291	526.4	465.4	592.8
St Clair	1,887	478.0	456.1	500.8	904	538.1	501.8	576.3	983	437.0	409.5	465.9
Vermilion	197	468.3	402.4	541.5	115	609.5	494.5	741.2	82	366.2	289.0	456.9
Will	1,726	483.8	459.2	509.2	912	580.5	538.1	625.3	814	414.1	384.5	445.3
Winnebago	742	467.5	432.9	504.0	372	531.8	474.4	593.8	370	422.2	379.1	468.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	24,518	357.9	353.0	362.8	11,568	369.8	362.3	377.5	12,950	355.4	348.9	361.9
Cook	15,707	350.6	344.7	356.5	7,446	365.5	356.3	374.8	8,261	345.8	338.1	353.7
DuPage	1,481	393.4	371.1	416.6	660	403.9	368.4	441.5	821	397.2	368.1	427.9
Kane	1,451	314.8	296.5	333.9	718	341.0	312.1	371.5	733	296.4	272.9	321.2
Lake	1,440	347.5	326.9	368.9	677	359.7	327.9	393.5	763	342.7	315.8	371.2
Will	1,333	416.0	391.2	441.9	620	438.2	398.8	480.1	713	408.1	375.9	442.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, All Sites, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	323,343	478.2	476.5	479.9	160,439	517.3	514.7	519.9	162,904	453.7	451.5	456.0
Cook	114,653	467.1	464.3	469.9	55,124	506.2	501.8	510.5	59,529	444.0	440.3	447.7
DuPage	23,491	466.1	459.9	472.3	11,422	494.1	484.8	503.7	12,069	451.3	442.9	459.7
Kane	10,694	461.3	452.4	470.5	5,317	494.4	480.7	508.4	5,377	441.9	429.7	454.4
Lake	16,327	470.6	463.1	478.1	7,978	489.7	478.5	501.0	8,349	461.0	450.8	471.4
Will	16,202	499.2	491.4	507.2	8,209	548.9	536.6	561.5	7,993	465.0	454.6	475.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,252	12.2	11.9	12.4	6,511	18.3	17.9	18.8	2,741	6.8	6.5	7.1
Adams	60	12.9	9.7	16.9	45	20.1	14.5	27.4	15	6.3	3.4	11.0
Alexander	7	15.0	5.6	33.7	5	23.7	6.9	61.6	2	7.7	0.9	34.2
Bond	13	10.5	5.6	18.9	12	20.3	10.4	37.0	1	1.5	0.0	12.0
Boone	36	11.1	7.7	15.6	24	16.2	10.2	24.5	12	6.7	3.4	12.0
Brown	7	18.6	7.4	39.7	5	24.6	7.6	60.5	2	10.4	1.3	47.1
Bureau	36	13.9	9.6	19.9	29	23.1	15.2	34.3	7	5.7	2.1	12.8
Calhoun	5	12.5	3.9	33.8	4	21.2	5.6	63.0	1	3.0	0.1	37.0
Carroll	21	20.0	11.8	32.3	14	27.6	14.3	49.3	7	13.7	5.0	31.3
Cass	13	15.1	7.9	26.9	11	28.4	13.9	52.4	2	3.4	0.4	16.4
Champaign	112	11.5	9.4	13.8	84	18.9	14.9	23.5	28	5.1	3.3	7.4
Christian	35	15.4	10.5	21.9	29	26.5	17.5	38.9	6	4.2	1.5	10.4
Clark	18	16.3	9.3	26.9	12	26.5	13.1	47.9	6	9.2	3.3	22.4
Clay	21	23.5	14.1	37.1	15	36.7	19.9	62.7	6	10.3	3.7	25.5
Clinton	35	15.3	10.5	21.6	26	24.1	15.6	35.8	9	6.8	3.0	13.6
Coles	48	15.2	11.1	20.5	39	26.6	18.7	36.8	9	5.6	2.4	11.3
Cook	3,310	11.2	10.9	11.6	2,251	16.8	16.1	17.6	1,059	6.6	6.2	7.1
Crawford	13	9.2	4.8	16.4	7	10.5	4.2	22.9	6	7.3	2.6	18.2
Cumberland	8	10.5	4.4	22.1	6	16.1	5.6	37.9	2	4.1	0.5	19.9
DeKalb	61	11.3	8.6	14.7	39	14.6	10.2	20.2	22	8.2	5.1	12.6
DeWitt	17	15.4	8.7	25.7	7	12.2	4.7	27.2	10	18.9	8.6	36.7
Douglas	10	8.0	3.7	15.3	10	17.3	8.1	32.8	0			
DuPage	642	11.3	10.4	12.3	464	17.4	15.8	19.1	178	6.1	5.2	7.1
Edgar	13	9.6	4.9	17.6	9	15.6	6.8	31.4	4	4.8	1.3	15.4
Edwards	1	1.6	0.0	14.0	1	3.3	0.1	28.4	0			
Effingham	29	13.0	8.6	19.2	20	18.5	10.9	29.4	9	7.3	3.3	14.6
Fayette	24	15.9	10.1	24.3	16	21.3	12.0	35.6	8	9.1	3.9	19.7
Ford	17	17.0	9.7	28.5	10	23.0	10.8	44.0	7	11.5	3.8	28.3
Franklin	45	15.7	11.4	21.4	32	22.4	15.2	32.2	13	9.5	4.8	17.1
Fulton	45	17.7	12.8	24.1	36	29.0	20.2	40.8	9	7.4	3.2	15.3
Gallatin	3	9.0	1.6	29.7	3	18.5	3.4	60.6	0			
Greene	15	15.7	8.7	26.9	11	23.4	11.6	43.7	4	8.4	2.0	24.7
Grundy	35	12.2	8.4	17.1	25	17.7	11.3	26.5	10	6.9	3.3	13.0
Hamilton	8	11.4	4.9	24.7	5	16.3	5.2	42.4	3	7.7	1.6	28.9
Hancock	21	14.5	8.7	23.4	11	15.2	7.5	29.0	10	14.1	5.9	29.1
Hardin	4	10.6	2.6	35.5	4	21.8	5.4	72.0	0			
Henderson	6	8.5	3.1	22.9	5	14.3	4.6	42.5	1	1.9	0.0	26.3
Henry	55	16.8	12.5	22.3	42	26.5	18.8	36.5	13	7.7	3.9	14.0
Iroquois	30	15.3	10.0	22.6	18	18.0	10.2	29.9	12	12.5	6.1	23.1
Jackson	47	15.1	10.9	20.3	36	24.0	16.6	33.7	11	7.1	3.5	13.0
Jasper	10	13.3	6.3	26.0	8	24.1	10.2	50.1	2	4.9	0.6	23.0
Jefferson	42	16.5	11.7	22.6	32	25.7	17.4	36.8	10	6.7	3.2	13.2
Jersey	22	15.1	9.3	23.6	15	22.1	12.2	37.5	7	9.0	3.3	20.5
Jo Daviess	31	18.2	11.8	27.4	21	23.0	13.8	37.3	10	13.8	5.6	28.6
Johnson	8	10.0	4.2	20.6	6	14.9	5.4	33.8	2	5.9	0.6	24.4
Kane	325	11.0	9.8	12.3	227	16.1	14.0	18.4	98	6.5	5.3	8.0
Kankakee	80	11.8	9.3	14.8	60	18.6	14.0	24.1	20	5.6	3.4	8.8
Kendall	70	12.8	9.9	16.3	50	18.7	13.6	25.0	20	7.5	4.5	11.7
Knox	48	13.0	9.5	17.5	33	18.8	12.8	26.9	15	7.6	4.2	13.2
Lake	414	10.0	9.0	11.0	283	14.3	12.7	16.2	131	6.0	5.0	7.2
LaSalle	124	16.4	13.6	19.7	98	27.3	22.0	33.5	26	6.6	4.2	10.0
Lawrence	10	9.5	4.5	18.2	9	19.4	8.7	37.4	1	1.8	0.0	13.5
Lee	39	16.7	11.7	23.2	31	26.8	18.0	38.6	8	5.9	2.5	12.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	32	13.8	9.2	19.8	26	22.7	14.5	34.0	6	4.8	1.6	11.5
Logan	35	19.1	13.2	27.0	27	32.3	21.1	47.4	8	7.5	3.1	16.1
Macon	128	17.6	14.6	21.1	79	23.3	18.3	29.4	49	12.4	9.1	16.7
Macoupin	51	16.4	12.0	21.9	39	26.5	18.6	36.9	12	7.0	3.5	13.0
Madison	237	14.1	12.3	16.0	162	20.2	17.1	23.7	75	8.7	6.8	11.0
Marion	37	14.5	10.1	20.2	25	20.7	13.3	31.0	12	9.2	4.6	16.8
Marshall	17	17.4	10.0	29.4	12	25.6	13.1	47.6	5	10.4	3.3	28.0
Mason	17	16.9	9.5	28.5	12	27.6	13.9	50.1	5	7.5	2.2	21.7
Massac	19	17.1	10.1	27.8	14	27.8	15.0	48.6	5	7.2	2.2	20.2
McDonough	22	13.3	8.0	20.7	16	19.6	10.8	33.0	6	7.6	2.5	17.7
McHenry	242	13.0	11.3	14.8	172	19.3	16.4	22.6	70	7.2	5.6	9.2
McLean	110	13.1	10.7	15.9	76	19.4	15.2	24.4	34	7.9	5.4	11.1
Menard	20	25.7	15.2	41.1	13	34.3	17.5	61.3	7	18.6	7.0	40.5
Mercer	15	13.4	7.3	23.3	13	24.3	12.5	43.7	2	2.4	0.3	13.2
Monroe	33	13.9	9.4	20.0	25	21.1	13.4	32.2	8	7.2	2.9	15.1
Montgomery	29	15.6	10.3	22.8	19	21.1	12.6	33.4	10	9.6	4.4	19.1
Morgan	38	16.0	11.2	22.3	25	22.3	14.3	33.6	13	11.1	5.7	20.0
Moultrie	11	12.4	5.9	23.0	10	23.7	10.9	45.3	1	1.8	0.0	12.9
Ogle	48	14.0	10.2	18.8	31	18.0	12.2	26.1	17	10.4	5.9	17.1
Peoria	137	12.4	10.4	14.8	94	18.5	14.8	22.8	43	7.4	5.3	10.1
Perry	15	11.0	6.1	18.6	14	19.1	10.3	32.9	1	1.9	0.0	11.2
Piatt	15	14.2	7.7	24.4	5	8.1	2.6	21.1	10	19.2	8.7	37.3
Pike	22	23.2	14.0	36.1	15	31.5	17.4	53.0	7	17.0	6.1	37.1
Pope	10	27.4	12.2	58.8	9	50.0	21.3	109.9	1	4.0	0.1	55.7
Pulaski	4	8.2	2.2	25.0	3	14.6	3.0	50.0	1	3.2	0.1	31.4
Putnam	3	6.3	1.3	23.0	3	12.9	2.6	45.9	0			
Randolph	27	11.9	7.7	17.7	20	17.3	10.4	27.5	7	6.7	2.4	15.3
Richland	10	9.5	4.3	18.3	8	16.7	7.0	34.3	2	3.2	0.4	14.2
Rock Island	119	12.6	10.3	15.2	80	18.1	14.2	22.7	39	7.8	5.4	10.9
Saline	27	17.4	11.3	25.9	16	22.2	12.5	36.8	11	12.5	5.9	23.9
Sangamon	184	14.7	12.6	17.1	138	24.1	20.1	28.7	46	6.9	5.0	9.4
Schuylerville	8	13.9	5.9	30.2	7	24.9	9.9	56.3	1	3.1	0.1	28.4
Scott	3	7.8	1.6	26.7	3	15.9	3.2	54.7	0			
Shelby	21	13.5	8.0	21.8	19	25.9	14.9	42.4	2	2.0	0.2	9.9
St Clair	212	13.5	11.7	15.5	147	20.6	17.3	24.3	65	7.7	5.9	10.0
Stark	6	15.3	4.8	37.5	5	31.0	9.0	78.0	1	4.7	0.1	35.2
Stephenson	36	10.6	7.3	15.1	24	15.5	9.7	23.8	12	6.0	3.1	11.3
Tazewell	137	15.6	13.0	18.6	104	24.9	20.3	30.4	33	7.2	4.9	10.4
Union	12	10.0	5.0	18.4	7	10.6	4.2	23.7	5	9.9	3.0	24.6
Vermilion	65	12.9	9.9	16.7	42	17.3	12.3	23.7	23	8.8	5.4	13.6
Wabash	7	7.4	2.9	17.0	5	11.1	3.5	29.0	2	3.1	0.3	17.4
Warren	13	11.4	5.8	20.3	9	16.8	7.3	33.5	4	5.6	1.5	16.6
Washington	16	18.3	10.1	30.8	11	24.3	11.6	45.7	5	12.5	3.8	30.8
Wayne	13	10.1	5.3	18.2	9	14.7	6.6	29.7	4	5.8	1.6	17.3
White	13	16.1	8.3	28.3	10	25.1	11.7	47.6	3	6.6	1.2	21.8
Whiteside	49	10.8	7.9	14.5	40	19.0	13.5	26.3	9	3.6	1.6	7.5
Will	442	11.9	10.8	13.1	314	17.5	15.5	19.6	128	6.8	5.6	8.1
Williamson	70	15.9	12.3	20.3	57	27.8	20.9	36.4	13	4.9	2.6	8.9
Winnebago	227	12.2	10.6	14.0	172	19.2	16.3	22.4	55	5.8	4.4	7.7
Woodford	39	16.0	11.2	22.1	30	26.0	17.3	37.6	9	6.8	3.0	13.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	7,818	12.6	12.3	12.8	5,534	18.7	18.2	19.3	2,284	7.0	6.7	7.3
Champaign	102	12.4	10.0	15.1	78	20.7	16.3	26.0	24	5.0	3.2	7.6
Cook	2,310	11.6	11.1	12.0	1,576	16.9	16.0	17.8	734	6.9	6.4	7.4
DuPage	571	11.8	10.8	12.8	411	17.9	16.1	19.8	160	6.4	5.4	7.6
Kane	304	11.3	10.0	12.7	212	16.4	14.2	18.8	92	6.7	5.4	8.2
Kankakee	73	12.7	9.9	16.2	55	20.0	14.9	26.4	18	5.9	3.5	9.6
Lake	370	10.3	9.2	11.4	256	14.9	13.1	16.9	114	6.0	5.0	7.3
Macon	110	17.4	14.2	21.2	67	22.6	17.3	29.2	43	12.5	8.9	17.3
Madison	223	14.3	12.4	16.4	156	20.9	17.6	24.6	67	8.5	6.5	11.0
Peoria	122	13.1	10.8	15.8	82	19.0	15.0	23.9	40	8.2	5.8	11.4
Rock Island	105	12.5	10.1	15.4	70	17.9	13.7	22.9	35	7.8	5.3	11.3
Sangamon	170	15.1	12.8	17.7	127	24.5	20.2	29.4	43	7.0	5.0	9.7
St Clair	169	14.7	12.5	17.1	120	22.0	18.2	26.6	49	8.2	6.0	11.1
Vermilion	61	13.4	10.1	17.6	39	17.8	12.5	24.8	22	9.2	5.6	14.6
Will	393	12.5	11.3	13.8	279	18.2	16.0	20.5	114	7.2	5.9	8.7
Winnebago	206	12.7	11.0	14.6	156	19.8	16.7	23.4	50	6.1	4.5	8.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	998	9.9	9.3	10.6	675	15.9	14.7	17.2	323	5.7	5.1	6.4
Champaign	5	4.2	1.4	10.1	3	5.8	1.2	17.9	2	2.9	0.3	11.0
Cook	768	10.5	9.8	11.3	515	17.0	15.5	18.6	253	6.0	5.3	6.8
DuPage	9	5.7	2.2	11.4	7	11.7	3.8	26.0	2	1.5	0.2	6.1
Kane	14	11.3	5.9	19.3	10	17.8	7.9	33.7	4	6.0	1.5	15.6
Kankakee	7	6.4	2.6	13.9	5	9.8	3.2	24.6	2	3.4	0.4	14.0
Lake	14	6.1	3.2	10.4	6	5.3	1.9	12.1	8	6.3	2.6	12.5
Macon	16	19.5	10.7	32.2	11	34.4	15.4	64.3	5	10.2	3.1	24.2
Madison	10	9.3	4.3	17.6	4	7.3	2.0	20.2	6	10.8	3.7	23.9
Peoria	11	7.8	3.7	14.3	11	17.6	8.4	32.2	0			
Rock Island	9	13.1	5.8	25.3	8	26.2	10.5	52.8	1	2.1	0.1	13.9
Sangamon	11	10.9	5.2	19.7	9	23.3	9.3	46.6	2	3.1	0.4	11.5
St Clair	39	9.6	6.8	13.2	23	13.6	8.5	20.7	16	6.8	3.8	11.2
Vermilion	4	11.8	3.1	29.2	3	21.6	4.0	60.3	1	5.6	0.1	27.7
Will	24	6.8	4.2	10.4	16	11.2	5.8	19.1	8	3.8	1.6	7.6
Winnebago	14	7.6	4.1	13.0	11	13.3	6.5	24.4	3	2.9	0.6	8.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	481	7.1	6.4	7.8	319	9.7	8.5	10.9	162	4.7	4.0	5.5
Cook	327	7.3	6.5	8.2	213	10.1	8.6	11.6	114	4.9	4.0	5.9
DuPage	28	8.4	5.3	12.4	20	12.9	7.4	20.6	8	4.4	1.8	8.9
Kane	19	4.1	2.3	6.6	12	5.7	2.5	10.8	7	2.7	1.0	5.7
Lake	21	4.9	2.7	7.9	14	6.7	3.0	12.4	7	3.3	1.1	7.4
Will	22	7.4	4.4	11.4	17	11.5	6.3	19.1	5	3.4	1.0	7.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Oral Cavity and Pharynx, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	8,771	12.8	12.5	13.1	6,192	19.4	18.9	19.9	2,579	7.1	6.8	7.3
Cook	2,983	12.0	11.6	12.5	2,038	18.3	17.5	19.2	945	7.0	6.5	7.4
DuPage	614	11.7	10.8	12.7	444	18.1	16.4	19.9	170	6.2	5.3	7.3
Kane	306	12.6	11.2	14.1	215	18.5	16.0	21.2	91	7.3	5.8	9.0
Lake	393	10.5	9.5	11.7	269	15.3	13.5	17.4	124	6.2	5.1	7.5
Will	420	12.6	11.3	13.9	297	18.4	16.3	20.7	123	7.2	6.0	8.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	31,217	42.1	41.6	42.5	16,364	48.7	48.0	49.5	14,853	36.6	36.0	37.2
Adams	198	43.7	37.5	50.7	95	46.8	37.5	57.8	103	40.9	33.0	50.4
Alexander	28	58.4	37.9	87.5	13	59.8	31.0	107.4	15	57.7	31.2	100.9
Bond	55	49.8	37.2	65.7	34	65.2	44.8	92.5	21	37.3	22.5	59.2
Boone	120	39.9	33.0	47.9	51	35.0	25.8	46.4	69	44.2	34.2	56.3
Brown	21	58.1	35.9	89.8	13	76.1	40.1	131.1	8	45.0	18.5	96.2
Bureau	106	41.9	34.0	51.4	62	55.9	42.5	72.6	44	29.0	20.5	40.5
Calhoun	22	53.2	33.1	84.0	12	60.7	31.0	113.3	10	47.6	22.4	96.4
Carroll	43	35.1	25.0	48.9	23	37.4	23.4	58.7	20	31.7	18.2	53.1
Cass	44	55.7	40.1	75.6	19	54.6	32.5	86.3	25	56.3	35.7	85.6
Champaign	361	36.9	33.1	41.1	208	45.9	39.7	52.8	153	28.9	24.4	34.0
Christian	129	55.6	46.1	66.7	70	65.5	50.8	83.6	59	45.2	33.6	59.9
Clark	57	52.3	39.1	69.0	23	44.2	27.6	67.9	34	56.0	37.3	81.5
Clay	55	54.8	40.9	72.5	30	63.9	42.7	93.2	25	45.7	28.7	70.6
Clinton	95	39.9	32.1	49.2	55	49.2	36.8	64.6	40	32.2	22.5	45.1
Coles	142	46.7	39.1	55.4	68	52.3	40.4	66.7	74	43.1	33.3	55.0
Cook	12,205	42.2	41.4	42.9	6,262	49.1	47.9	50.4	5,943	36.9	36.0	37.9
Crawford	55	43.0	32.1	56.6	30	53.6	36.0	77.2	25	33.8	21.2	52.1
Cumberland	38	51.0	35.8	71.2	21	62.0	37.9	96.8	17	40.7	23.5	67.7
DeKalb	217	43.8	38.0	50.1	101	44.4	35.9	54.3	116	43.3	35.6	52.2
DeWitt	51	46.8	34.4	62.5	29	58.5	38.6	85.5	22	36.1	22.2	56.7
Douglas	51	41.2	30.4	54.8	27	46.2	30.2	68.2	24	37.5	23.4	57.4
DuPage	2,083	38.6	36.9	40.3	1,107	45.2	42.5	48.0	976	33.2	31.1	35.4
Edgar	65	47.5	36.3	61.6	35	58.9	40.6	83.6	30	36.6	24.1	54.8
Edwards	25	56.1	35.6	85.0	10	51.8	24.4	98.1	15	59.6	32.2	104.0
Effingham	119	54.1	44.6	65.1	62	63.6	48.4	82.3	57	45.8	34.4	60.0
Fayette	63	43.0	32.8	55.6	37	53.4	37.4	74.2	26	31.7	20.2	48.2
Ford	50	53.6	39.1	72.1	25	57.4	36.4	87.0	25	52.8	33.1	80.8
Franklin	128	46.7	38.7	55.9	73	58.4	45.5	74.1	55	36.3	27.0	48.2
Fulton	150	59.6	50.2	70.4	71	61.7	48.0	78.4	79	56.9	44.6	72.2
Gallatin	17	41.5	23.8	69.7	12	61.5	31.0	114.5	5	20.9	6.7	58.1
Greene	33	36.8	25.0	52.8	17	40.4	23.2	66.3	16	32.8	18.2	56.0
Grundy	136	51.0	42.6	60.5	76	65.2	50.8	82.2	60	41.4	31.4	53.6
Hamilton	31	49.7	33.2	72.6	12	45.4	22.7	83.1	19	50.2	29.6	83.4
Hancock	62	43.9	33.0	57.8	29	42.2	27.5	62.9	33	44.9	29.7	66.2
Hardin	11	36.5	17.0	72.0	10	69.1	30.6	139.8	1	6.0	0.2	52.1
Henderson	20	33.3	20.1	54.5	7	21.1	8.4	51.5	13	46.5	24.3	85.5
Henry	144	39.8	33.4	47.3	75	44.1	34.5	55.9	69	35.9	27.6	46.2
Iroquois	103	50.1	40.5	61.6	49	47.0	34.4	63.2	54	51.7	37.8	69.4
Jackson	126	38.9	32.2	46.7	72	48.9	37.9	62.1	54	30.6	22.6	40.6
Jasper	37	52.0	36.2	73.1	16	50.1	28.2	83.8	21	56.3	34.4	89.3
Jefferson	143	55.0	46.2	65.2	77	62.7	49.2	79.0	66	49.0	37.5	63.4
Jersey	56	37.3	27.9	49.2	32	44.7	30.4	64.1	24	31.7	19.7	48.9
Jo Daviess	63	33.5	25.4	44.1	36	38.3	26.5	54.9	27	29.4	18.6	45.6
Johnson	35	40.8	28.0	58.0	26	58.1	37.5	87.0	9	24.2	10.1	49.9
Kane	1,007	36.6	34.3	39.0	525	41.2	37.6	45.0	482	32.6	29.7	35.7
Kankakee	297	43.8	38.8	49.2	157	49.2	41.6	57.9	140	38.4	32.2	45.7
Kendall	218	40.9	35.4	46.9	119	46.4	37.9	56.0	99	35.9	29.0	43.9
Knox	163	44.5	37.6	52.4	91	53.0	42.3	65.7	72	36.6	27.9	47.3
Lake	1,400	36.4	34.5	38.4	748	41.6	38.6	44.8	652	31.8	29.4	34.4
LaSalle	353	46.3	41.4	51.6	183	52.7	45.1	61.2	170	40.4	34.3	47.4
Lawrence	43	41.5	29.9	56.5	24	48.3	30.8	72.6	19	33.5	20.0	54.5
Lee	93	38.6	31.0	47.8	46	37.3	27.2	50.5	47	39.3	28.2	53.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	124	50.3	41.6	60.4	64	56.6	43.3	72.9	60	43.9	33.1	57.5
Logan	111	59.2	48.5	71.8	52	58.9	43.7	78.0	59	59.9	45.0	78.6
Macon	372	51.3	46.0	57.1	198	59.6	51.3	68.9	174	44.7	37.9	52.4
Macoupin	159	51.1	43.1	60.2	85	61.6	48.8	76.8	74	42.9	33.2	54.9
Madison	708	41.8	38.7	45.1	361	48.0	43.1	53.4	347	37.1	33.2	41.4
Marion	136	54.5	45.3	65.0	71	60.8	47.1	77.5	65	48.3	36.6	62.8
Marshall	47	53.6	38.6	73.2	23	59.8	36.7	92.8	24	47.1	29.6	73.6
Mason	59	55.3	41.5	72.8	32	64.2	43.4	92.9	27	48.3	30.6	73.8
Massac	47	48.9	35.3	66.2	24	56.5	35.4	86.1	23	41.7	25.8	65.0
McDonough	99	54.5	43.9	67.0	48	57.4	41.9	77.2	51	51.0	37.3	68.7
McHenry	680	39.3	36.3	42.5	364	44.9	40.1	50.0	316	34.4	30.6	38.6
McLean	331	38.5	34.4	43.0	179	45.5	38.9	52.9	152	33.2	28.0	39.1
Menard	40	48.7	34.3	67.7	20	54.9	32.7	87.3	20	42.7	25.5	68.9
Mercer	56	46.8	35.1	61.8	30	50.8	33.9	74.4	26	42.9	27.5	65.3
Monroe	71	31.5	24.4	40.2	41	36.5	25.8	50.4	30	26.5	17.5	38.8
Montgomery	113	56.1	45.9	68.0	60	65.3	49.6	84.7	53	47.8	35.0	64.5
Morgan	123	51.8	42.8	62.4	69	65.3	50.5	83.3	54	41.4	30.6	55.4
Moultrie	56	56.6	42.3	74.5	29	64.8	43.0	94.5	27	50.2	32.2	75.6
Ogle	144	41.4	34.7	49.0	70	41.7	32.3	53.2	74	40.3	31.3	51.3
Peoria	489	44.5	40.5	48.7	264	53.6	47.2	60.7	225	36.5	31.7	41.9
Perry	75	54.7	42.7	69.2	35	51.1	35.4	71.9	40	60.6	42.1	84.9
Piatt	48	44.8	32.7	60.3	27	51.9	33.7	77.0	21	38.2	23.0	60.4
Pike	54	49.0	36.0	65.6	31	59.3	39.7	85.9	23	43.2	25.5	68.9
Pope	12	32.9	14.8	67.8	7	41.9	13.0	106.0	5	24.0	7.7	79.1
Pulaski	14	30.2	16.3	53.8	7	34.8	13.7	77.8	7	26.9	10.7	63.0
Putnam	13	30.3	15.7	55.3	9	44.5	19.4	90.8	4	15.1	4.0	49.4
Randolph	113	49.9	40.9	60.5	58	56.2	42.5	73.3	55	43.7	32.4	58.5
Richland	62	59.1	44.5	77.2	36	70.6	48.8	99.4	26	50.2	31.4	76.5
Rock Island	324	33.9	30.2	38.0	170	39.9	34.0	46.6	154	28.4	23.9	33.6
Saline	86	53.6	42.5	66.9	47	64.3	46.9	86.5	39	44.5	31.0	62.4
Sangamon	559	45.3	41.5	49.4	276	50.6	44.7	57.2	283	41.0	36.2	46.4
Schuylerville	29	49.1	32.7	72.8	17	58.7	33.9	98.6	12	37.1	19.0	71.5
Scott	20	61.0	36.1	97.6	13	86.9	44.5	154.3	7	34.5	13.0	79.5
Shelby	100	58.2	46.9	71.9	51	64.7	47.6	86.6	49	51.8	37.4	70.8
St. Clair	630	40.5	37.4	43.9	346	50.2	44.8	55.9	284	32.4	28.6	36.6
Stark	23	54.6	34.0	85.0	13	61.1	32.4	110.2	10	51.4	23.1	101.6
Stephenson	135	38.4	31.9	45.9	75	47.9	37.4	60.8	60	29.9	22.4	39.5
Tazewell	404	45.8	41.4	50.7	218	54.7	47.5	62.6	186	38.8	33.2	45.2
Union	57	44.8	33.5	59.2	34	55.9	38.1	80.1	23	34.4	21.0	54.2
Vermilion	252	50.0	43.8	56.9	123	51.6	42.7	61.9	129	48.9	40.3	58.8
Wabash	48	61.3	44.2	83.2	27	74.4	47.6	111.5	21	50.1	29.6	80.6
Warren	62	54.8	41.5	71.2	33	59.5	40.5	84.9	29	54.0	35.1	79.8
Washington	50	51.2	37.6	68.7	27	56.8	36.8	84.9	23	44.3	27.5	68.8
Wayne	54	41.6	31.1	55.1	30	48.5	32.6	70.8	24	35.0	22.0	54.2
White	44	40.9	29.3	56.2	27	56.0	36.5	83.4	17	28.5	15.9	48.9
Whiteside	149	36.8	30.9	43.5	86	46.6	37.1	58.0	63	28.0	21.2	36.6
Will	1,510	43.2	41.0	45.5	832	51.3	47.7	55.1	678	36.2	33.4	39.0
Williamson	227	51.1	44.5	58.4	125	60.5	50.1	72.4	102	41.8	33.9	51.2
Winnebago	634	36.2	33.3	39.2	339	42.0	37.6	46.9	295	31.2	27.6	35.2
Woodford	97	39.1	31.5	48.2	56	48.7	36.5	63.8	41	29.5	20.7	41.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	25,033	41.1	40.6	41.6	13,227	47.5	46.6	48.3	11,806	35.7	35.0	36.3
Champaign	311	38.0	33.7	42.6	180	47.7	40.8	55.5	131	29.1	24.1	34.8
Cook	7,818	39.6	38.7	40.5	4,104	45.9	44.5	47.4	3,714	34.4	33.3	35.6
DuPage	1,832	39.5	37.6	41.4	963	46.1	43.1	49.2	869	34.2	31.8	36.6
Kane	912	36.5	34.2	39.0	467	40.4	36.7	44.4	445	33.2	30.2	36.6
Kankakee	239	40.4	35.3	46.1	126	46.0	38.1	55.1	113	34.9	28.6	42.3
Lake	1,188	35.3	33.2	37.4	628	39.6	36.4	42.9	560	31.3	28.7	34.1
Macon	312	49.4	43.8	55.7	168	57.6	48.9	67.5	144	42.8	35.5	51.3
Madison	653	41.2	38.0	44.5	331	46.9	41.9	52.4	322	36.8	32.8	41.3
Peoria	399	43.0	38.7	47.7	218	52.6	45.6	60.3	181	34.4	29.3	40.3
Rock Island	300	34.3	30.4	38.7	156	40.3	34.0	47.6	144	29.0	24.2	34.6
Sangamon	495	44.0	40.0	48.2	246	49.4	43.2	56.2	249	39.7	34.7	45.3
St Clair	412	36.8	33.2	40.7	229	45.5	39.6	52.0	183	28.7	24.5	33.5
Vermilion	228	50.5	43.8	57.9	112	52.0	42.6	63.1	116	49.2	40.0	60.1
Will	1,287	43.4	41.0	45.9	721	52.1	48.2	56.2	566	35.7	32.8	38.8
Winnebago	549	35.4	32.4	38.6	291	40.7	36.0	45.8	258	30.9	27.0	35.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,795	50.5	49.0	52.0	2,352	60.3	57.8	62.9	2,443	44.2	42.4	46.0
Champaign	37	36.3	25.0	50.6	20	41.0	24.3	64.7	17	31.3	17.8	50.5
Cook	3,574	50.8	49.1	52.6	1,711	60.8	57.9	63.9	1,863	44.6	42.5	46.7
DuPage	85	48.0	37.1	60.9	39	54.6	36.4	78.0	46	42.8	30.1	58.6
Kane	53	41.5	30.5	55.0	31	57.9	37.8	84.0	22	29.5	18.1	45.3
Kankakee	52	64.9	47.9	86.0	26	69.7	44.1	104.2	26	61.0	39.3	90.1
Lake	102	48.7	39.1	59.7	55	61.4	44.8	81.7	47	39.9	28.8	53.5
Macon	58	66.9	50.1	87.3	29	76.9	50.1	112.6	29	58.3	38.5	84.5
Madison	47	51.5	37.3	69.2	25	67.4	41.7	101.9	22	41.7	25.6	63.6
Peoria	68	50.5	38.7	64.6	33	61.9	41.5	88.1	35	42.4	29.1	59.6
Rock Island	18	28.9	16.8	46.0	10	30.7	14.3	57.2	8	22.8	9.5	45.3
Sangamon	53	53.0	39.1	70.1	25	56.6	34.8	86.5	28	50.9	33.2	74.1
St Clair	210	53.5	46.3	61.5	114	69.2	56.4	83.9	96	43.1	34.8	52.9
Vermilion	17	46.4	26.4	74.3	7	47.3	17.2	98.1	10	47.6	22.6	87.0
Will	177	53.4	45.1	62.7	86	60.8	46.7	77.3	91	48.2	38.3	59.9
Winnebago	72	45.9	35.4	58.3	39	60.5	41.3	84.7	33	36.8	25.0	52.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,284	34.2	32.7	35.8	1,263	39.5	37.1	42.0	1,021	29.7	27.8	31.7
Cook	1,478	33.6	31.8	35.4	812	38.9	36.0	41.9	666	29.2	26.9	31.5
DuPage	135	38.1	31.2	46.0	76	45.6	34.1	59.3	59	32.3	23.9	42.5
Kane	119	26.1	21.0	31.9	73	35.8	26.8	46.5	46	17.6	12.4	24.0
Lake	144	36.3	29.8	43.7	78	39.5	29.8	51.1	66	32.9	24.5	43.0
Will	131	45.9	37.5	55.5	72	55.5	41.3	72.3	59	38.6	28.6	50.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Colon and Rectum, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	28,933	42.8	42.3	43.3	15,101	49.7	48.9	50.6	13,832	37.2	36.5	37.8
Cook	10,727	43.6	42.7	44.4	5,450	51.0	49.6	52.4	5,277	38.1	37.0	39.1
DuPage	1,948	38.7	36.9	40.5	1,031	45.3	42.5	48.3	917	33.3	31.1	35.7
Kane	888	38.5	35.9	41.2	452	42.8	38.8	47.2	436	34.7	31.4	38.3
Lake	1,256	36.7	34.6	38.9	670	42.3	39.0	45.8	586	31.8	29.2	34.6
Will	1,379	43.2	40.9	45.7	760	51.4	47.7	55.4	619	36.0	33.2	39.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	47,692	63.0	62.5	63.6	24,103	71.8	70.9	72.8	23,589	56.7	55.9	57.4
Adams	341	70.3	62.8	78.5	191	83.8	72.2	97.1	150	59.3	49.8	70.3
Alexander	53	101.9	75.8	135.7	33	139.3	95.2	200.4	20	75.2	45.1	121.2
Bond	75	62.8	49.2	79.5	42	79.1	56.5	108.2	33	53.3	36.3	76.9
Boone	214	66.8	58.0	76.6	115	77.3	63.4	93.3	99	59.0	47.8	72.1
Brown	33	92.9	63.8	131.3	20	111.1	67.0	173.4	13	71.0	37.8	127.0
Bureau	201	78.3	67.7	90.4	99	81.2	65.8	99.5	102	78.8	63.8	96.8
Calhoun	20	45.3	27.6	73.5	11	55.1	27.3	106.1	9	38.8	17.7	83.3
Carroll	68	51.0	39.4	66.0	35	54.4	37.7	78.0	33	49.0	33.2	71.9
Cass	83	102.6	81.5	127.9	49	132.6	97.7	176.5	34	78.4	53.9	111.3
Champaign	505	50.4	46.0	55.1	241	54.3	47.4	61.8	264	47.9	42.1	54.2
Christian	250	102.8	90.2	116.8	136	120.9	101.2	143.7	114	88.3	72.4	107.2
Clark	83	74.2	58.7	93.0	40	81.3	57.4	112.3	43	72.2	51.9	98.9
Clay	97	94.9	76.7	116.7	61	132.6	101.0	172.2	36	63.1	43.9	89.6
Clinton	173	71.6	61.1	83.5	92	81.6	65.4	100.6	81	63.4	49.9	79.7
Coles	223	70.9	61.7	81.2	108	76.1	62.1	92.4	115	67.1	55.1	81.2
Cook	16,533	57.0	56.1	57.9	8,082	64.8	63.4	66.3	8,451	51.5	50.4	52.6
Crawford	105	77.1	62.9	94.0	62	99.4	75.9	128.5	43	59.0	42.3	81.3
Cumberland	49	60.5	44.5	81.1	29	79.1	52.6	115.6	20	46.2	28.0	74.1
DeKalb	323	65.4	58.3	73.1	165	74.0	62.8	86.6	158	58.6	49.7	68.7
DeWitt	105	89.3	72.8	108.9	59	113.9	86.1	148.5	46	71.5	52.0	97.1
Douglas	86	66.3	52.8	82.5	44	72.1	52.0	97.9	42	60.9	43.5	83.7
DuPage	2,693	50.1	48.1	52.0	1,275	53.5	50.5	56.6	1,418	47.9	45.4	50.5
Edgar	101	72.8	58.9	89.4	49	77.3	56.8	103.9	52	71.1	52.5	95.5
Edwards	36	69.4	48.2	98.4	16	69.1	38.7	116.9	20	71.9	43.4	116.2
Effingham	136	60.0	50.1	71.3	77	74.3	58.2	93.8	59	47.7	36.2	62.2
Fayette	105	69.3	56.5	84.4	63	84.9	65.0	109.5	42	54.4	38.7	75.1
Ford	56	58.1	43.6	76.5	32	72.6	49.1	104.4	24	46.0	29.1	70.7
Franklin	289	100.7	89.1	113.4	161	123.1	104.4	144.5	128	82.0	68.1	98.4
Fulton	201	75.4	65.1	87.0	108	86.8	71.0	105.4	93	68.1	54.4	84.8
Gallatin	42	96.8	69.0	134.3	21	111.7	67.8	177.5	21	87.7	53.1	142.2
Greene	85	87.7	69.8	109.5	47	102.7	75.2	138.1	38	76.6	53.5	107.8
Grundy	203	73.3	63.4	84.4	114	88.5	72.4	107.1	89	60.6	48.5	74.9
Hamilton	48	72.8	53.5	98.1	31	106.4	71.9	154.2	17	48.7	27.9	82.1
Hancock	98	67.3	54.2	83.0	57	81.3	61.3	106.9	41	55.8	39.2	78.3
Hardin	41	118.3	83.5	166.5	25	136.8	87.5	212.9	16	103.4	56.2	181.3
Henderson	49	76.4	55.9	104.1	26	80.1	52.0	123.5	23	71.7	43.9	115.3
Henry	241	65.3	57.1	74.4	138	79.1	66.2	94.1	103	53.9	43.7	66.1
Iroquois	176	80.4	68.7	93.8	95	93.6	75.4	115.4	81	70.0	55.2	88.2
Jackson	233	74.0	64.6	84.5	120	83.4	68.7	100.3	113	67.1	54.8	81.4
Jasper	47	68.3	49.8	92.3	24	69.5	44.2	105.9	23	66.8	41.4	103.8
Jefferson	220	83.9	72.9	96.1	120	97.8	80.8	117.5	100	73.3	59.2	90.2
Jersey	120	75.3	62.3	90.6	62	85.2	65.0	110.4	58	66.4	50.3	86.9
Jo Daviess	125	61.4	50.9	74.1	73	75.8	59.1	96.9	52	50.4	37.2	68.3
Johnson	89	91.8	73.4	114.2	59	126.8	95.9	165.5	30	59.8	39.9	88.8
Kane	1,312	48.5	45.8	51.2	655	54.6	50.3	59.1	657	44.2	40.8	47.7
Kankakee	540	78.1	71.6	85.2	283	88.1	77.9	99.3	257	69.9	61.5	79.2
Kendall	285	59.7	52.7	67.3	143	68.9	57.4	81.8	142	53.6	44.9	63.4
Knox	281	74.9	66.2	84.5	149	86.4	72.8	101.9	132	65.1	54.1	77.9
Lake	2,054	54.0	51.6	56.5	977	56.8	53.1	60.6	1,077	52.1	49.0	55.4
LaSalle	644	82.2	75.8	88.9	331	91.9	82.1	102.7	313	74.5	66.3	83.6
Lawrence	84	78.1	62.1	97.3	46	91.0	66.4	122.3	38	67.8	47.2	95.6
Lee	179	70.7	60.6	82.2	85	68.0	54.1	84.8	94	73.8	59.4	91.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	216	86.6	75.2	99.5	119	104.3	86.1	125.4	97	75.6	60.9	93.2
Logan	203	103.1	89.1	118.8	105	119.8	97.7	145.7	98	91.6	73.9	112.7
Macon	723	94.7	87.8	102.1	361	104.7	94.0	116.4	362	88.0	78.9	98.0
Macoupin	326	94.1	83.9	105.3	192	121.4	104.5	140.6	134	73.1	61.0	87.4
Madison	1,426	82.1	77.8	86.6	696	91.2	84.4	98.4	730	76.4	70.8	82.3
Marion	244	87.9	77.0	100.1	139	109.9	92.1	130.5	105	71.4	58.1	87.3
Marshall	83	82.8	65.8	103.8	45	98.6	71.6	134.1	38	71.6	50.5	101.0
Mason	112	100.2	82.3	121.7	56	110.3	82.9	145.3	56	96.7	72.7	127.7
Massac	100	91.6	74.2	112.5	51	99.6	73.8	132.8	49	85.2	62.2	115.0
McDonough	149	75.7	63.8	89.4	75	86.7	67.8	109.5	74	66.4	51.8	84.5
McHenry	1,058	62.1	58.3	66.1	531	69.4	63.3	75.9	527	57.1	52.2	62.3
McLean	518	60.0	54.8	65.5	255	65.8	57.7	74.7	263	55.4	48.8	62.7
Menard	62	69.6	53.0	90.4	37	92.8	64.6	130.2	25	52.0	33.3	79.2
Mercer	109	88.6	72.4	107.8	64	108.0	82.7	139.9	45	70.3	51.0	96.0
Monroe	120	51.3	42.3	61.7	60	56.3	42.6	73.3	60	49.0	37.1	63.9
Montgomery	191	92.1	79.2	106.7	110	112.9	92.5	136.8	81	75.3	59.1	95.1
Morgan	230	93.1	81.1	106.5	126	111.1	92.2	133.1	104	81.2	65.6	99.8
Moultrie	71	74.3	57.8	94.4	38	85.4	60.2	118.4	33	65.9	44.9	94.0
Ogle	245	68.4	60.0	77.7	135	81.6	68.2	97.1	110	57.7	47.3	70.0
Peoria	978	84.7	79.4	90.3	543	105.0	96.2	114.5	435	69.2	62.7	76.2
Perry	115	79.8	65.6	96.3	63	91.3	69.9	117.7	52	69.7	51.4	93.3
Piatt	73	61.9	48.3	78.7	36	68.0	47.2	95.6	37	57.6	40.2	81.1
Pike	98	83.3	67.4	102.4	59	110.2	83.6	143.5	39	60.9	43.0	85.3
Pope	25	59.2	37.9	94.4	15	67.9	37.5	126.3	10	50.3	23.6	111.8
Pulaski	46	102.2	74.5	138.7	26	129.0	83.7	193.8	20	81.0	49.2	130.7
Putnam	40	82.7	58.8	115.6	24	99.0	62.4	153.9	16	68.6	38.8	118.4
Randolph	160	70.6	59.9	82.9	84	80.7	64.1	100.6	76	67.7	52.5	86.4
Richland	93	83.0	66.5	102.6	53	98.4	73.3	130.1	40	68.5	47.8	95.8
Rock Island	683	66.9	61.9	72.3	351	75.1	67.3	83.6	332	60.6	54.1	67.7
Saline	130	72.3	60.2	86.4	70	87.1	67.6	111.0	60	61.4	46.6	80.2
Sangamon	1,067	82.3	77.4	87.6	538	95.9	87.8	104.7	529	73.3	67.0	80.1
Schuylerville	51	91.4	67.4	122.8	29	105.3	69.6	155.8	22	74.8	46.5	118.8
Scott	25	65.5	42.3	99.2	14	81.9	44.4	142.5	11	51.4	25.5	98.9
Shelby	132	76.8	64.0	91.8	75	93.4	73.0	118.4	57	62.4	46.9	82.3
St. Clair	1,211	76.4	72.1	81.0	607	87.7	80.6	95.2	604	68.8	63.3	74.6
Stark	31	66.9	45.3	97.7	20	92.0	55.9	147.7	11	42.8	21.1	84.0
Stephenson	199	54.3	46.9	62.8	105	61.3	50.0	74.8	94	49.4	39.5	61.3
Tazewell	728	79.3	73.5	85.4	364	87.1	78.2	96.7	364	73.3	65.8	81.5
Union	121	88.6	73.3	106.8	79	123.3	97.1	155.4	42	59.2	42.5	81.7
Vermilion	504	91.9	83.9	100.6	264	105.1	92.6	119.0	240	81.6	71.3	93.1
Wabash	61	70.2	53.4	91.5	33	80.4	54.9	114.9	28	61.7	40.3	92.2
Warren	87	69.8	55.7	86.9	54	100.0	74.5	132.0	33	47.5	32.5	68.3
Washington	64	60.7	46.6	78.3	35	71.6	49.6	101.1	29	51.5	34.4	75.8
Wayne	80	62.6	49.4	78.8	41	68.8	49.2	94.7	39	58.5	40.9	82.1
White	99	87.0	70.5	106.9	55	107.2	80.4	141.4	44	69.6	50.3	95.7
Whiteside	271	63.3	55.9	71.6	149	76.2	64.3	90.0	122	51.9	43.0	62.6
Will	2,122	61.8	59.1	64.5	1,055	68.8	64.6	73.3	1,067	56.8	53.4	60.4
Williamson	386	82.6	74.5	91.5	206	98.1	84.9	112.8	180	70.7	60.6	82.2
Winnebago	1,240	66.5	62.8	70.4	606	72.0	66.2	78.1	634	63.0	58.1	68.2
Woodford	153	60.8	51.3	71.6	79	68.0	53.5	85.3	74	56.0	43.6	71.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	39,690	63.6	62.9	64.2	20,031	71.4	70.4	72.5	19,659	57.9	57.1	58.7
Champaign	452	52.1	47.2	57.3	215	55.7	48.3	63.9	237	49.9	43.6	57.0
Cook	10,695	54.3	53.2	55.3	5,159	59.6	58.0	61.3	5,536	50.6	49.2	52.0
DuPage	2,488	53.3	51.2	55.5	1,159	56.2	52.8	59.6	1,329	51.7	48.9	54.7
Kane	1,221	49.4	46.6	52.3	606	55.2	50.7	60.0	615	45.3	41.7	49.1
Kankakee	465	76.8	69.9	84.3	243	85.4	74.8	97.2	222	69.6	60.6	79.8
Lake	1,839	54.9	52.3	57.5	861	56.5	52.7	60.6	978	53.9	50.5	57.5
Macon	628	94.0	86.6	102.0	304	99.5	88.4	111.7	324	91.1	81.1	102.3
Madison	1,337	82.0	77.5	86.6	664	91.9	84.9	99.4	673	75.4	69.7	81.5
Peoria	824	83.2	77.5	89.2	461	103.2	93.8	113.4	363	67.8	60.8	75.4
Rock Island	617	65.4	60.2	70.9	318	73.9	65.8	82.7	299	58.8	52.2	66.2
Sangamon	971	82.0	76.8	87.5	492	95.9	87.4	105.1	479	72.8	66.2	79.9
St Clair	885	75.4	70.4	80.6	449	85.4	77.5	94.0	436	68.5	62.1	75.5
Vermilion	455	90.8	82.4	99.9	235	102.0	89.1	116.5	220	82.4	71.5	94.7
Will	1,872	63.6	60.7	66.7	919	69.9	65.3	74.8	953	59.5	55.7	63.4
Winnebago	1,115	66.7	62.7	70.8	543	71.5	65.5	77.9	572	63.8	58.5	69.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,914	72.3	70.6	74.1	3,427	88.6	85.5	91.8	3,487	61.8	59.7	63.9
Champaign	48	54.0	39.2	72.2	24	57.5	35.7	86.9	24	50.8	32.0	75.8
Cook	5,161	71.9	69.9	73.9	2,508	88.3	84.8	92.0	2,653	61.6	59.2	64.0
DuPage	68	46.4	34.9	60.2	32	58.2	37.1	85.5	36	39.6	26.5	56.3
Kane	62	48.7	36.6	63.3	35	62.3	41.9	88.5	27	37.6	24.1	55.7
Kankakee	74	94.2	73.1	119.4	40	120.1	83.7	166.1	34	75.4	51.5	106.4
Lake	151	70.0	58.6	82.9	82	91.3	70.7	115.5	69	55.3	42.6	70.6
Macon	90	100.8	80.3	124.9	56	147.3	107.9	195.8	34	67.0	45.8	94.4
Madison	83	92.7	73.0	115.8	31	95.3	63.1	136.5	52	92.2	68.1	121.8
Peoria	143	103.6	86.5	122.9	76	132.7	102.7	168.2	67	82.9	63.4	106.2
Rock Island	59	94.9	71.5	123.0	29	99.2	64.5	144.8	30	91.9	61.3	131.7
Sangamon	86	92.4	72.8	115.3	39	93.0	63.0	131.4	47	90.8	65.8	121.5
St Clair	317	82.2	73.1	92.0	157	99.4	83.6	117.1	160	71.0	60.1	83.2
Vermilion	45	115.9	83.3	156.2	26	155.4	98.3	230.8	19	87.8	51.8	138.1
Will	204	64.4	55.1	74.7	107	78.6	62.7	96.9	97	53.5	42.8	66.0
Winnebago	109	74.4	60.4	90.4	54	89.7	65.4	119.2	55	64.6	48.2	84.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,549	27.9	26.4	29.4	816	32.8	30.3	35.3	733	24.2	22.4	26.1
Cook	988	26.6	24.9	28.4	549	33.1	30.2	36.2	439	21.5	19.5	23.7
DuPage	71	25.2	19.2	32.2	36	28.2	18.9	40.0	35	22.9	15.5	32.3
Kane	80	22.6	17.4	28.6	41	26.5	18.2	36.8	39	19.4	13.3	27.1
Lake	67	23.8	17.9	30.7	30	24.7	15.9	36.0	37	23.3	15.9	32.7
Will	91	35.3	27.8	43.9	52	46.6	33.6	62.5	39	27.0	18.7	37.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Lung and Bronchus, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,143	66.0	65.4	66.6	23,287	75.3	74.3	76.3	22,856	59.3	58.5	60.1
Cook	15,545	61.7	60.7	62.7	7,533	70.0	68.4	71.7	8,012	55.8	54.6	57.1
DuPage	2,622	51.5	49.5	53.5	1,239	55.0	51.9	58.3	1,383	49.2	46.6	52.0
Kane	1,232	52.2	49.2	55.3	614	58.9	54.1	63.9	618	47.5	43.7	51.5
Lake	1,987	56.5	54.0	59.1	947	59.6	55.7	63.7	1,040	54.3	51.0	57.8
Will	2,031	63.6	60.8	66.5	1,003	70.5	66.0	75.2	1,028	58.8	55.2	62.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	15,429	21.3	21.0	21.7	8,692	26.2	25.6	26.7	6,737	18.1	17.7	18.6
Adams	137	33.5	27.8	40.0	72	35.6	27.6	45.2	65	32.5	24.5	42.2
Alexander	5	16.0	4.6	38.7	1	5.6	0.1	35.0	4	26.4	6.3	69.0
Bond	28	25.8	16.9	38.0	20	37.5	22.6	59.2	8	16.3	6.7	33.8
Boone	69	23.2	18.0	29.6	38	26.8	18.7	37.1	31	21.2	14.3	30.4
Brown	9	24.0	10.9	46.8	6	32.9	11.7	73.5	3	14.5	2.9	52.5
Bureau	72	31.2	24.0	40.1	47	42.9	31.1	57.9	25	22.7	13.9	35.0
Calhoun	4	12.4	2.7	36.6	2	9.8	1.2	46.5	2	15.5	1.1	63.4
Carroll	21	21.9	13.1	35.0	12	20.7	10.4	38.7	9	24.1	10.4	47.6
Cass	16	20.3	11.4	33.8	10	26.9	12.6	50.7	6	15.1	5.3	34.6
Champaign	299	30.5	27.0	34.2	171	37.4	31.8	43.6	128	25.9	21.4	31.0
Christian	56	25.1	18.7	33.2	32	30.9	21.0	44.2	24	21.5	13.1	33.5
Clark	24	22.7	14.2	34.7	16	32.7	18.2	54.7	8	15.2	6.1	31.9
Clay	27	32.6	20.9	48.7	15	34.5	19.0	58.6	12	32.2	15.4	59.1
Clinton	66	30.0	23.0	38.6	34	31.9	21.9	45.0	32	29.5	19.7	42.5
Coles	82	27.5	21.6	34.5	45	33.6	24.2	45.4	37	23.4	16.0	33.1
Cook	4,182	14.7	14.2	15.1	2,405	19.1	18.3	19.9	1,777	11.7	11.1	12.2
Crawford	35	26.3	18.0	37.4	18	30.1	17.7	48.5	17	26.7	14.6	45.2
Cumberland	21	30.0	18.0	47.5	12	33.7	16.9	61.4	9	26.1	10.6	53.7
DeKalb	115	22.6	18.6	27.2	64	27.5	21.0	35.4	51	19.4	14.4	25.7
DeWitt	46	47.0	33.7	63.9	25	54.4	34.6	81.9	21	41.5	24.6	65.8
Douglas	43	35.8	25.6	49.0	21	36.3	22.3	56.3	22	38.1	23.2	59.1
DuPage	1,290	24.1	22.8	25.5	749	30.0	27.8	32.3	541	20.0	18.3	21.8
Edgar	32	29.2	19.4	42.4	20	37.5	22.5	59.5	12	24.9	12.2	45.2
Edwards	7	17.1	6.1	38.1	3	14.0	2.7	45.5	4	23.5	5.4	63.8
Effingham	64	32.2	24.5	41.5	30	32.4	21.7	46.6	34	34.6	23.5	49.2
Fayette	32	23.3	15.8	33.3	17	25.7	14.9	41.6	15	21.7	11.6	37.5
Ford	43	48.9	34.8	67.1	24	53.9	34.1	82.0	19	45.9	26.5	74.4
Franklin	76	27.5	21.5	34.8	45	33.5	24.3	45.4	31	23.5	15.7	34.1
Fulton	57	25.8	19.3	33.8	28	24.4	16.1	35.9	29	30.1	19.5	44.4
Gallatin	5	17.4	5.2	42.8	3	24.4	4.7	72.8	2	11.3	1.2	48.1
Greene	28	29.7	19.6	43.9	11	26.3	13.0	48.5	17	33.6	19.4	56.1
Grundy	65	23.6	18.1	30.2	34	25.0	16.9	35.6	31	23.7	16.0	33.8
Hamilton	16	29.5	16.2	50.0	10	38.0	17.8	73.1	6	24.3	7.8	57.1
Hancock	39	31.5	21.7	44.5	19	30.2	17.8	48.9	20	34.6	19.9	56.4
Hardin	7	24.4	8.5	57.4	3	14.8	2.9	61.4	4	32.4	7.0	96.0
Henderson	11	15.8	7.9	31.9	6	18.8	6.8	48.9	5	12.7	4.0	39.7
Henry	95	27.9	22.3	34.6	56	32.8	24.6	43.2	39	24.9	17.3	35.0
Iroquois	56	29.1	21.5	38.7	30	30.6	20.5	44.5	26	29.5	18.3	45.1
Jackson	73	22.7	17.7	28.9	42	30.0	21.4	41.0	31	17.8	11.9	25.8
Jasper	16	26.9	14.7	45.7	10	33.1	15.3	63.6	6	23.6	7.6	54.3
Jefferson	69	29.8	22.9	38.1	45	39.6	28.6	53.5	24	21.5	13.3	33.0
Jersey	43	29.9	21.3	41.1	21	28.6	17.5	44.8	22	33.1	20.1	51.6
Jo Daviess	49	28.3	20.2	39.0	29	32.6	21.1	49.4	20	24.4	13.7	41.1
Johnson	15	17.6	9.7	30.2	8	17.2	7.3	36.0	7	20.4	7.3	45.7
Kane	635	22.9	21.1	24.8	339	26.6	23.8	29.8	296	20.6	18.3	23.2
Kankakee	151	23.9	20.1	28.2	87	29.1	23.2	36.1	64	19.8	15.0	25.5
Kendall	124	21.7	17.9	26.0	56	21.8	16.1	28.7	68	22.5	17.4	28.7
Knox	82	23.8	18.6	30.0	39	23.1	16.1	32.2	43	24.8	17.4	34.6
Lake	987	25.7	24.1	27.4	550	31.0	28.3	33.8	437	22.2	20.1	24.4
LaSalle	172	25.0	21.2	29.2	107	31.6	25.7	38.5	65	19.6	14.8	25.4
Lawrence	26	24.4	15.8	36.5	14	28.7	15.6	48.8	12	24.7	12.2	45.5
Lee	64	29.5	22.4	38.3	33	28.4	19.3	40.7	31	33.4	21.9	48.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	64	29.2	22.2	37.8	41	38.0	26.9	52.2	23	22.1	13.6	33.9
Logan	50	28.5	21.0	38.1	32	36.8	24.9	52.5	18	21.4	12.3	34.8
Macon	188	28.3	24.2	33.0	107	33.9	27.6	41.3	81	24.7	19.2	31.2
Macoupin	67	21.5	16.4	27.7	41	27.9	19.8	38.4	26	16.5	10.4	25.3
Madison	356	22.6	20.2	25.2	194	26.4	22.8	30.6	162	20.4	17.2	24.0
Marion	71	30.3	23.3	38.8	39	35.0	24.6	48.5	32	27.6	18.2	40.1
Marshall	18	23.7	13.3	39.4	8	19.8	8.0	42.1	10	26.9	11.6	53.5
Mason	26	26.8	17.1	40.6	18	41.6	24.2	67.8	8	13.0	5.4	28.8
Massac	18	17.8	10.2	29.3	12	24.3	12.3	44.5	6	11.8	3.9	28.3
McDonough	43	24.4	17.3	33.6	22	28.1	17.4	43.3	21	21.9	12.9	35.2
McHenry	481	28.4	25.9	31.2	272	33.5	29.5	38.0	209	24.5	21.2	28.2
McLean	292	34.5	30.6	38.9	154	39.3	33.2	46.3	138	31.8	26.6	37.7
Menard	26	35.2	22.4	53.0	16	42.8	23.8	71.8	10	28.9	13.2	55.1
Mercer	43	42.8	30.3	58.9	27	51.0	33.0	76.1	16	35.9	19.5	60.6
Monroe	65	31.4	23.9	40.5	40	39.8	28.0	55.0	25	24.6	15.5	37.1
Montgomery	43	23.4	16.7	32.1	22	22.8	14.2	35.2	21	27.1	16.0	42.9
Morgan	62	26.3	19.9	34.3	43	39.1	28.0	53.3	19	17.5	10.0	28.7
Moultrie	21	23.0	14.0	36.0	15	34.3	18.8	58.1	6	12.8	4.4	29.5
Ogle	96	30.6	24.6	37.8	42	25.5	18.2	35.0	54	36.7	27.1	48.7
Peoria	312	29.0	25.8	32.6	180	36.9	31.5	42.8	132	23.5	19.5	28.1
Perry	30	22.8	15.1	33.1	19	29.3	17.4	46.5	11	17.9	8.4	33.8
Piatt	51	53.4	39.0	71.5	29	59.1	38.7	86.8	22	50.6	30.6	78.3
Pike	35	35.5	24.1	50.7	16	29.8	16.6	50.2	19	42.4	24.1	68.9
Pope	9	35.8	14.3	75.7	6	48.0	14.1	119.6	3	23.9	4.1	86.4
Pulaski	6	15.5	4.9	37.7	2	8.5	1.0	40.5	4	22.1	4.6	64.5
Putnam	11	27.5	12.0	54.5	6	21.6	7.9	55.9	5	33.7	8.5	87.0
Randolph	46	22.3	16.2	30.2	26	26.0	16.8	38.6	20	22.3	13.0	36.0
Richland	20	18.6	11.2	29.6	14	26.6	14.5	45.8	6	12.7	4.3	29.1
Rock Island	237	26.5	23.1	30.3	127	28.9	24.0	34.6	110	25.8	21.0	31.5
Saline	51	30.7	22.6	41.1	31	40.3	27.0	58.3	20	23.4	13.9	37.7
Sangamon	346	29.2	26.1	32.6	177	32.6	27.8	38.0	169	28.1	23.8	32.9
Schuylerville	14	27.2	14.4	48.1	10	39.5	18.4	77.1	4	13.0	3.5	41.4
Scott	10	34.2	15.5	65.8	4	23.0	6.1	65.7	6	46.7	15.7	105.4
Shelby	47	29.3	20.9	40.2	29	34.9	22.9	51.9	18	24.1	13.2	40.8
St. Clair	297	20.0	17.7	22.5	178	26.4	22.6	30.8	119	15.4	12.6	18.5
Stark	8	16.8	7.2	36.6	3	15.0	3.0	50.9	5	21.0	6.8	56.8
Stephenson	78	25.2	19.5	32.2	39	26.7	18.5	37.5	39	24.6	16.7	34.9
Tazewell	241	30.2	26.4	34.4	132	34.4	28.7	41.0	109	27.9	22.7	34.0
Union	25	22.1	13.9	33.6	17	30.8	17.5	51.0	8	15.5	6.3	32.3
Vermilion	160	32.2	27.2	37.9	94	38.2	30.6	47.1	66	28.8	21.8	37.2
Wabash	9	10.4	4.7	21.0	8	19.4	8.2	40.6	1	2.7	0.1	17.8
Warren	28	27.0	17.5	39.9	13	25.2	12.9	44.8	15	29.6	15.9	50.6
Washington	26	26.5	16.9	40.1	13	23.9	12.6	43.0	13	29.6	15.0	53.1
Wayne	25	19.0	12.2	28.9	17	28.1	16.3	46.5	8	11.7	4.9	25.2
White	20	20.7	12.3	33.1	12	27.8	13.9	50.5	8	14.4	6.1	30.8
Whiteside	98	25.8	20.7	32.0	49	27.0	19.7	36.3	49	25.5	18.3	34.7
Will	750	21.0	19.5	22.6	412	25.1	22.6	27.7	338	18.2	16.3	20.3
Williamson	127	30.5	25.3	36.6	80	39.5	31.1	49.6	47	22.9	16.5	31.0
Winnebago	409	23.9	21.6	26.4	219	27.3	23.7	31.3	190	22.3	19.1	25.9
Woodford	87	37.6	29.8	46.8	51	44.0	32.4	58.4	36	32.7	22.3	46.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	14,676	25.0	24.6	25.4	8,310	30.1	29.4	30.7	6,366	21.6	21.1	22.2
Champaign	254	31.1	27.2	35.3	151	38.5	32.4	45.4	103	26.0	21.0	31.9
Cook	3,939	20.3	19.7	21.0	2,285	25.8	24.7	26.9	1,654	16.5	15.7	17.4
DuPage	1,255	27.9	26.3	29.5	732	34.2	31.7	36.9	523	23.4	21.4	25.6
Kane	616	24.6	22.7	26.7	329	28.5	25.4	31.9	287	22.4	19.8	25.2
Kankakee	144	26.4	22.1	31.3	84	32.2	25.5	40.1	60	21.8	16.4	28.5
Lake	938	28.2	26.4	30.2	520	33.2	30.3	36.3	418	25.0	22.6	27.7
Macon	177	31.2	26.4	36.6	102	36.6	29.6	45.0	75	27.6	21.1	35.4
Madison	340	23.5	20.9	26.2	183	26.7	22.9	31.0	157	21.9	18.5	25.9
Peoria	284	31.4	27.7	35.4	165	39.7	33.7	46.5	119	25.5	20.9	30.9
Rock Island	231	28.9	25.1	33.2	123	31.0	25.6	37.3	108	28.4	23.0	34.8
Sangamon	343	32.7	29.1	36.5	177	35.8	30.6	41.8	166	32.0	27.1	37.6
St Clair	280	26.2	23.1	29.6	172	33.7	28.7	39.4	108	20.6	16.7	25.2
Vermilion	145	32.8	27.4	39.1	85	38.2	30.2	47.8	60	29.7	22.1	39.1
Will	716	23.9	22.1	25.7	395	28.2	25.4	31.2	321	21.1	18.8	23.6
Winnebago	403	27.1	24.4	30.1	218	30.5	26.4	35.0	185	25.7	21.9	30.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	70	0.8	0.6	1.0	27	0.7	0.5	1.1	43	0.8	0.6	1.1
Champaign	1	1.6	0.0	7.3	0				1	2.2	0.1	10.9
Cook	52	0.8	0.6	1.0	19	0.7	0.4	1.1	33	0.8	0.6	1.2
DuPage	6	5.5	1.8	12.0	4	13.0	3.0	32.0	2	2.1	0.2	7.7
Kane	1	0.7	0.0	4.0	1	1.4	0.0	8.9	0			
Kankakee	0				0				0			
Lake	2	1.2	0.1	3.9	1	0.9	0.0	5.7	1	1.0	0.0	5.0
Macon	0				0				0			
Madison	0				0				0			
Peoria	1	0.5	0.0	3.5	0				1	1.0	0.0	6.2
Rock Island	0				0				0			
Sangamon	1	0.8	0.0	5.1	0				1	1.5	0.0	8.9
St Clair	3	0.6	0.1	1.9	1	0.4	0.0	3.0	2	0.7	0.1	2.8
Vermilion	0				0				0			
Will	1	0.2	0.0	1.4	1	0.4	0.0	3.3	0			
Winnebago	1	0.7	0.0	3.8	0				1	1.3	0.0	6.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	333	4.8	4.3	5.4	143	4.9	4.1	5.9	190	5.0	4.3	5.8
Cook	172	3.9	3.3	4.6	86	4.6	3.6	5.8	86	3.5	2.8	4.3
DuPage	24	6.8	4.1	10.5	8	6.6	2.5	13.4	16	7.4	4.0	12.3
Kane	26	4.3	2.7	6.5	7	2.3	0.9	4.9	19	6.4	3.6	10.3
Lake	21	5.1	2.9	8.2	11	7.2	3.2	13.4	10	3.4	1.5	6.7
Will	21	5.6	3.2	9.0	6	3.5	0.9	8.6	15	7.8	4.1	13.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Melanoma of the Skin, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	15,096	23.4	23.1	23.8	8,549	28.5	27.9	29.2	6,547	20.0	19.5	20.5
Cook	4,010	17.0	16.4	17.5	2,319	22.0	21.1	23.0	1,691	13.5	12.9	14.2
DuPage	1,266	26.0	24.5	27.5	741	32.1	29.7	34.6	525	21.6	19.7	23.6
Kane	609	27.4	25.2	29.8	332	31.7	28.3	35.5	277	24.8	21.8	28.1
Lake	966	28.6	26.8	30.6	539	33.9	31.0	37.0	427	25.2	22.8	27.9
Will	729	22.8	21.1	24.6	406	27.3	24.6	30.2	323	19.7	17.6	22.1

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	51,945	133.7	132.5	134.9	42,062	134.8	133.5	136.2	7,420	135.2	132.1	138.4
Adams	322	145.3	128.8	163.4								
Alexander	24	95.4	59.1	148.1								
Bond	84	150.7	118.4	189.9								
Boone	184	115.9	99.4	134.4								
Brown	18	111.8	64.6	182.9								
Bureau	152	122.7	102.9	145.6								
Calhoun	22	109.8	67.5	174.4								
Carroll	71	151.2	114.7	196.2								
Cass	42	103.9	73.9	142.7								
Champaign	685	130.9	120.9	141.4	581	133.4	122.3	145.3	78	139.8	109.5	175.5
Christian	140	124.6	103.6	149.0								
Clark	57	103.0	77.1	135.6								
Clay	61	123.3	92.1	162.7								
Clinton	166	142.8	121.1	167.6								
Coles	179	113.7	96.8	132.8								
Cook	20,387	132.1	130.3	134.0	13,348	131.7	129.4	134.0	5,645	138.8	135.1	142.5
Crawford	64	94.5	71.5	123.4								
Cumberland	46	133.0	95.2	181.5								
DeKalb	338	128.3	114.7	143.2								
DeWitt	73	130.4	100.9	166.5								
Douglas	87	137.7	108.8	172.1								
DuPage	4,149	143.5	139.0	148.0	3,599	146.9	141.9	151.9	158	145.0	120.9	172.2
Edgar	62	88.7	66.7	116.6								
Edwards	26	111.1	70.5	168.7								
Effingham	141	127.9	106.6	152.5								
Fayette	75	101.5	78.7	129.4								
Ford	70	149.1	114.8	191.3								
Franklin	173	124.3	105.5	145.7								
Fulton	177	146.1	123.9	171.6								
Gallatin	18	103.8	58.4	172.4								
Greene	83	168.9	133.2	212.3								
Grundy	222	157.7	137.3	180.4								
Hamilton	25	81.6	50.8	126.1								
Hancock	78	117.9	91.1	150.8								
Hardin	8	38.0	15.8	91.4								
Henderson	37	128.2	88.4	183.4								
Henry	215	122.2	105.4	141.1								
Iroquois	119	113.6	93.0	137.8								
Jackson	203	132.8	114.2	153.5								
Jasper	41	133.4	93.1	186.0								
Jefferson	170	137.0	116.1	160.8								
Jersey	98	128.5	103.1	158.8								
Jo Daviess	107	121.7	97.1	151.4								
Johnson	53	121.6	89.3	163.5								
Kane	1,824	123.1	117.4	129.0	1,661	124.5	118.4	130.8	97	129.1	103.9	158.5
Kankakee	516	153.3	139.9	167.7	444	153.2	138.7	168.9	65	158.1	121.2	202.4
Kendall	431	140.7	127.5	155.0								
Knox	259	144.2	125.8	164.7								
Lake	2,923	142.5	137.2	147.9	2,573	146.1	140.3	152.0	145	112.4	94.3	132.9
LaSalle	456	123.4	111.6	136.1								
Lawrence	62	111.9	84.3	146.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	137	118.4	98.2	141.9								
Livingston	178	147.6	125.6	172.5								
Logan	132	134.4	111.5	160.9								
Macon	440	116.7	105.4	129.0	387	120.2	107.6	134.0	50	96.5	71.1	128.0
Macoupin	221	134.3	116.2	154.6								
Madison	1,172	135.2	127.3	143.6	1,080	135.0	126.7	143.7	78	143.7	112.6	180.5
Marion	166	130.6	110.3	153.8								
Marshall	53	119.9	87.9	161.1								
Mason	57	120.7	89.4	160.2								
Massac	54	104.6	77.2	139.3								
McDonough	125	144.6	118.8	174.4								
McHenry	1,227	134.5	126.8	142.5								
McLean	613	135.0	124.2	146.5								
Menard	62	138.5	104.7	180.8								
Mercer	81	148.1	115.7	187.4								
Monroe	152	136.9	115.2	161.7								
Montgomery	104	102.2	82.5	125.7								
Morgan	178	158.5	134.4	185.8								
Moultrie	52	106.3	77.9	142.1								
Ogle	199	116.8	100.4	135.2								
Peoria	826	146.0	135.8	156.8	688	145.7	134.4	157.8	111	147.5	120.4	178.6
Perry	87	141.0	111.3	176.6								
Piatt	72	123.6	95.5	158.1								
Pike	67	120.9	91.8	157.0								
Pope	15	103.0	52.7	189.4								
Pulaski	27	142.5	90.0	216.0								
Putnam	25	109.5	68.9	170.2								
Randolph	132	129.8	107.0	156.4								
Richland	67	124.2	94.7	160.6								
Rock Island	597	124.9	114.5	136.1	553	126.6	115.5	138.5	35	103.3	71.3	144.4
Saline	107	120.5	97.5	147.8								
Sangamon	1,016	154.2	144.5	164.5	929	157.9	147.3	169.1	71	129.9	100.4	164.9
Schuylerville	29	106.1	69.4	158.9								
Scott	37	188.5	130.8	266.9								
Shelby	122	152.9	124.9	185.8								
St Clair	1,099	132.5	124.5	140.8	813	139.9	130.0	150.4	269	118.6	104.6	134.0
Stark	23	112.1	68.3	176.3								
Stephenson	195	112.3	95.8	131.0								
Tazewell	675	153.1	141.2	165.7								
Union	84	133.8	104.8	169.0								
Vermilion	307	114.1	101.0	128.5	289	119.7	105.4	135.5	14	64.2	34.5	108.0
Wabash	44	103.3	73.3	142.7								
Warren	72	142.3	109.1	182.3								
Washington	59	122.3	92.1	160.2								
Wayne	84	141.5	110.9	178.6								
White	68	133.0	101.1	172.6								
Whiteside	257	130.6	114.2	148.9								
Will	2,691	140.1	134.8	145.6	2,286	143.0	137.1	149.1	273	132.1	116.1	149.7
Williamson	268	120.7	106.1	137.0								
Winnebago	1,203	130.6	123.0	138.5	1,077	133.5	125.3	142.2	109	123.0	100.5	148.9
Woodford	164	130.7	110.7	153.4								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	48,159	137.5	136.2	138.7	3,786	99.4	96.1	102.8
Cook	17,975	138.8	136.7	141.0	2,412	97.3	93.3	101.4
DuPage	3,909	146.5	141.7	151.4	240	106.6	92.6	122.1
Kane	1,615	132.8	126.1	139.7	209	78.8	67.6	91.3
Lake	2,713	149.7	143.9	155.7	210	85.1	73.0	98.6
Will	2,451	140.8	135.2	146.7	240	125.6	109.0	144.0

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,657	7.7	7.4	8.0	1,996	7.5	7.2	7.9	535	10.2	9.3	11.1
Adams	10	5.5	2.5	10.4								
Alexander	1	7.5	0.2	38.3								
Bond	8	20.9	8.6	42.0								
Boone	12	8.7	4.4	15.4								
Brown	2	15.1	1.7	58.0								
Bureau	8	9.1	3.5	18.9								
Calhoun	1	4.4	0.1	39.3								
Carroll	4	8.9	1.9	26.2								
Cass	3	10.7	2.0	30.9								
Champaign	21	4.7	2.9	7.3	16	4.9	2.8	8.0	3	5.2	1.0	15.0
Christian	9	10.2	4.4	20.2								
Clark	5	12.9	3.9	30.9								
Clay	3	10.7	2.2	30.2								
Clinton	10	10.0	4.7	18.9								
Coles	7	5.4	2.1	11.2								
Cook	1,183	8.2	7.8	8.7	697	7.5	6.9	8.1	408	10.9	9.8	12.0
Crawford	2	4.1	0.4	15.7								
Cumberland	2	7.1	0.6	27.2								
DeKalb	20	8.0	4.8	12.6								
DeWitt	5	10.6	3.0	26.7								
Douglas	2	4.8	0.6	16.3								
DuPage	147	5.4	4.6	6.5	124	5.8	4.8	7.0	13	8.8	4.7	15.6
Edgar	5	8.7	2.4	22.6								
Edwards	2	7.3	0.9	33.7								
Effingham	10	12.3	5.5	23.2								
Fayette	4	9.8	2.5	24.6								
Ford	1	3.5	0.1	18.5								
Franklin	12	12.7	6.3	22.5								
Fulton	11	13.0	6.0	24.2								
Gallatin	1	9.9	0.3	50.6								
Greene	1	4.3	0.1	21.1								
Grundy	10	8.8	4.2	16.1								
Hamilton	1	4.7	0.1	27.2								
Hancock	6	13.9	4.4	31.8								
Hardin	1	6.0	0.2	52.1								
Henderson	2	11.2	1.0	44.5								
Henry	23	16.2	9.9	25.0								
Iroquois	1	0.8	0.0	6.7								
Jackson	13	8.9	4.6	15.6								
Jasper	3	10.0	1.8	32.5								
Jefferson	12	10.1	4.9	18.6								
Jersey	0											
Jo Daviess	3	4.9	0.8	16.3								
Johnson	1	2.1	0.1	17.3								
Kane	72	5.2	4.0	6.5	63	5.2	3.9	6.6	6	7.1	2.6	15.9
Kankakee	24	9.4	5.9	14.0	24	11.3	7.1	17.0	0			
Kendall	19	5.8	3.5	9.2								
Knox	8	8.6	3.6	16.7								
Lake	107	6.0	4.9	7.2	84	5.7	4.5	7.2	14	10.7	5.7	18.2
LaSalle	23	7.3	4.5	11.2								
Lawrence	3	5.0	1.0	17.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	10	11.4	5.2	21.6								
Livingston	12	13.0	6.4	23.2								
Logan	12	18.4	9.3	32.2								
Macon	30	11.4	7.5	16.4	28	13.2	8.5	19.4	2	4.7	0.6	16.3
Macoupin	14	10.5	5.4	18.3								
Madison	51	6.9	5.1	9.2	46	7.0	5.0	9.5	5	9.0	2.8	21.2
Marion	9	8.8	3.8	17.3								
Marshall	2	7.0	0.6	27.3								
Mason	2	6.3	0.7	22.8								
Massac	4	12.4	3.2	31.6								
McDonough	10	16.1	7.5	29.8								
McHenry	46	5.6	4.0	7.5								
McLean	24	5.8	3.7	8.7								
Menard	2	5.7	0.5	22.6								
Mercer	3	7.2	1.2	22.5								
Monroe	2	2.2	0.2	8.4								
Montgomery	10	14.9	6.7	28.3								
Morgan	8	9.3	3.7	18.9								
Moultrie	5	15.6	4.7	36.3								
Ogle	10	6.9	3.1	13.1								
Peoria	51	10.7	7.8	14.2	43	11.7	8.3	16.1	8	9.1	3.8	18.3
Perry	9	18.9	8.3	36.5								
Piatt	5	9.1	2.8	23.1								
Pike	2	2.8	0.3	13.6								
Pope	2	19.9	1.7	84.9								
Pulaski	1	11.0	0.3	52.0								
Putnam	0											
Randolph	3	4.7	0.9	13.7								
Richland	4	9.1	2.3	24.3								
Rock Island	31	9.3	6.2	13.3	29	9.9	6.5	14.4	1	3.0	0.1	16.4
Saline	7	11.2	4.2	23.7								
Sangamon	39	7.9	5.5	10.9	27	6.6	4.3	9.7	8	13.4	5.7	26.5
Schuylerville	1	8.2	0.2	41.3								
Scott	0											
Shelby	3	4.0	0.6	13.8								
St Clair	69	9.5	7.3	12.1	43	9.2	6.6	12.5	26	11.6	7.5	17.2
Stark	5	39.0	12.6	90.7								
Stephenson	11	9.9	4.7	18.3								
Tazewell	33	9.5	6.5	13.5								
Union	3	7.8	1.6	22.7								
Vermilion	20	9.5	5.6	15.0	18	9.9	5.6	16.2	2	8.0	0.9	29.6
Wabash	4	16.0	3.8	41.9								
Warren	7	20.6	8.1	41.8								
Washington	1	2.4	0.1	14.9								
Wayne	6	13.0	4.3	29.8								
White	2	3.2	0.4	15.5								
Whiteside	14	8.7	4.5	15.3								
Will	135	7.5	6.2	8.9	108	7.3	6.0	8.8	17	8.0	4.6	13.0
Williamson	13	7.6	3.9	13.3								
Winnebago	57	8.0	6.0	10.5	48	8.3	6.0	11.2	8	8.9	3.8	17.7
Woodford	9	10.9	4.9	20.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,255	7.6	7.2	7.9	402	9.6	8.6	10.6
Cook	898	7.7	7.1	8.2	285	10.7	9.4	12.0
DuPage	136	5.6	4.6	6.7	11	4.6	2.1	8.6
Kane	55	5.2	3.9	6.9	17	6.3	3.5	10.4
Lake	81	5.4	4.3	6.8	26	9.7	6.0	14.7
Will	116	7.3	6.0	8.9	19	8.4	4.8	13.7

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	12,192	32.2	31.6	32.8	9,482	31.6	30.9	32.2	1,950	34.8	33.3	36.5
Adams	52	25.1	18.4	33.5								
Alexander	3	10.8	2.2	38.1								
Bond	12	22.0	10.8	40.7								
Boone	51	30.6	22.7	40.6								
Brown	4	19.7	5.4	59.5								
Bureau	34	29.3	19.8	42.1								
Calhoun	2	11.5	1.3	50.9								
Carroll	15	25.4	13.2	45.7								
Cass	12	31.8	15.8	57.3								
Champaign	142	28.4	23.8	33.7	114	27.7	22.6	33.6	17	29.4	16.8	47.4
Christian	22	21.0	12.8	32.9								
Clark	11	21.2	10.2	39.7								
Clay	13	26.6	13.7	48.0								
Clinton	32	27.8	18.6	40.2								
Coles	26	17.9	11.3	26.9								
Cook	4,897	32.5	31.6	33.4	3,090	32.0	30.8	33.1	1,422	34.1	32.3	36.0
Crawford	5	7.9	2.4	20.4								
Cumberland	5	15.1	4.3	38.2								
DeKalb	67	26.9	20.7	34.3								
DeWitt	8	13.0	5.5	27.6								
Douglas	17	30.9	17.4	50.7								
DuPage	1,238	43.8	41.3	46.4	1,027	43.2	40.5	46.1	57	45.9	34.1	60.6
Edgar	13	23.6	11.9	42.5								
Edwards	5	16.8	5.4	46.1								
Effingham	24	24.3	15.0	37.2								
Fayette	11	14.6	7.1	27.6								
Ford	12	27.1	13.7	49.1								
Franklin	27	20.2	12.9	30.4								
Fulton	37	34.2	23.6	48.2								
Gallatin	2	8.1	1.0	40.9								
Greene	11	22.4	10.9	42.6								
Grundy	37	25.5	17.9	35.5								
Hamilton	5	17.9	5.3	45.9								
Hancock	16	20.4	11.6	35.2								
Hardin	4	23.4	6.2	74.9								
Henderson	7	19.5	7.8	48.7								
Henry	54	33.0	24.3	44.0								
Iroquois	22	20.2	12.4	31.8								
Jackson	37	24.9	17.2	34.9								
Jasper	7	20.0	7.7	44.9								
Jefferson	31	27.2	18.1	39.4								
Jersey	12	14.3	7.2	26.4								
Jo Daviess	24	31.8	19.5	49.7								
Johnson	7	15.1	5.9	34.9								
Kane	455	30.6	27.8	33.6	413	30.9	27.9	34.0	24	31.2	19.8	46.8
Kankakee	76	23.2	18.1	29.3	59	21.0	15.7	27.4	17	40.8	23.4	65.7
Kendall	126	41.0	34.1	49.0								
Knox	46	27.9	19.8	38.2								
Lake	704	33.9	31.3	36.5	611	34.7	31.9	37.6	34	26.6	18.2	37.6
LaSalle	92	25.3	20.2	31.4								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	7	15.0	5.6	33.3								
Lee	25	21.2	13.4	32.5								
Livingston	43	36.6	26.1	50.3								
Logan	24	25.2	15.8	38.4								
Macon	120	32.7	26.8	39.5	99	31.5	25.2	39.0	19	36.2	21.5	57.2
Macoupin	40	25.7	18.0	35.9								
Madison	267	32.5	28.6	36.9	237	31.1	27.1	35.6	24	41.5	26.4	62.1
Marion	30	22.0	14.5	32.3								
Marshall	11	31.2	14.5	59.1								
Mason	10	17.7	8.4	35.1								
Massac	11	20.3	9.7	38.8								
McDonough	25	30.4	19.0	46.1								
McHenry	277	29.8	26.3	33.6								
McLean	122	27.4	22.6	32.9								
Menard	13	28.3	14.3	51.7								
Mercer	16	30.5	17.0	51.4								
Monroe	35	35.2	24.0	49.8								
Montgomery	15	19.4	10.4	33.0								
Morgan	38	35.4	24.4	50.0								
Moultrie	17	35.0	19.7	58.1								
Ogle	42	25.9	18.4	35.5								
Peoria	183	32.9	28.1	38.3	155	33.8	28.4	40.0	20	26.4	15.7	41.3
Perry	13	16.3	8.6	29.6								
Piatt	14	27.7	14.5	48.5								
Pike	8	15.7	6.5	32.7								
Pope	3	18.7	3.7	75.2								
Pulaski	1	4.1	0.1	33.0								
Putnam	6	21.2	7.8	56.6								
Randolph	24	24.5	15.1	37.8								
Richland	8	13.2	5.7	28.0								
Rock Island	132	28.3	23.5	34.0	122	29.0	23.8	35.1	9	27.5	12.2	52.4
Saline	14	13.9	7.6	24.5								
Sangamon	244	38.0	33.1	43.4	204	36.1	31.1	41.9	34	52.8	36.3	74.3
Schuylerville	9	40.9	17.8	83.0								
Scott	4	31.1	8.0	81.8								
Shelby	20	22.2	13.4	35.8								
St Clair	292	36.3	32.1	40.9	189	34.5	29.6	40.1	93	39.4	31.7	48.6
Stark	2	9.2	1.1	41.4								
Stephenson	41	24.7	17.2	34.5								
Tazewell	120	27.8	22.8	33.6								
Union	16	28.3	15.6	48.0								
Vermilion	61	26.5	19.9	34.6	51	25.6	18.7	34.4	9	44.6	20.0	84.0
Wabash	14	33.5	17.8	59.2								
Warren	14	26.1	13.5	45.9								
Washington	13	28.6	14.6	51.1								
Wayne	12	22.0	10.9	40.4								
White	8	21.0	8.3	43.6								
Whiteside	47	25.3	18.3	34.3								
Will	768	39.2	36.4	42.1	622	38.5	35.4	41.7	97	43.9	35.2	54.0
Williamson	36	16.1	11.1	22.7								
Winnebago	258	29.2	25.6	33.1	236	30.7	26.7	35.1	14	15.0	8.2	25.3
Woodford	47	39.3	28.5	53.1								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,258	33.2	32.6	33.9	934	23.9	22.3	25.5
Cook	4,310	34.5	33.4	35.6	587	23.4	21.5	25.4
DuPage	1,161	44.7	42.1	47.5	77	32.6	25.3	41.3
Kane	401	33.0	29.8	36.6	54	18.0	13.3	23.9
Lake	642	35.3	32.5	38.2	62	24.1	18.1	31.3
Will	716	40.5	37.6	43.7	52	23.9	17.6	31.8

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	40,876	111.5	110.4	112.6	31,486	103.2	102.1	104.4	7,489	172.5	168.5	176.6
Adams	222	98.7	85.9	113.1								
Alexander	33	129.0	88.0	186.6								
Bond	64	106.1	81.2	137.0								
Boone	142	87.9	73.8	104.1								
Brown	26	135.2	87.4	200.5								
Bureau	132	102.5	85.6	122.4								
Calhoun	28	134.1	88.7	200.5								
Carroll	65	105.4	80.6	137.0								
Cass	40	95.3	67.7	131.4								
Champaign	603	124.8	114.7	135.5	497	120.0	109.3	131.4	85	189.5	148.4	238.0
Christian	150	129.4	109.2	152.5								
Clark	40	70.9	50.4	98.1								
Clay	66	141.3	108.5	181.9								
Clinton	140	115.3	96.7	136.8								
Coles	107	69.9	57.0	84.9								
Cook	15,938	116.0	114.2	117.9	9,635	100.9	98.8	102.9	5,421	174.0	169.3	178.9
Crawford	68	102.6	79.3	131.3								
Cumberland	34	92.2	63.1	131.5								
DeKalb	316	127.9	113.8	143.3								
DeWitt	45	79.5	57.7	108.0								
Douglas	78	122.8	96.7	154.4								
DuPage	2,982	109.7	105.7	113.9	2,601	111.7	107.3	116.3	146	171.7	141.4	206.4
Edgar	64	95.1	72.9	123.2								
Edwards	26	102.3	66.3	154.5								
Effingham	173	155.8	132.9	181.8								
Fayette	98	133.4	108.1	163.4								
Ford	45	99.7	72.2	135.4								
Franklin	154	108.8	92.1	128.1								
Fulton	117	92.5	76.3	111.4								
Gallatin	15	72.4	39.7	126.7								
Greene	50	109.3	80.7	145.8								
Grundy	203	144.3	124.4	166.5								
Hamilton	34	110.3	75.9	157.5								
Hancock	75	101.0	79.0	128.4								
Hardin	14	74.2	39.6	137.2								
Henderson	25	81.5	52.4	126.0								
Henry	197	106.1	91.6	122.6								
Iroquois	107	102.6	83.8	125.0								
Jackson	146	96.6	81.1	114.2								
Jasper	47	136.2	99.4	183.9								
Jefferson	165	127.5	108.5	149.2								
Jersey	81	109.3	86.4	137.2								
Jo Daviess	107	101.6	82.7	124.8								
Johnson	40	80.9	57.4	112.0								
Kane	1,487	105.6	100.1	111.3	1,312	102.5	96.8	108.4	120	179.4	146.8	217.1
Kankakee	365	106.4	95.6	118.2	276	92.0	81.2	103.8	82	207.9	163.4	260.7
Kendall	326	126.4	112.4	141.8								
Knox	173	92.6	79.0	108.0								
Lake	2,097	105.4	100.8	110.2	1,802	103.2	98.3	108.2	181	156.2	132.6	182.9
LaSalle	411	108.6	98.2	120.0								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	61	121.7	92.7	157.2								
Lee	115	88.2	72.6	106.7								
Livingston	161	130.2	110.5	152.9								
Logan	107	116.4	95.1	141.3								
Macon	436	121.5	110.1	133.9	345	109.3	97.7	121.9	85	199.1	157.4	248.6
Macoupin	175	107.1	91.5	125.0								
Madison	743	90.9	84.3	97.8	655	86.0	79.4	93.0	79	167.7	130.9	211.6
Marion	185	140.0	120.2	162.4								
Marshall	55	115.5	86.2	153.2								
Mason	61	110.7	84.3	144.5								
Massac	56	113.4	85.1	149.1								
McDonough	100	108.1	87.3	132.9								
McHenry	925	102.1	95.4	109.3								
McLean	426	96.1	87.0	106.0								
Menard	61	134.4	102.0	175.3								
Mercer	61	100.1	76.1	130.6								
Monroe	127	110.6	91.6	132.8								
Montgomery	87	84.5	67.4	105.0								
Morgan	151	130.4	110.1	153.8								
Moultrie	36	73.6	51.1	103.6								
Ogle	160	91.6	77.7	107.6								
Peoria	686	122.9	113.7	132.7	506	105.3	96.2	115.2	129	189.4	156.6	227.1
Perry	63	88.8	67.9	114.5								
Piatt	61	102.3	77.9	133.1								
Pike	60	104.8	79.3	136.8								
Pope	23	110.0	68.9	177.7								
Pulaski	30	137.2	91.1	202.5								
Putnam	23	87.9	55.1	138.6								
Randolph	97	84.2	67.9	103.5								
Richland	70	120.5	93.7	153.6								
Rock Island	513	105.4	96.3	115.2	446	99.2	90.0	109.2	44	150.8	107.6	204.6
Saline	94	111.1	89.4	137.1								
Sangamon	799	129.8	120.7	139.5	715	127.3	117.9	137.3	78	172.1	132.9	218.8
Schuylerville	35	120.7	83.4	172.4								
Scott	24	138.4	87.9	211.2								
Shelby	112	131.3	107.8	159.3								
St. Clair	783	103.8	96.4	111.6	516	91.0	83.1	99.5	250	140.9	123.2	160.6
Stark	26	122.2	78.9	184.9								
Stephenson	146	83.0	70.0	98.2								
Tazewell	492	111.4	101.6	121.9								
Union	68	101.4	78.5	130.1								
Vermilion	289	110.7	98.0	124.6	254	107.1	94.1	121.7	32	145.9	97.7	209.2
Wabash	39	88.1	62.3	122.7								
Warren	42	66.8	47.8	91.8								
Washington	81	155.1	122.2	195.2								
Wayne	68	108.2	83.7	138.6								
White	58	109.3	82.8	142.9								
Whiteside	209	101.0	87.6	116.2								
Will	2,255	125.9	120.6	131.5	1,775	116.2	110.7	122.0	368	217.6	193.0	244.4
Williamson	226	102.0	88.9	116.6								
Winnebago	783	87.2	81.0	93.7	664	82.7	76.4	89.4	108	148.6	120.0	181.8
Woodford	171	128.3	109.3	149.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2014-2018

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 % for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	38,277	114.1	112.9	115.3	2,599	87.4	83.8	91.1
Cook	14,250	122.1	120.1	124.2	1,688	85.5	81.2	90.1
DuPage	2,825	110.5	106.3	114.8	157	108.1	90.0	128.3
Kane	1,318	109.9	103.9	116.3	169	84.3	70.4	99.9
Lake	1,969	109.1	104.1	114.2	128	72.3	58.9	87.6
Will	2,129	129.0	123.3	134.8	126	92.7	75.4	112.4

SECTION II
Percent Distribution of Stage at Diagnosis by County
Illinois, 2014-2018

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2014-2018												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	30.8	51.5	12.9	4.8	31.5	51.8	11.9	4.8	23.0	52.2	20.8	3.9
Adams	31.7	50.0	15.0	3.3								
Alexander	28.6	28.6	14.3	28.6								
Bond	15.4	38.5	30.8	15.4								
Boone	50.0	41.7	2.8	5.6								
Brown	42.9	42.9	14.3	0.0								
Bureau	30.6	38.9	16.7	13.9								
Calhoun	60.0	20.0	20.0	0.0								
Carroll	19.0	42.9	33.3	4.8								
Cass	23.1	76.9	0.0	0.0								
Champaign	40.2	48.2	8.9	2.7	38.2	50.0	9.8	2.0	80.0	20.0	0.0	0.0
Christian	14.3	77.1	8.6	0.0								
Clark	27.8	61.1	5.6	5.6								
Clay	28.6	61.9	9.5	0.0								
Clinton	22.9	54.3	11.4	11.4								
Coles	25.0	50.0	14.6	10.4								
Cook	30.7	50.9	14.2	4.2	32.8	51.0	12.0	4.2	23.7	51.6	20.8	3.9
Crawford	46.2	30.8	7.7	15.4								
Cumberland	12.5	50.0	25.0	12.5								
DeKalb	23.0	60.7	11.5	4.9								
DeWitt	41.2	41.2	11.8	5.9								
Douglas	50.0	40.0	0.0	10.0								
DuPage	33.8	53.4	10.3	2.5	33.5	54.3	10.0	2.3	22.2	66.7	0.0	11.1
Edgar	30.8	53.8	7.7	7.7								
Edwards	0.0	100.0	0.0	0.0								
Effingham	13.8	65.5	6.9	13.8								
Fayette	33.3	54.2	4.2	8.3								
Ford	52.9	35.3	5.9	5.9								
Franklin	31.1	46.7	11.1	11.1								
Fulton	26.7	62.2	8.9	2.2								
Gallatin	33.3	33.3	33.3	0.0								
Greene	26.7	53.3	6.7	13.3								
Grundy	42.9	42.9	5.7	8.6								
Hamilton	25.0	75.0	0.0	0.0								
Hancock	42.9	33.3	9.5	14.3								
Hardin	0.0	50.0	50.0	0.0								
Henderson	33.3	50.0	0.0	16.7								
Henry	34.5	45.5	16.4	3.6								
Iroquois	20.0	50.0	20.0	10.0								
Jackson	29.8	38.3	19.1	12.8								

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2014-2018												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	50.0	40.0	10.0	0.0								
Jefferson	28.6	54.8	4.8	11.9								
Jersey	31.8	50.0	13.6	4.5								
Jo Daviess	32.3	41.9	3.2	22.6								
Johnson	62.5	37.5	0.0	0.0								
Kane	33.5	48.9	11.7	5.8	34.2	49.3	10.9	5.6	21.4	50.0	21.4	7.1
Kankakee	31.3	53.8	13.8	1.3	32.9	52.1	13.7	1.4	14.3	71.4	14.3	0.0
Kendall	22.9	64.3	10.0	2.9								
Knox	25.0	60.4	12.5	2.1								
Lake	35.3	50.0	11.1	3.6	34.6	50.3	11.1	4.1	35.7	50.0	14.3	0.0
LaSalle	29.0	49.2	12.9	8.9								
Lawrence	40.0	40.0	20.0	0.0								
Lee	33.3	41.0	23.1	2.6								
Livingston	25.0	62.5	9.4	3.1								
Logan	34.3	60.0	5.7	0.0								
Macon	42.2	40.6	14.1	3.1	46.4	39.1	10.9	3.6	12.5	50.0	37.5	0.0
Macoupin	23.5	54.9	17.6	3.9								
Madison	26.6	51.5	11.8	10.1	26.9	51.1	11.7	10.3	20.0	70.0	10.0	0.0
Marion	27.0	54.1	5.4	13.5								
Marshall	17.6	52.9	23.5	5.9								
Mason	41.2	35.3	17.6	5.9								
Massac	47.4	31.6	10.5	10.5								
McDonough	27.3	63.6	0.0	9.1								
McHenry	26.0	62.0	11.6	0.4								
McLean	30.0	57.3	9.1	3.6								
Menard	25.0	60.0	15.0	0.0								
Mercer	53.3	40.0	0.0	6.7								
Monroe	39.4	33.3	12.1	15.2								
Montgomery	34.5	48.3	17.2	0.0								
Morgan	31.6	60.5	7.9	0.0								
Moultrie	27.3	63.6	9.1	0.0								
Ogle	33.3	54.2	8.3	4.2								
Peoria	27.0	53.3	14.6	5.1	28.7	53.3	13.1	4.9	0.0	63.6	36.4	0.0
Perry	20.0	40.0	20.0	20.0								
Piatt	33.3	40.0	26.7	0.0								
Pike	27.3	72.7	0.0	0.0								
Pope	10.0	80.0	10.0	0.0								
Pulaski	25.0	50.0	25.0	0.0								
Putnam	0.0	66.7	0.0	33.3								
Randolph	18.5	63.0	11.1	7.4								

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	50.0	20.0	30.0	0.0								
Rock Island	31.1	47.9	16.8	4.2	32.4	46.7	16.2	4.8	0.0	66.7	33.3	0.0
Saline	37.0	44.4	7.4	11.1								
Sangamon	29.9	57.6	10.3	2.2	30.6	57.1	10.6	1.8	18.2	72.7	9.1	0.0
Schuylerville	12.5	62.5	12.5	12.5								
Scott	0.0	66.7	33.3	0.0								
Shelby	28.6	52.4	9.5	9.5								
St Clair	26.4	47.6	16.5	9.4	27.2	46.7	16.0	10.1	20.5	51.3	20.5	7.7
Stark	50.0	33.3	16.7	0.0								
Stephenson	30.6	47.2	19.4	2.8								
Tazewell	24.8	54.0	16.1	5.1								
Union	33.3	50.0	8.3	8.3								
Vermilion	29.2	55.4	6.2	9.2	31.1	55.7	4.9	8.2	0.0	50.0	25.0	25.0
Wabash	42.9	14.3	42.9	0.0								
Warren	38.5	46.2	7.7	7.7								
Washington	62.5	18.8	18.8	0.0								
Wayne	7.7	61.5	30.8	0.0								
White	30.8	61.5	7.7	0.0								
Whiteside	36.7	44.9	4.1	14.3								
Will	32.1	50.5	14.0	3.4	31.6	51.7	13.2	3.6	33.3	37.5	25.0	4.2
Williamson	18.6	65.7	8.6	7.1								
Winnebago	25.1	55.5	16.3	3.1	24.3	56.8	15.5	3.4	35.7	35.7	28.6	0.0
Woodford	33.3	48.7	10.3	7.7								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	32.6	47.0	15.2	5.2	30.7	51.8	12.8	4.8
Cook	33.9	45.9	15.3	4.9	30.3	51.4	14.1	4.1
DuPage	25.0	60.7	14.3	0.0	34.2	53.1	10.1	2.6
Kane	36.8	52.6	5.3	5.3	33.3	48.7	12.1	5.9
Lake	38.1	57.1	4.8	0.0	35.1	49.6	11.5	3.8
Will	18.2	45.5	22.7	13.6	32.9	50.7	13.6	2.9

Percent Distribution of Stage at Diagnosis by County													
Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2014-2018													
	All Races				White				Black				
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	
Illinois	35.8	37.0	20.5	6.7	36.0	37.6	20.1	6.4	34.0	33.7	24.4	7.9	
Adams	26.8	43.4	20.7	9.1									
Alexander	35.7	25.0	14.3	25.0									
Bond	45.5	25.5	18.2	10.9									
Boone	34.2	34.2	20.8	10.8									
Brown	33.3	47.6	14.3	4.8									
Bureau	44.3	33.0	18.9	3.8									
Calhoun	13.6	59.1	13.6	13.6									
Carroll	46.5	41.9	9.3	2.3									
Cass	40.9	31.8	15.9	11.4									
Champaign	35.5	35.5	19.4	9.7	34.4	36.7	19.0	10.0	37.8	29.7	27.0	5.4	
Christian	37.2	38.8	15.5	8.5									
Clark	22.8	42.1	28.1	7.0									
Clay	36.4	38.2	20.0	5.5									
Clinton	36.8	33.7	23.2	6.3									
Coles	37.3	36.6	17.6	8.5									
Cook	35.9	36.5	21.4	6.2	36.7	37.5	20.3	5.5	33.5	34.0	24.8	7.8	
Crawford	43.6	41.8	12.7	1.8									
Cumberland	42.1	34.2	7.9	15.8									
DeKalb	37.8	32.7	24.0	5.5									
DeWitt	37.3	41.2	9.8	11.8									
Douglas	45.1	31.4	17.6	5.9									
DuPage	35.0	40.8	20.0	4.2	34.3	40.8	20.6	4.3	36.5	36.5	21.2	5.9	
Edgar	21.5	53.8	20.0	4.6									
Edwards	40.0	40.0	16.0	4.0									
Effingham	35.3	41.2	16.8	6.7									
Fayette	38.1	31.7	23.8	6.3									
Ford	34.0	40.0	18.0	8.0									
Franklin	29.7	37.5	21.9	10.9									
Fulton	30.0	41.3	16.7	12.0									
Gallatin	23.5	64.7	11.8	0.0									
Greene	39.4	18.2	36.4	6.1									
Grundy	39.0	32.4	20.6	8.1									
Hamilton	38.7	38.7	19.4	3.2									
Hancock	24.2	41.9	27.4	6.5									
Hardin	27.3	54.5	18.2	0.0									
Henderson	35.0	40.0	20.0	5.0									
Henry	43.8	30.6	19.4	6.3									
Iroquois	37.9	37.9	20.4	3.9									
Jackson	38.9	42.9	9.5	8.7									

Percent Distribution of Stage at Diagnosis by County												
Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2014-2018												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	37.8	43.2	13.5	5.4								
Jefferson	42.7	35.7	14.7	7.0								
Jersey	33.9	26.8	26.8	12.5								
Jo Daviess	30.2	31.7	19.0	19.0								
Johnson	28.6	45.7	20.0	5.7								
Kane	37.8	35.5	21.5	5.2	37.9	35.7	21.3	5.0	35.8	32.1	28.3	3.8
Kankakee	37.7	32.7	21.2	8.4	38.1	32.6	21.8	7.5	36.5	32.7	17.3	13.5
Kendall	40.4	36.7	17.0	6.0								
Knox	36.2	32.5	26.4	4.9								
Lake	35.7	38.1	20.8	5.4	36.5	37.5	21.0	4.9	31.4	34.3	28.4	5.9
LaSalle	33.4	36.8	21.2	8.5								
Lawrence	34.9	41.9	18.6	4.7								
Lee	29.0	43.0	23.7	4.3								
Livingston	27.4	43.5	24.2	4.8								
Logan	36.0	40.5	20.7	2.7								
Macon	36.0	37.9	21.2	4.8	34.3	38.8	21.8	5.1	43.1	34.5	19.0	3.4
Macoupin	33.3	41.5	17.6	7.5								
Madison	35.7	33.5	21.2	9.6	35.5	34.0	21.3	9.2	38.3	25.5	21.3	14.9
Marion	33.1	39.0	23.5	4.4								
Marshall	34.0	27.7	27.7	10.6								
Mason	39.0	33.9	18.6	8.5								
Massac	44.7	34.0	10.6	10.6								
McDonough	42.4	36.4	14.1	7.1								
McHenry	36.8	38.1	20.6	4.6								
McLean	39.6	34.7	19.6	6.0								
Menard	37.5	42.5	15.0	5.0								
Mercer	32.1	39.3	25.0	3.6								
Monroe	33.8	36.6	19.7	9.9								
Montgomery	34.5	46.9	11.5	7.1								
Morgan	38.2	39.8	20.3	1.6								
Moultrie	32.1	41.1	19.6	7.1								
Ogle	41.0	38.9	12.5	7.6								
Peoria	37.8	34.2	20.2	7.8	36.1	36.3	21.3	6.3	47.1	26.5	19.1	7.4
Perry	34.7	36.0	18.7	10.7								
Piatt	41.7	27.1	20.8	10.4								
Pike	20.4	40.7	33.3	5.6								
Pope	41.7	33.3	16.7	8.3								
Pulaski	21.4	14.3	35.7	28.6								
Putnam	53.8	15.4	15.4	15.4								
Randolph	35.4	41.6	15.9	7.1								

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	32.3	37.1	25.8	4.8								
Rock Island	37.0	36.7	18.8	7.4	36.0	37.0	19.0	8.0	50.0	33.3	16.7	0.0
Saline	30.2	30.2	25.6	14.0								
Sangamon	35.6	43.1	17.7	3.6	36.2	43.4	16.8	3.6	32.1	39.6	28.3	0.0
Schuylerville	27.6	55.2	6.9	10.3								
Scott	45.0	35.0	10.0	10.0								
Shelby	27.0	46.0	17.0	10.0								
St Clair	32.1	33.8	22.7	11.4	32.0	37.6	21.4	9.0	32.9	25.7	25.2	16.2
Stark	30.4	43.5	21.7	4.3								
Stephenson	45.9	32.6	11.9	9.6								
Tazewell	33.9	35.1	22.0	8.9								
Union	29.8	33.3	24.6	12.3								
Vermilion	36.1	42.9	15.5	5.6	36.0	43.9	14.9	5.3	35.3	41.2	23.5	0.0
Wabash	27.1	33.3	27.1	12.5								
Warren	30.6	41.9	17.7	9.7								
Washington	26.0	38.0	20.0	16.0								
Wayne	33.3	37.0	20.4	9.3								
White	38.6	31.8	20.5	9.1								
Whiteside	41.6	27.5	17.4	13.4								
Will	36.8	36.2	20.5	6.5	36.1	37.2	20.4	6.4	42.4	28.8	23.2	5.6
Williamson	38.3	31.3	18.1	12.3								
Winnebago	32.6	37.5	20.2	9.6	33.7	36.6	20.2	9.5	26.4	41.7	20.8	11.1
Woodford	29.9	37.1	24.7	8.2								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	35.2	37.7	21.5	5.7	35.8	36.9	20.5	6.8
Cook	35.7	37.6	21.6	5.1	35.9	36.3	21.4	6.4
DuPage	35.6	35.6	27.4	1.5	35.0	41.2	19.5	4.4
Kane	39.5	35.3	18.5	6.7	37.6	35.5	22.0	5.0
Lake	27.1	41.0	23.6	8.3	36.7	37.8	20.5	5.0
Will	33.6	38.9	19.1	8.4	37.1	36.0	20.6	6.3

Percent Distribution of Stage at Diagnosis by County													
Melanoma of the Skin (invasive), Both Sexes, Illinois 2014-2018													
	All Races				White				Black				
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	
Illinois	82.0	9.6	4.5	4.0	82.0	9.8	4.5	3.7	51.4	25.7	15.7	7.1	
Adams	83.9	8.0	5.8	2.2									
Alexander	80.0	20.0	0.0	0.0									
Bond	71.4	7.1	0.0	21.4									
Boone	82.6	10.1	2.9	4.3									
Brown	66.7	11.1	22.2	0.0									
Bureau	86.1	6.9	4.2	2.8									
Calhoun	75.0	25.0	0.0	0.0									
Carroll	76.2	9.5	14.3	0.0									
Cass	93.8	6.3	0.0	0.0									
Champaign	86.0	9.0	2.7	2.3	83.5	10.6	3.1	2.8	100.0	0.0	0.0	0.0	
Christian	85.7	8.9	3.6	1.8									
Clark	70.8	25.0	4.2	0.0									
Clay	70.4	18.5	0.0	11.1									
Clinton	84.8	4.5	9.1	1.5									
Coles	64.6	14.6	2.4	18.3									
Cook	81.6	9.8	5.2	3.4	82.4	9.7	5.0	2.8	44.2	32.7	17.3	5.8	
Crawford	85.7	5.7	5.7	2.9									
Cumberland	76.2	9.5	0.0	14.3									
DeKalb	86.1	7.0	5.2	1.7									
DeWitt	76.1	10.9	2.2	10.9									
Douglas	83.7	7.0	2.3	7.0									
DuPage	85.9	8.1	4.7	1.2	86.1	8.1	4.7	1.1	66.7	16.7	16.7	0.0	
Edgar	84.4	9.4	0.0	6.3									
Edwards	85.7	14.3	0.0	0.0									
Effingham	75.0	15.6	4.7	4.7									
Fayette	78.1	15.6	3.1	3.1									
Ford	88.4	4.7	4.7	2.3									
Franklin	80.3	13.2	2.6	3.9									
Fulton	89.5	7.0	3.5	0.0									
Gallatin	100.0	0.0	0.0	0.0									
Greene	78.6	14.3	7.1	0.0									
Grundy	83.1	7.7	3.1	6.2									
Hamilton	68.8	12.5	6.3	12.5									
Hancock	74.4	7.7	2.6	15.4									
Hardin	85.7	14.3	0.0	0.0									
Henderson	81.8	0.0	0.0	18.2									
Henry	77.9	8.4	6.3	7.4									
Iroquois	78.6	8.9	5.4	7.1									
Jackson	74.0	12.3	4.1	9.6									

Percent Distribution of Stage at Diagnosis by County Melanoma of the Skin (invasive), Both Sexes, Illinois 2014-2018												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	81.3	18.8	0.0	0.0								
Jefferson	69.6	17.4	5.8	7.2								
Jersey	67.4	11.6	7.0	14.0								
Jo Daviess	57.1	2.0	0.0	40.8								
Johnson	86.7	13.3	0.0	0.0								
Kane	82.2	9.3	4.3	4.3	82.8	9.1	4.4	3.7	100.0	0.0	0.0	0.0
Kankakee	86.1	7.3	5.3	1.3	85.4	7.6	5.6	1.4				
Kendall	79.8	16.1	2.4	1.6								
Knox	90.2	4.9	2.4	2.4								
Lake	80.9	9.3	4.4	5.5	81.1	9.7	4.6	4.6	100.0	0.0	0.0	0.0
LaSalle	79.1	11.6	3.5	5.8								
Lawrence	73.1	7.7	15.4	3.8								
Lee	87.5	4.7	1.6	6.3								
Livingston	82.8	12.5	1.6	3.1								
Logan	76.0	14.0	6.0	4.0								
Macon	87.2	6.4	4.3	2.1	87.0	6.8	4.5	1.7				
Macoupin	80.6	9.0	6.0	4.5								
Madison	81.5	6.5	3.7	8.4	81.2	6.8	3.8	8.2				
Marion	80.3	5.6	5.6	8.5								
Marshall	100.0	0.0	0.0	0.0								
Mason	92.3	7.7	0.0	0.0								
Massac	72.2	16.7	11.1	0.0								
McDonough	58.1	23.3	4.7	14.0								
McHenry	82.1	11.2	4.2	2.5								
McLean	83.9	7.2	1.4	7.5								
Menard	80.8	15.4	3.8	0.0								
Mercer	90.7	7.0	2.3	0.0								
Monroe	75.4	9.2	3.1	12.3								
Montgomery	67.4	30.2	0.0	2.3								
Morgan	66.1	25.8	8.1	0.0								
Moultrie	61.9	14.3	14.3	9.5								
Ogle	79.2	10.4	6.3	4.2								
Peoria	86.2	8.7	4.2	1.0	84.9	9.5	4.6	1.1	100.0	0.0	0.0	0.0
Perry	66.7	20.0	13.3	0.0								
Piatt	92.2	3.9	2.0	2.0								
Pike	82.9	8.6	2.9	5.7								
Pope	77.8	22.2	0.0	0.0								
Pulaski	50.0	33.3	0.0	16.7								
Putnam	63.6	9.1	27.3	0.0								
Randolph	78.3	15.2	2.2	4.3								

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	90.0	0.0	5.0	5.0								
Rock Island	84.0	7.2	4.2	4.6	83.5	7.4	4.3	4.8				
Saline	68.6	19.6	5.9	5.9								
Sangamon	82.7	12.7	3.8	0.9	82.8	12.8	3.5	0.9	0.0	0.0	100.0	0.0
Schuylerville	78.6	7.1	14.3	0.0								
Scott	80.0	10.0	0.0	10.0								
Shelby	72.3	14.9	10.6	2.1								
St Clair	82.5	8.8	3.0	5.7	81.8	9.3	3.2	5.7	66.7	0.0	0.0	33.3
Stark	100.0	0.0	0.0	0.0								
Stephenson	80.8	3.8	7.7	7.7								
Tazewell	88.0	7.5	3.7	0.8								
Union	64.0	8.0	20.0	8.0								
Vermilion	88.1	8.1	1.9	1.9	86.9	9.0	2.1	2.1				
Wabash	88.9	0.0	0.0	11.1								
Warren	89.3	3.6	7.1	0.0								
Washington	84.6	7.7	0.0	7.7								
Wayne	60.0	20.0	8.0	12.0								
White	75.0	20.0	5.0	0.0								
Whiteside	81.6	8.2	2.0	8.2								
Will	84.4	8.4	4.5	2.7	83.8	8.8	4.7	2.7	100.0	0.0	0.0	0.0
Williamson	78.7	11.8	1.6	7.9								
Winnebago	80.0	10.5	5.4	4.2	79.9	10.7	5.5	4.0	0.0	0.0	0.0	100.0
Woodford	83.9	10.3	3.4	2.3								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	67.9	19.2	8.4	4.5	82.3	9.4	4.4	4.0
Cook	61.6	23.8	9.3	5.2	82.4	9.2	5.0	3.3
DuPage	79.2	8.3	4.2	8.3	86.0	8.1	4.7	1.1
Kane	69.2	19.2	11.5	0.0	82.8	8.9	3.9	4.4
Lake	47.6	23.8	23.8	4.8	81.6	9.0	3.9	5.5
Will	66.7	19.0	4.8	9.5	84.9	8.1	4.5	2.5

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Illinois	19.0	52.8	21.6	5.1	1.5	18.4	54.2	21.1	4.8	1.5	20.8	46.1	24.2	7.2	1.7
Adams	13.9	56.4	20.3	7.2	2.1										
Alexander	11.1	59.3	14.8	7.4	7.4										
Bond	12.5	52.1	15.6	7.3	12.5										
Boone	21.7	47.7	23.4	5.1	2.1										
Brown	18.2	50.0	31.8	0.0	0.0										
Bureau	18.3	58.1	17.7	4.8	1.1										
Calhoun	8.3	41.7	41.7	4.2	4.2										
Carroll	17.4	47.7	20.9	11.6	2.3										
Cass	22.2	51.9	18.5	7.4	0.0										
Champaign	17.2	53.2	21.5	6.7	1.5	16.4	55.0	20.7	6.6	1.3	17.9	41.1	29.5	8.4	3.2
Christian	13.6	56.8	23.5	4.9	1.2										
Clark	16.2	47.1	25.0	8.8	2.9										
Clay	17.6	51.4	20.3	8.1	2.7										
Clinton	16.2	57.1	21.2	2.5	3.0										
Coles	12.7	60.0	18.0	6.3	2.9										
Cook	19.4	51.6	22.1	5.6	1.3	18.8	53.8	21.2	5.1	1.1	20.1	46.8	24.2	7.3	1.6
Crawford	7.2	56.5	30.4	2.9	2.9										
Cumberland	9.8	52.9	29.4	5.9	2.0										
DeKalb	16.5	50.1	22.5	8.9	2.0										
DeWitt	9.9	49.4	29.6	8.6	2.5										
Douglas	16.3	48.1	26.9	7.7	1.0										
DuPage	23.0	52.8	19.4	3.9	0.9	22.2	54.0	19.1	3.9	0.8	26.5	39.5	26.0	7.0	0.9
Edgar	17.3	56.0	14.7	9.3	2.7										
Edwards	16.1	64.5	12.9	3.2	3.2										
Effingham	14.5	56.4	23.0	4.8	1.2										
Fayette	12.8	58.1	20.9	7.0	1.2										
Ford	14.6	53.7	23.2	2.4	6.1										
Franklin	13.5	50.5	29.0	4.5	2.5										
Fulton	17.3	52.8	20.6	7.0	2.3										
Gallatin	10.0	60.0	20.0	10.0	0.0										
Greene	11.7	63.8	18.1	3.2	3.2										
Grundy	14.3	53.7	23.9	6.6	1.5										
Hamilton	16.7	50.0	16.7	10.0	6.7										
Hancock	17.0	50.0	28.7	2.1	2.1										
Hardin	33.3	41.7	25.0	0.0	0.0										
Henderson	15.9	56.8	20.5	2.3	4.5										
Henry	20.1	52.0	19.3	5.2	3.3										
Iroquois	15.6	61.7	17.0	3.5	2.1										
Jackson	15.4	60.8	19.2	4.2	0.4										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Jasper	14.6	52.1	22.9	6.3	4.2										
Jefferson	15.4	55.7	22.4	6.5	0.0										
Jersey	10.9	60.9	18.2	5.5	4.5										
Jo Daviess	18.3	47.3	16.0	4.6	13.7										
Johnson	11.7	61.7	13.3	10.0	3.3										
Kane	20.0	54.1	21.5	3.7	0.7	19.9	54.5	21.3	3.6	0.8	19.8	55.4	18.2	6.6	0.0
Kankakee	12.8	54.6	26.5	5.6	0.5	11.7	55.9	26.6	5.4	0.4	20.7	45.1	25.6	7.3	1.2
Kendall	22.6	49.4	23.7	3.9	0.4										
Knox	15.1	61.3	20.3	3.0	0.3										
Lake	19.4	55.0	20.7	3.8	1.1	19.2	55.7	20.4	3.6	1.1	19.0	46.9	26.8	5.6	1.7
LaSalle	16.8	52.7	23.0	5.5	2.0										
Lawrence	10.1	71.0	14.5	1.4	2.9										
Lee	15.4	51.9	25.9	6.8	0.0										
Livingston	19.5	61.1	15.4	4.1	0.0										
Logan	15.4	60.3	21.8	1.3	1.3										
Macon	21.4	45.5	24.8	7.3	0.9	20.4	46.3	25.1	7.6	0.6	27.5	42.0	24.6	5.8	0.0
Macoupin	15.3	53.3	24.5	4.2	2.7										
Madison	18.6	50.5	20.3	3.5	7.2	18.0	51.8	20.0	3.5	6.8	23.5	34.3	26.5	3.9	11.8
Marion	15.3	56.6	20.9	5.1	2.0										
Marshall	17.2	57.8	20.3	4.7	0.0										
Mason	14.9	52.2	19.4	7.5	6.0										
Massac	16.9	52.3	26.2	1.5	3.1										
McDonough	16.7	53.3	18.0	8.7	3.3										
McHenry	18.4	54.8	21.0	5.1	0.7										
McLean	16.6	56.9	22.4	3.1	1.0										
Menard	17.3	46.7	26.7	4.0	5.3										
Mercer	16.5	53.6	25.8	3.1	1.0										
Monroe	18.7	46.5	20.9	4.3	9.6										
Montgomery	12.6	62.2	16.8	5.9	2.5										
Morgan	17.6	59.7	19.9	2.3	0.5										
Moultrie	24.6	52.2	17.4	2.9	2.9										
Ogle	17.4	53.5	23.7	5.0	0.4										
Peoria	18.1	55.9	18.2	6.1	1.6	18.4	59.2	15.8	5.3	1.3	15.3	40.5	30.5	10.7	3.1
Perry	13.0	63.0	17.0	6.0	1.0										
Piatt	16.3	51.2	26.7	5.8	0.0										
Pike	10.7	64.0	18.7	2.7	4.0										
Pope	16.7	44.4	16.7	11.1	11.1										
Pulaski	3.6	46.4	21.4	14.3	14.3										
Putnam	19.4	64.5	12.9	0.0	3.2										
Randolph	15.4	48.1	27.6	4.5	4.5										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Richland	10.7	50.7	30.7	6.7	1.3										
Rock Island	18.1	55.7	21.1	4.4	0.7	18.1	56.7	20.9	3.6	0.7	20.5	38.6	22.7	18.2	0.0
Saline	11.6	54.5	24.0	5.8	4.1										
Sangamon	19.4	55.2	19.9	4.7	0.8	18.0	56.2	20.4	4.5	0.9	32.4	46.7	13.3	7.6	0.0
Schuylerville	23.7	55.3	15.8	5.3	0.0										
Scott	9.8	56.1	29.3	4.9	0.0										
Shelby	14.1	59.9	21.1	4.2	0.7										
St Clair	21.0	47.7	22.3	5.0	4.0	18.9	50.3	21.7	5.2	4.0	25.7	40.6	24.9	4.7	4.1
Stark	8.0	72.0	16.0	4.0	0.0										
Stephenson	17.4	47.9	25.4	6.8	2.5										
Tazewell	15.1	61.8	17.9	4.2	1.1										
Union	16.0	54.0	25.0	4.0	1.0										
Vermilion	16.6	51.1	21.7	8.4	2.2	15.0	52.1	22.6	8.2	2.1	39.1	39.1	8.7	13.0	0.0
Wabash	24.1	41.4	25.9	3.4	5.2										
Warren	16.3	55.8	26.7	1.2	0.0										
Washington	18.1	47.2	29.2	2.8	2.8										
Wayne	12.5	53.1	26.0	7.3	1.0										
White	10.5	53.9	27.6	7.9	0.0										
Whiteside	15.5	54.9	22.4	4.3	3.0										
Will	22.2	49.3	22.3	5.3	0.8	21.4	50.3	22.1	5.4	0.8	26.2	42.4	24.6	5.7	1.1
Williamson	11.8	61.5	19.4	5.6	1.6										
Winnebago	17.7	54.1	21.6	5.1	1.4	18.0	54.3	21.5	4.7	1.5	11.4	56.9	22.8	8.1	0.8
Woodford	22.3	55.5	17.5	4.3	0.5										

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Female Breast, Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic					Non-Hispanic				
	<i>In Situ</i>	Localized	Regional	Distant	Unknown	<i>In Situ</i>	Localized	Regional	Distant	Unknown
Illinois	19.8	48.0	26.5	4.5	1.3	18.9	53.2	21.2	5.2	1.5
Cook	19.6	47.9	26.4	4.8	1.4	19.3	52.1	21.5	5.7	1.3
DuPage	24.3	48.9	21.8	4.7	0.3	22.9	53.1	19.3	3.9	0.9
Kane	20.5	48.3	27.4	3.4	0.4	19.9	54.9	20.7	3.7	0.8
Lake	22.8	43.8	27.9	3.7	1.8	19.1	55.9	20.1	3.8	1.0
Will	17.8	43.2	33.9	3.8	1.4	22.6	49.9	21.3	5.5	0.8

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	44.6	34.0	16.6	4.8	46.0	32.9	16.3	4.8	40.9	35.5	19.1	4.5
Adams	30.0	40.0	30.0	0.0								
Alexander	100.0	0.0	0.0	0.0								
Bond	37.5	25.0	12.5	25.0								
Boone	33.3	41.7	25.0	0.0								
Brown	0.0	50.0	50.0	0.0								
Bureau	75.0	12.5	12.5	0.0								
Calhoun	100.0	0.0	0.0	0.0								
Carroll	25.0	50.0	25.0	0.0								
Cass	33.3	66.7	0.0	0.0								
Champaign	42.9	33.3	19.0	4.8	43.8	37.5	12.5	6.3	33.3	0.0	66.7	0.0
Christian	22.2	44.4	33.3	0.0								
Clark	20.0	80.0	0.0	0.0								
Clay	0.0	100.0	0.0	0.0								
Clinton	70.0	10.0	20.0	0.0								
Coles	14.3	57.1	28.6	0.0								
Cook	44.4	35.5	15.5	4.6	47.3	34.4	13.6	4.6	40.9	34.8	19.6	4.7
Crawford	100.0	0.0	0.0	0.0								
Cumberland	50.0	0.0	50.0	0.0								
DeKalb	60.0	20.0	15.0	5.0								
DeWitt	20.0	40.0	40.0	0.0								
Douglas	50.0	0.0	50.0	0.0								
DuPage	44.2	32.7	19.0	4.1	46.8	30.6	19.4	3.2	53.8	30.8	15.4	0.0
Edgar	60.0	40.0	0.0	0.0								
Edwards	50.0	50.0	0.0	0.0								
Effingham	60.0	10.0	30.0	0.0								
Fayette	25.0	25.0	50.0	0.0								
Ford	0.0	100.0	0.0	0.0								
Franklin	41.7	33.3	8.3	16.7								
Fulton	72.7	27.3	0.0	0.0								
Gallatin	0.0	100.0	0.0	0.0								
Greene	100.0	0.0	0.0	0.0								
Grundy	80.0	10.0	10.0	0.0								
Hamilton	0.0	100.0	0.0	0.0								
Hancock	50.0	16.7	16.7	16.7								
Hardin	0.0	0.0	0.0	100.0								
Henderson	100.0	0.0	0.0	0.0								
Henry	47.8	30.4	13.0	8.7								
Iroquois	0.0	100.0	0.0	0.0								
Jackson	46.2	38.5	7.7	7.7								

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	33.3	66.7	0.0	0.0								
Jefferson	50.0	25.0	16.7	8.3								
Jersey												
Jo Daviess	33.3	0.0	33.3	33.3								
Johnson	0.0	0.0	0.0	100.0								
Kane	40.3	29.2	29.2	1.4	41.3	28.6	28.6	1.6	16.7	33.3	50.0	0.0
Kankakee	37.5	25.0	33.3	4.2	37.5	25.0	33.3	4.2				
Kendall	47.4	36.8	15.8	0.0								
Knox	62.5	25.0	12.5	0.0								
Lake	49.5	25.2	18.7	6.5	46.4	29.8	17.9	6.0	50.0	7.1	35.7	7.1
LaSalle	26.1	39.1	30.4	4.3								
Lawrence	33.3	0.0	66.7	0.0								
Lee	50.0	40.0	10.0	0.0								
Livingston	75.0	8.3	16.7	0.0								
Logan	66.7	33.3	0.0	0.0								
Macon	56.7	33.3	10.0	0.0	60.7	28.6	10.7	0.0	0.0	100.0	0.0	0.0
Macoupin	35.7	42.9	21.4	0.0								
Madison	43.1	29.4	13.7	13.7	39.1	32.6	13.0	15.2	80.0	0.0	20.0	0.0
Marion	33.3	0.0	44.4	22.2								
Marshall	100.0	0.0	0.0	0.0								
Mason	100.0	0.0	0.0	0.0								
Massac	0.0	75.0	25.0	0.0								
McDonough	40.0	50.0	0.0	10.0								
McHenry	41.3	39.1	17.4	2.2								
McLean	41.7	50.0	8.3	0.0								
Menard	50.0	50.0	0.0	0.0								
Mercer	33.3	33.3	33.3	0.0								
Monroe	50.0	50.0	0.0	0.0								
Montgomery	60.0	30.0	10.0	0.0								
Morgan	62.5	12.5	12.5	12.5								
Moultrie	60.0	40.0	0.0	0.0								
Ogle	40.0	40.0	20.0	0.0								
Peoria	39.2	33.3	17.6	9.8	44.2	30.2	16.3	9.3	12.5	50.0	25.0	12.5
Perry	33.3	33.3	33.3	0.0								
Piatt	20.0	60.0	20.0	0.0								
Pike	0.0	100.0	0.0	0.0								
Pope	0.0	50.0	50.0	0.0								
Pulaski	100.0	0.0	0.0	0.0								
Putnam												
Randolph	0.0	33.3	0.0	66.7								

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	25.0	25.0	50.0	0.0								
Rock Island	61.3	29.0	9.7	0.0	62.1	27.6	10.3	0.0	0.0	100.0	0.0	0.0
Saline	42.9	0.0	42.9	14.3								
Sangamon	59.0	23.1	15.4	2.6	66.7	18.5	14.8	0.0	37.5	37.5	25.0	0.0
Schuylerville	100.0	0.0	0.0	0.0								
Scott												
Shelby	0.0	33.3	66.7	0.0								
St. Clair	37.7	39.1	8.7	14.5	44.2	32.6	7.0	16.3	26.9	50.0	11.5	11.5
Stark	40.0	40.0	20.0	0.0								
Stephenson	36.4	27.3	27.3	9.1								
Tazewell	57.6	21.2	15.2	6.1								
Union	100.0	0.0	0.0	0.0								
Vermilion	50.0	25.0	15.0	10.0	44.4	27.8	16.7	11.1	100.0	0.0	0.0	0.0
Wabash	50.0	0.0	50.0	0.0								
Warren	28.6	42.9	14.3	14.3								
Washington	0.0	0.0	100.0	0.0								
Wayne	16.7	33.3	50.0	0.0								
White	100.0	0.0	0.0	0.0								
Whiteside	14.3	57.1	28.6	0.0								
Will	41.5	43.0	12.6	3.0	38.9	43.5	13.9	3.7	64.7	29.4	5.9	0.0
Williamson	53.8	23.1	23.1	0.0								
Winnebago	43.9	38.6	14.0	3.5	43.8	35.4	16.7	4.2	37.5	62.5	0.0	0.0
Woodford	44.4	44.4	11.1	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Cervical Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	52.0	32.3	12.2	3.5	43.3	34.3	17.3	5.1
Cook	50.2	35.4	11.6	2.8	42.5	35.5	16.7	5.2
DuPage	36.4	27.3	27.3	9.1	44.9	33.1	18.4	3.7
Kane	23.5	35.3	41.2	0.0	45.5	27.3	25.5	1.8
Lake	69.2	23.1	3.8	3.8	43.2	25.9	23.5	7.4
Will	47.4	26.3	15.8	10.5	40.5	45.7	12.1	1.7

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	71.9	15.0	7.5	5.6	72.7	15.7	7.1	4.6	72.0	12.9	9.6	5.4
Adams	68.9	14.9	10.4	5.9								
Alexander	54.5	9.1	12.1	24.2								
Bond	65.6	3.1	9.4	21.9								
Boone	71.1	16.9	8.5	3.5								
Brown	73.1	11.5	11.5	3.8								
Bureau	69.7	18.2	5.3	6.8								
Calhoun	71.4	10.7	7.1	10.7								
Carroll	76.9	7.7	10.8	4.6								
Cass	82.5	7.5	7.5	2.5								
Champaign	77.4	13.8	7.5	1.3	78.7	13.7	6.2	1.4	69.4	16.5	12.9	1.2
Christian	79.3	11.3	8.0	1.3								
Clark	57.5	20.0	12.5	10.0								
Clay	56.1	18.2	4.5	21.2								
Clinton	72.9	10.7	2.9	13.6								
Coles	67.3	21.5	7.5	3.7								
Cook	71.0	15.6	8.4	5.0	71.3	17.3	7.6	3.8	71.3	13.0	10.0	5.7
Crawford	73.5	7.4	10.3	8.8								
Cumberland	58.8	17.6	11.8	11.8								
DeKalb	74.4	16.8	7.9	0.9								
DeWitt	80.0	8.9	6.7	4.4								
Douglas	76.9	17.9	5.1	0.0								
DuPage	74.8	15.9	6.8	2.4	75.1	16.0	6.8	2.2	78.1	17.8	3.4	0.7
Edgar	68.8	18.8	6.3	6.3								
Edwards	61.5	15.4	0.0	23.1								
Effingham	59.0	13.9	2.9	24.3								
Fayette	66.3	8.2	2.0	23.5								
Ford	75.6	15.6	6.7	2.2								
Franklin	76.0	9.1	6.5	8.4								
Fulton	76.9	8.5	6.0	8.5								
Gallatin	86.7	6.7	6.7	0.0								
Greene	72.0	18.0	8.0	2.0								
Grundy	74.9	13.8	5.9	5.4								
Hamilton	79.4	5.9	5.9	8.8								
Hancock	68.0	16.0	8.0	8.0								
Hardin	78.6	7.1	7.1	7.1								
Henderson	60.0	12.0	4.0	24.0								
Henry	68.0	15.7	4.6	11.7								
Iroquois	72.0	16.8	8.4	2.8								
Jackson	65.1	9.6	13.0	12.3								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	53.2	19.1	6.4	21.3								
Jefferson	79.4	7.3	7.3	6.1								
Jersey	72.8	9.9	8.6	8.6								
Jo Daviess	62.6	13.1	2.8	21.5								
Johnson	82.5	12.5	2.5	2.5								
Kane	72.2	17.6	6.8	3.4	72.6	18.3	6.4	2.7	71.7	12.5	10.0	5.8
Kankakee	70.4	16.4	8.8	4.4	70.3	16.7	8.7	4.3	73.2	15.9	9.8	1.2
Kendall	74.8	15.0	7.1	3.1								
Knox	67.1	15.0	8.1	9.8								
Lake	71.0	19.7	5.7	3.6	71.9	19.4	5.6	3.2	65.7	22.1	8.8	3.3
LaSalle	69.1	19.0	7.5	4.4								
Lawrence	72.1	11.5	8.2	8.2								
Lee	75.7	16.5	6.1	1.7								
Livingston	70.8	17.4	6.8	5.0								
Logan	81.3	7.5	6.5	4.7								
Macon	77.5	11.7	8.5	2.3	78.0	12.5	8.1	1.4	76.5	9.4	10.6	3.5
Macoupin	80.6	9.7	5.7	4.0								
Madison	69.3	13.5	5.8	11.4	69.5	13.6	5.6	11.3	70.9	12.7	7.6	8.9
Marion	76.2	9.7	3.2	10.8								
Marshall	63.6	14.5	0.0	21.8								
Mason	67.2	11.5	13.1	8.2								
Massac	73.2	10.7	3.6	12.5								
McDonough	70.0	13.0	10.0	7.0								
McHenry	63.9	23.9	7.5	4.8								
McLean	77.7	13.8	6.1	2.3								
Menard	93.4	4.9	1.6	0.0								
Mercer	52.5	11.5	14.8	21.3								
Monroe	63.0	15.0	5.5	16.5								
Montgomery	74.7	10.3	11.5	3.4								
Morgan	83.4	11.3	4.6	0.7								
Moultrie	80.6	19.4	0.0	0.0								
Ogle	71.9	17.5	7.5	3.1								
Peoria	71.7	7.1	5.7	15.5	76.7	5.9	5.3	12.1	69.8	13.2	8.5	8.5
Perry	71.4	12.7	4.8	11.1								
Piatt	82.0	11.5	4.9	1.6								
Pike	80.0	8.3	8.3	3.3								
Pope	73.9	8.7	4.3	13.0								
Pulaski	50.0	16.7	6.7	26.7								
Putnam	69.6	8.7	8.7	13.0								
Randolph	59.8	19.6	6.2	14.4								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	67.1	12.9	2.9	17.1								
Rock Island	65.7	11.9	8.0	14.4	68.4	12.3	8.1	11.2	65.9	11.4	11.4	11.4
Saline	79.8	5.3	2.1	12.8								
Sangamon	78.5	12.4	7.4	1.8	79.0	12.7	6.6	1.7	74.4	7.7	15.4	2.6
Schuylerville	74.3	8.6	8.6	8.6								
Scott	83.3	4.2	8.3	4.2								
Shelby	69.6	13.4	8.0	8.9								
St Clair	66.4	13.0	8.4	12.1	66.5	14.7	7.4	11.4	67.6	9.2	11.2	12.0
Stark	53.8	11.5	7.7	26.9								
Stephenson	68.5	15.8	9.6	6.2								
Tazewell	71.3	9.3	4.9	14.4								
Union	54.4	8.8	14.7	22.1								
Vermilion	76.1	16.3	6.6	1.0	76.4	15.7	6.7	1.2	75.0	18.8	6.3	0.0
Wabash	87.2	7.7	2.6	2.6								
Warren	76.2	11.9	2.4	9.5								
Washington	76.5	13.6	6.2	3.7								
Wayne	77.9	10.3	4.4	7.4								
White	81.0	6.9	6.9	5.2								
Whiteside	75.1	8.1	9.1	7.7								
Will	79.8	12.0	5.9	2.3	80.2	12.6	6.0	1.3	80.7	10.3	6.5	2.4
Williamson	69.0	9.7	12.4	8.8								
Winnebago	64.1	20.1	11.1	4.7	63.3	20.6	11.0	5.1	71.3	14.8	12.0	1.9
Woodford	70.8	14.0	1.8	13.5								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Prostate Cancer (invasive), Illinois 2014-2018

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	72.1	16.2	6.7	5.0	71.9	14.9	7.5	5.7
Cook	72.6	15.0	7.3	5.1	70.8	15.7	8.5	5.0
DuPage	70.7	17.8	8.3	3.2	75.1	15.8	6.8	2.3
Kane	65.7	25.4	4.1	4.7	73.1	16.5	7.1	3.3
Lake	67.2	21.1	6.3	5.5	71.2	19.7	5.7	3.5
Will	75.4	12.7	7.9	4.0	80.0	12.0	5.8	2.2

SECTION III
County-specific Cancer Incidence Rates
All Races, Illinois, 2014-2018

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	347,861	466.8	465.2	468.4	172,007	503.6	501.1	506.0	175,854	444.5	442.4	446.6
Oral Cavity and Pharynx	9,252	12.2	11.9	12.4	6,511	18.3	17.9	18.8	2,741	6.8	6.5	7.1
Esophagus	3,625	4.7	4.5	4.8	2,837	8.1	7.8	8.4	788	1.9	1.7	2.0
Stomach	5,288	7.1	6.9	7.3	3,185	9.5	9.2	9.9	2,103	5.2	5.0	5.4
Colon and Rectum	31,217	42.1	41.6	42.5	16,364	48.7	48.0	49.5	14,853	36.6	36.0	37.2
Liver	5,082	6.4	6.3	6.6	3,682	10.1	9.7	10.4	1,400	3.3	3.2	3.5
Pancreas	10,465	13.8	13.6	14.1	5,362	15.9	15.5	16.4	5,103	12.1	11.8	12.5
Lung and Bronchus	47,692	63.0	62.5	63.6	24,103	71.8	70.9	72.8	23,589	56.7	55.9	57.4
Bones and Joints	601	0.9	0.8	1.0	327	1.0	0.9	1.1	274	0.8	0.7	0.9
Melanoma of the Skin	15,429	21.3	21.0	21.7	8,692	26.2	25.6	26.7	6,737	18.1	17.7	18.6
Breast (invasive)	52,396	71.7	71.0	72.3	451	1.3	1.2	1.5	51,945	133.7	132.5	134.9
Cervix									2,657	7.7	7.4	8.0
Corpus and Uterus, NOS									12,405	30.2	29.7	30.8
Ovary									4,273	10.9	10.6	11.3
Prostate					40,876	111.5	110.4	112.6				
Testis					1,936	6.3	6.0	6.6				
Urinary Bladder (includes in situ)	15,370	20.5	20.2	20.8	11,539	35.7	35.0	36.3	3,831	9.1	8.8	9.4
Kidney and Renal Pelvis	13,521	18.2	17.9	18.5	8,571	24.9	24.4	25.5	4,950	12.5	12.1	12.8
Brain and Nervous System	4,446	6.4	6.2	6.6	2,453	7.5	7.2	7.8	1,993	5.4	5.2	5.7
Hodgkin Lymphoma	1,856	2.8	2.7	3.0	1,049	3.3	3.1	3.5	807	2.5	2.3	2.6
Non-Hodgkin Lymphoma	14,261	19.5	19.1	19.8	7,698	23.3	22.8	23.9	6,563	16.4	16.0	16.8
Myeloma	5,079	6.7	6.5	6.9	2,711	8.0	7.7	8.4	2,368	5.7	5.5	5.9
Leukemia	9,698	13.5	13.2	13.8	5,598	17.3	16.8	17.7	4,100	10.5	10.2	10.9
All Other Sites	40,436	55.9	55.4	56.5	18,062	54.8	54.0	55.7	22,374	58.3	57.5	59.1
Breast in Situ (not in total)									12,192	32.2	31.6	32.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Adams

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,185	484.2	463.1	506.0	1,092	506.7	476.2	538.8	1,093	471.0	441.7	501.9
Oral Cavity and Pharynx	60	12.9	9.7	16.9	45	20.1	14.5	27.4	15	6.3	3.4	11.0
Esophagus	30	7.0	4.7	10.2	26	13.0	8.4	19.3	4	1.7	0.4	5.0
Stomach	10	1.8	0.9	3.6	8	3.3	1.4	6.9	2	0.6	0.1	3.0
Colon and Rectum	198	43.7	37.5	50.7	95	46.8	37.5	57.8	103	40.9	33.0	50.4
Liver	33	6.7	4.5	9.7	18	7.6	4.5	12.4	15	5.6	2.9	10.1
Pancreas	79	16.1	12.7	20.3	38	17.4	12.2	24.3	41	15.2	10.8	21.1
Lung and Bronchus	341	70.3	62.8	78.5	191	83.8	72.2	97.1	150	59.3	49.8	70.3
Bones and Joints	4	1.4	0.4	3.4	2	1.4	0.2	4.8	2	1.3	0.2	4.6
Melanoma of the Skin	137	33.5	27.8	40.0	72	35.6	27.6	45.2	65	32.5	24.5	42.2
Breast (invasive)	325	76.5	68.0	85.9	3	1.1	0.2	3.8	322	145.3	128.8	163.4
Cervix									10	5.5	2.5	10.4
Corpus and Uterus, NOS									73	30.2	23.5	38.5
Ovary									30	13.3	8.7	19.6
Prostate					222	98.7	85.9	113.1				
Testis					6	3.7	1.3	8.0				
Urinary Bladder (includes in situ)	108	22.3	18.2	27.1	83	38.0	30.1	47.4	25	9.5	6.0	14.5
Kidney and Renal Pelvis	74	17.9	13.8	22.8	43	21.9	15.6	30.0	31	14.3	9.4	21.0
Brain and Nervous System	25	6.4	4.0	9.6	17	9.3	5.3	15.1	8	3.6	1.4	7.6
Hodgkin Lymphoma	9	2.8	1.3	5.3	5	3.1	1.0	7.2	4	2.4	0.6	6.3
Non-Hodgkin Lymphoma	68	13.8	10.6	17.7	39	18.0	12.6	25.0	29	10.5	7.0	15.6
Myeloma	29	6.5	4.3	9.5	16	8.1	4.6	13.5	13	5.0	2.7	9.0
Leukemia	45	9.1	6.5	12.4	28	12.9	8.4	19.0	17	5.7	3.2	9.7
All Other Sites	269	62.0	54.4	70.4	135	63.1	52.5	75.2	134	62.1	51.3	74.7
Breast in Situ (not in total)									52	25.1	18.4	33.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Alexander

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	246	508.0	442.7	581.1	137	582.1	485.1	695.4	109	450.6	363.6	553.5
Oral Cavity and Pharynx	7	15.0	5.6	33.7	5	23.7	6.9	61.6	2	7.7	0.9	34.2
Esophagus	2	3.7	0.4	17.3	2	8.2	0.9	37.3	0			
Stomach	2	3.6	0.4	17.1	1	4.8	0.1	33.0	1	3.0	0.1	26.9
Colon and Rectum	28	58.4	37.9	87.5	13	59.8	31.0	107.4	15	57.7	31.2	100.9
Liver	3	5.9	1.2	20.4	1	3.8	0.1	30.8	2	7.6	0.9	33.8
Pancreas	10	17.6	8.4	35.2	6	22.9	8.3	56.6	4	12.5	3.3	39.6
Lung and Bronchus	53	101.9	75.8	135.7	33	139.3	95.2	200.4	20	75.2	45.1	121.2
Bones and Joints	0				0				0			
Melanoma of the Skin	5	16.0	4.6	38.7	1	5.6	0.1	35.0	4	26.4	6.3	69.0
Breast (invasive)	24	50.4	31.2	78.1	0				24	95.4	59.1	148.1
Cervix									1	7.5	0.2	38.3
Corpus and Uterus, NOS									9	30.5	13.8	63.5
Ovary									1	3.7	0.1	28.3
Prostate					33	129.0	88.0	186.6				
Testis					0							
Urinary Bladder (includes in situ)	11	20.0	9.9	38.5	6	24.4	8.7	59.5	5	16.4	5.2	45.0
Kidney and Renal Pelvis	8	24.0	9.2	50.0	4	16.1	4.3	48.1	4	30.1	7.3	76.9
Brain and Nervous System	3	6.1	1.2	21.0	2	9.1	1.1	39.2	1	3.1	0.1	27.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	12	30.2	14.6	55.6	9	53.2	22.2	106.4	3	12.0	2.4	40.8
Myeloma	5	9.0	2.9	24.3	4	15.8	4.0	47.9	1	2.7	0.1	26.3
Leukemia	7	14.3	5.7	32.0	4	16.2	4.3	48.4	3	11.2	2.3	38.9
All Other Sites	22	49.9	29.7	79.2	13	50.2	26.3	91.7	9	48.0	20.2	95.8
Breast in Situ (not in total)									3	10.8	2.2	38.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Bond

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	560	496.9	455.5	541.5	300	553.0	490.7	621.6	260	468.1	409.7	533.1
Oral Cavity and Pharynx	13	10.5	5.6	18.9	12	20.3	10.4	37.0	1	1.5	0.0	12.0
Esophagus	8	7.0	2.9	14.8	8	14.1	5.8	29.5	0			
Stomach	4	3.4	0.9	9.7	3	5.4	1.1	17.3	1	1.5	0.0	12.0
Colon and Rectum	55	49.8	37.2	65.7	34	65.2	44.8	92.5	21	37.3	22.5	59.2
Liver	9	7.9	3.6	15.7	6	10.5	3.8	24.2	3	5.1	1.0	17.2
Pancreas	14	12.1	6.5	21.0	6	10.6	3.8	24.6	8	12.8	5.3	27.6
Lung and Bronchus	75	62.8	49.2	79.5	42	79.1	56.5	108.2	33	53.3	36.3	76.9
Bones and Joints	0				0				0			
Melanoma of the Skin	28	25.8	16.9	38.0	20	37.5	22.6	59.2	8	16.3	6.7	33.8
Breast (invasive)	84	75.1	59.4	94.1	0				84	150.7	118.4	189.9
Cervix									8	20.9	8.6	42.0
Corpus and Uterus, NOS									17	31.4	17.7	52.5
Ovary									6	11.3	3.7	27.0
Prostate					64	106.1	81.2	137.0				
Testis					2	4.9	0.6	17.6				
Urinary Bladder (includes in situ)	37	32.4	22.7	45.3	26	50.1	32.4	74.6	11	17.0	8.3	32.6
Kidney and Renal Pelvis	23	20.9	13.0	32.2	19	35.6	21.1	56.8	4	9.8	2.4	26.2
Brain and Nervous System	9	9.3	4.1	18.4	7	14.7	5.7	31.5	2	3.5	0.4	15.0
Hodgkin Lymphoma	4	3.6	0.9	10.2	3	4.4	0.9	15.2	1	3.3	0.1	16.7
Non-Hodgkin Lymphoma	24	22.2	14.1	33.6	15	31.1	17.2	52.1	9	15.7	6.8	32.3
Myeloma	6	4.4	1.6	10.7	2	3.7	0.4	15.0	4	5.5	1.4	17.3
Leukemia	11	9.1	4.4	17.2	5	8.3	2.6	21.1	6	9.1	3.1	22.6
All Other Sites	59	55.7	42.0	72.8	26	51.6	33.3	76.8	33	61.9	41.4	89.7
Breast in Situ (not in total)									12	22.0	10.8	40.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Boone

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,412	457.0	433.0	482.0	693	469.9	434.7	507.4	719	453.7	420.5	489.0
Oral Cavity and Pharynx	36	11.1	7.7	15.6	24	16.2	10.2	24.5	12	6.7	3.4	12.0
Esophagus	11	3.2	1.6	5.9	8	4.7	2.0	9.8	3	1.6	0.3	5.2
Stomach	21	7.3	4.5	11.2	17	12.7	7.3	20.5	4	2.7	0.7	7.1
Colon and Rectum	120	39.9	33.0	47.9	51	35.0	25.8	46.4	69	44.2	34.2	56.3
Liver	14	4.7	2.6	8.0	9	6.3	2.8	12.3	5	3.2	1.0	7.8
Pancreas	48	14.9	10.9	19.9	28	19.3	12.6	28.3	20	11.6	7.0	18.3
Lung and Bronchus	214	66.8	58.0	76.6	115	77.3	63.4	93.3	99	59.0	47.8	72.1
Bones and Joints	3	1.1	0.2	3.4	1	0.7	0.0	4.1	2	1.6	0.2	5.7
Melanoma of the Skin	69	23.2	18.0	29.6	38	26.8	18.7	37.1	31	21.2	14.3	30.4
Breast (invasive)	186	60.2	51.7	69.7	2	1.5	0.2	5.6	184	115.9	99.4	134.4
Cervix									12	8.7	4.4	15.4
Corpus and Uterus, NOS									65	38.6	29.6	49.6
Ovary									17	11.6	6.6	18.9
Prostate					142	87.9	73.8	104.1				
Testis					10	8.4	4.0	15.4				
Urinary Bladder (includes in situ)	63	19.8	15.2	25.5	47	31.3	22.8	42.0	16	9.2	5.2	15.3
Kidney and Renal Pelvis	56	18.6	14.0	24.4	32	22.1	14.9	31.5	24	15.2	9.6	22.9
Brain and Nervous System	18	6.4	3.8	10.3	10	7.4	3.5	13.7	8	5.3	2.3	10.8
Hodgkin Lymphoma	8	2.7	1.1	5.4	4	2.5	0.7	6.8	4	2.7	0.7	7.3
Non-Hodgkin Lymphoma	60	20.2	15.3	26.2	37	25.7	17.9	35.9	23	15.4	9.6	23.4
Myeloma	16	5.0	2.8	8.3	9	6.1	2.8	11.8	7	3.9	1.6	8.5
Leukemia	45	15.3	11.1	20.6	28	19.9	13.0	29.1	17	11.1	6.4	18.0
All Other Sites	178	60.4	51.6	70.2	81	58.3	46.0	72.9	97	64.3	51.8	78.9
Breast in Situ (not in total)									51	30.6	22.7	40.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Brown

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	188	508.4	437.8	587.7	119	642.6	529.6	772.7	69	395.6	304.7	508.2
Oral Cavity and Pharynx	7	18.6	7.4	39.7	5	24.6	7.6	60.5	2	10.4	1.3	47.1
Esophagus	2	5.2	0.6	20.6	2	11.3	1.2	42.7	0			
Stomach	1	3.2	0.1	18.2	1	4.7	0.1	30.4	0			
Colon and Rectum	21	58.1	35.9	89.8	13	76.1	40.1	131.1	8	45.0	18.5	96.2
Liver	4	10.6	2.9	28.7	4	20.2	5.2	54.7	0			
Pancreas	4	11.7	3.2	30.8	4	23.9	6.5	61.4	0			
Lung and Bronchus	33	92.9	63.8	131.3	20	111.1	67.0	173.4	13	71.0	37.8	127.0
Bones and Joints	0				0				0			
Melanoma of the Skin	9	24.0	10.9	46.8	6	32.9	11.7	73.5	3	14.5	2.9	52.5
Breast (invasive)	19	50.9	30.5	80.8	1	7.1	0.2	37.1	18	111.8	64.6	182.9
Cervix									2	15.1	1.7	58.0
Corpus and Uterus, NOS									4	28.4	6.8	78.7
Ovary									0			
Prostate					26	135.2	87.4	200.5				
Testis					1	3.9	0.1	28.5				
Urinary Bladder (includes in situ)	12	32.8	16.9	58.4	12	70.5	35.9	124.2	0			
Kidney and Renal Pelvis	6	15.5	5.6	35.3	4	18.8	4.7	52.0	2	9.0	1.0	44.4
Brain and Nervous System	3	8.4	1.7	25.8	3	16.4	3.1	50.5	0			
Hodgkin Lymphoma	1	2.3	0.1	15.9	1	4.3	0.1	29.5	0			
Non-Hodgkin Lymphoma	9	22.9	10.4	44.9	4	20.7	5.4	55.5	5	28.8	9.1	73.9
Myeloma	2	5.7	0.6	21.9	1	4.7	0.1	30.4	1	4.8	0.1	39.0
Leukemia	6	16.3	5.9	36.8	4	20.8	5.5	55.5	2	11.1	1.3	48.6
All Other Sites	16	41.5	23.6	68.7	7	35.3	13.5	76.2	9	45.8	20.4	94.9
Breast in Situ (not in total)									4	19.7	5.4	59.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Bureau

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,236	506.5	477.3	537.1	662	568.8	525.0	615.7	574	462.5	422.9	505.2
Oral Cavity and Pharynx	36	13.9	9.6	19.9	29	23.1	15.2	34.3	7	5.7	2.1	12.8
Esophagus	24	8.6	5.5	13.3	22	17.5	10.9	27.4	2	1.3	0.2	6.4
Stomach	16	6.0	3.3	10.2	10	8.5	4.1	16.4	6	4.0	1.2	10.3
Colon and Rectum	106	41.9	34.0	51.4	62	55.9	42.5	72.6	44	29.0	20.5	40.5
Liver	12	4.2	2.2	7.9	9	7.3	3.3	14.8	3	2.1	0.4	7.5
Pancreas	33	13.0	8.9	18.7	21	19.0	11.6	29.7	12	7.8	4.0	14.8
Lung and Bronchus	201	78.3	67.7	90.4	99	81.2	65.8	99.5	102	78.8	63.8	96.8
Bones and Joints	3	1.2	0.2	4.1	2	1.7	0.2	7.3	1	0.7	0.0	5.5
Melanoma of the Skin	72	31.2	24.0	40.1	47	42.9	31.1	57.9	25	22.7	13.9	35.0
Breast (invasive)	152	64.1	53.8	75.9	0				152	122.7	102.9	145.6
Cervix									8	9.1	3.5	18.9
Corpus and Uterus, NOS									33	25.1	17.0	36.5
Ovary									12	9.7	4.9	18.0
Prostate					132	102.5	85.6	122.4				
Testis					9	13.5	6.1	25.2				
Urinary Bladder (includes in situ)	68	26.4	20.3	34.0	52	43.4	32.3	57.6	16	13.4	7.2	23.1
Kidney and Renal Pelvis	54	22.6	16.8	30.0	36	32.1	22.3	45.2	18	14.6	8.4	24.1
Brain and Nervous System	14	6.4	3.4	11.2	11	10.8	5.2	20.2	3	2.2	0.4	7.7
Hodgkin Lymphoma	8	5.1	2.1	10.2	6	7.5	2.6	16.9	2	2.6	0.3	9.3
Non-Hodgkin Lymphoma	57	24.0	17.9	31.7	28	24.8	16.1	36.9	29	24.0	15.7	35.7
Myeloma	12	4.6	2.4	8.4	6	4.8	1.8	11.5	6	4.4	1.6	10.7
Leukemia	29	13.8	8.9	20.5	13	11.6	6.0	20.7	16	16.2	8.7	27.6
All Other Sites	145	62.8	52.4	74.7	68	60.7	46.6	78.0	77	66.4	51.3	84.8
Breast in Situ (not in total)									34	29.3	19.8	42.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Calhoun

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	178	445.7	379.8	521.7	109	561.8	458.8	685.1	69	349.5	265.4	455.4
Oral Cavity and Pharynx	5	12.5	3.9	33.8	4	21.2	5.6	63.0	1	3.0	0.1	37.0
Esophagus	4	9.3	2.5	28.8	4	19.1	5.2	58.7	0			
Stomach	1	2.1	0.1	19.3	1	4.1	0.1	38.2	0			
Colon and Rectum	22	53.2	33.1	84.0	12	60.7	31.0	113.3	10	47.6	22.4	96.4
Liver	1	2.1	0.1	19.1	1	6.5	0.2	43.4	0			
Pancreas	3	8.3	1.6	28.6	3	17.0	3.4	57.8	0			
Lung and Bronchus	20	45.3	27.6	73.5	11	55.1	27.3	106.1	9	38.8	17.7	83.3
Bones and Joints	0				0				0			
Melanoma of the Skin	4	12.4	2.7	36.6	2	9.8	1.2	46.5	2	15.5	1.1	63.4
Breast (invasive)	22	56.2	34.7	88.8	0				22	109.8	67.5	174.4
Cervix									1	4.4	0.1	39.3
Corpus and Uterus, NOS									4	21.3	5.6	63.6
Ovary									2	8.8	1.1	45.0
Prostate					28	134.1	88.7	200.5				
Testis					0							
Urinary Bladder (includes in situ)	10	26.5	11.8	53.6	8	45.9	18.5	98.9	2	7.4	0.9	42.6
Kidney and Renal Pelvis	11	29.9	13.7	58.6	9	43.3	19.7	90.3	2	17.3	1.4	66.7
Brain and Nervous System	1	2.5	0.1	20.0	0				1	4.8	0.1	40.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	7	16.4	6.6	38.2	5	23.7	7.7	64.7	2	9.8	1.2	47.0
Myeloma	4	8.9	2.4	28.3	2	11.1	1.3	49.4	2	7.0	0.8	41.8
Leukemia	8	24.8	9.5	53.7	5	33.2	10.3	83.2	3	20.8	2.7	71.1
All Other Sites	20	52.7	30.9	86.2	14	76.9	40.9	136.5	6	33.3	9.9	84.4
Breast in Situ (not in total)									2	11.5	1.3	50.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Carroll

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	514	458.1	416.0	503.7	269	473.9	415.4	539.3	245	453.9	393.1	522.3
Oral Cavity and Pharynx	21	20.0	11.8	32.3	14	27.6	14.3	49.3	7	13.7	5.0	31.3
Esophagus	7	7.4	2.7	16.8	6	13.2	4.2	31.5	1	1.5	0.0	13.4
Stomach	2	2.9	0.3	11.1	2	6.0	0.6	22.4	0			
Colon and Rectum	43	35.1	25.0	48.9	23	37.4	23.4	58.7	20	31.7	18.2	53.1
Liver	4	2.7	0.7	9.0	3	4.2	0.8	16.5	1	1.0	0.0	12.4
Pancreas	8	7.3	2.9	16.0	6	11.3	3.8	27.5	2	3.7	0.4	17.0
Lung and Bronchus	68	51.0	39.4	66.0	35	54.4	37.7	78.0	33	49.0	33.2	71.9
Bones and Joints	1	0.7	0.0	6.4	1	1.3	0.0	12.7	0			
Melanoma of the Skin	21	21.9	13.1	35.0	12	20.7	10.4	38.7	9	24.1	10.4	47.6
Breast (invasive)	72	76.5	58.3	98.9	1	1.2	0.0	12.6	71	151.2	114.7	196.2
Cervix									4	8.9	1.9	26.2
Corpus and Uterus, NOS									18	27.2	15.9	45.9
Ovary									7	15.0	5.2	34.4
Prostate					65	105.4	80.6	137.0				
Testis					8	21.8	8.8	44.5				
Urinary Bladder (includes in situ)	29	23.6	15.2	35.7	22	37.5	22.7	59.8	7	12.4	4.4	29.2
Kidney and Renal Pelvis	18	15.6	8.8	26.4	11	21.4	10.0	41.5	7	11.3	4.4	26.6
Brain and Nervous System	5	6.5	2.0	15.9	3	6.9	1.3	22.4	2	6.5	0.7	23.2
Hodgkin Lymphoma	5	4.6	1.3	12.4	4	7.2	1.7	22.0	1	1.7	0.0	13.8
Non-Hodgkin Lymphoma	24	20.0	12.2	31.5	13	24.4	12.3	44.8	11	17.4	8.2	34.8
Myeloma	6	4.5	1.6	11.5	5	7.9	2.5	21.6	1	1.2	0.0	12.8
Leukemia	18	16.4	9.0	28.0	11	19.5	9.0	38.4	7	14.1	4.7	33.1
All Other Sites	60	52.9	39.4	70.2	24	44.6	27.4	69.7	36	62.2	42.1	90.0
Breast in Situ (not in total)									15	25.4	13.2	45.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cass

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	445	553.6	502.1	609.2	241	631.5	552.6	718.9	204	492.6	424.8	568.7
Oral Cavity and Pharynx	13	15.1	7.9	26.9	11	28.4	13.9	52.4	2	3.4	0.4	16.4
Esophagus	5	7.0	2.2	16.9	4	12.1	3.1	31.7	1	2.5	0.1	15.8
Stomach	6	8.9	3.1	19.9	3	7.9	1.4	25.0	3	9.2	1.7	27.7
Colon and Rectum	44	55.7	40.1	75.6	19	54.6	32.5	86.3	25	56.3	35.7	85.6
Liver	7	7.8	3.1	17.1	3	6.2	1.3	20.8	4	9.1	2.4	25.2
Pancreas	16	17.9	10.1	29.9	11	26.0	12.7	48.2	5	10.3	3.3	26.6
Lung and Bronchus	83	102.6	81.5	127.9	49	132.6	97.7	176.5	34	78.4	53.9	111.3
Bones and Joints	0				0				0			
Melanoma of the Skin	16	20.3	11.4	33.8	10	26.9	12.6	50.7	6	15.1	5.3	34.6
Breast (invasive)	42	53.7	38.3	73.5	0				42	103.9	73.9	142.7
Cervix									3	10.7	2.0	30.9
Corpus and Uterus, NOS									13	32.8	17.0	58.0
Ovary									4	10.8	2.8	29.0
Prostate					40	95.3	67.7	131.4				
Testis					2	6.9	0.8	24.2				
Urinary Bladder (includes in situ)	24	27.8	17.7	42.2	16	41.9	23.7	69.2	8	16.6	6.9	35.4
Kidney and Renal Pelvis	33	41.6	28.3	59.5	21	52.6	32.0	82.3	12	32.4	16.3	58.3
Brain and Nervous System	3	4.3	0.9	13.0	1	2.8	0.1	16.7	2	5.7	0.6	21.6
Hodgkin Lymphoma	6	9.2	3.2	20.3	3	7.6	1.4	24.1	3	10.7	2.1	30.5
Non-Hodgkin Lymphoma	15	18.1	10.0	30.5	8	21.0	8.9	42.7	7	16.0	6.3	35.0
Myeloma	5	5.4	1.7	13.7	4	9.1	2.4	25.4	1	2.0	0.0	14.7
Leukemia	15	19.0	10.5	32.1	9	26.4	11.9	50.7	6	12.8	4.6	30.1
All Other Sites	50	62.6	46.1	83.4	27	73.0	47.8	107.2	23	53.9	33.3	83.3
Breast in Situ (not in total)									12	31.8	15.8	57.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,451	446.6	433.2	460.4	2,261	492.6	471.8	514.0	2,190	414.7	397.0	433.1
Oral Cavity and Pharynx	112	11.5	9.4	13.8	84	18.9	14.9	23.5	28	5.1	3.3	7.4
Esophagus	48	4.6	3.3	6.1	35	7.1	4.9	10.0	13	2.4	1.2	4.1
Stomach	56	5.8	4.3	7.5	32	7.3	5.0	10.4	24	4.5	2.8	6.8
Colon and Rectum	361	36.9	33.1	41.1	208	45.9	39.7	52.8	153	28.9	24.4	34.0
Liver	64	6.2	4.7	7.9	44	9.3	6.7	12.5	20	3.6	2.1	5.6
Pancreas	121	12.0	9.9	14.3	66	14.9	11.4	19.0	55	9.6	7.2	12.6
Lung and Bronchus	505	50.4	46.0	55.1	241	54.3	47.4	61.8	264	47.9	42.1	54.2
Bones and Joints	8	0.9	0.4	1.8	5	1.2	0.4	2.9	3	0.6	0.1	1.8
Melanoma of the Skin	299	30.5	27.0	34.2	171	37.4	31.8	43.6	128	25.9	21.4	31.0
Breast (invasive)	699	71.4	66.0	77.1	14	3.3	1.7	5.5	685	130.9	120.9	141.4
Cervix									21	4.7	2.9	7.3
Corpus and Uterus, NOS									131	23.9	19.9	28.5
Ovary									67	13.5	10.3	17.2
Prostate					603	124.8	114.7	135.5				
Testis					33	6.0	4.0	8.7				
Urinary Bladder (includes in situ)	173	17.0	14.5	19.8	124	28.0	23.2	33.5	49	8.9	6.5	11.9
Kidney and Renal Pelvis	160	16.2	13.7	19.0	105	23.1	18.7	28.1	55	10.4	7.8	13.7
Brain and Nervous System	66	7.1	5.4	9.1	42	9.5	6.8	13.0	24	5.1	3.2	7.7
Hodgkin Lymphoma	24	2.4	1.5	3.7	18	3.9	2.2	6.2	6	1.0	0.3	2.2
Non-Hodgkin Lymphoma	184	18.4	15.8	21.3	104	22.5	18.3	27.4	80	15.2	12.0	19.1
Myeloma	72	7.4	5.8	9.4	40	9.4	6.7	12.9	32	5.9	4.0	8.5
Leukemia	121	12.2	10.0	14.6	64	13.9	10.6	17.9	57	10.6	7.9	13.9
All Other Sites	523	53.5	48.9	58.5	228	52.1	45.4	59.5	295	56.3	49.8	63.4
Breast in Situ (not in total)									142	28.4	23.8	33.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Christian
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,314	567.9	536.6	600.7	719	657.1	609.0	708.2	595	497.1	455.5	541.9
Oral Cavity and Pharynx	35	15.4	10.5	21.9	29	26.5	17.5	38.9	6	4.2	1.5	10.4
Esophagus	15	6.4	3.5	10.9	12	10.3	5.3	18.7	3	2.9	0.4	9.9
Stomach	16	6.9	3.9	11.7	7	6.1	2.4	13.3	9	7.6	3.3	15.7
Colon and Rectum	129	55.6	46.1	66.7	70	65.5	50.8	83.6	59	45.2	33.6	59.9
Liver	26	10.6	6.9	16.0	16	14.2	8.0	23.8	10	7.5	3.5	14.8
Pancreas	35	13.8	9.6	19.6	23	20.7	13.1	31.6	12	7.7	3.9	14.8
Lung and Bronchus	250	102.8	90.2	116.8	136	120.9	101.2	143.7	114	88.3	72.4	107.2
Bones and Joints	0				0				0			
Melanoma of the Skin	56	25.1	18.7	33.2	32	30.9	21.0	44.2	24	21.5	13.1	33.5
Breast (invasive)	140	63.7	53.2	75.8	0				140	124.6	103.6	149.0
Cervix									9	10.2	4.4	20.2
Corpus and Uterus, NOS									27	20.7	13.5	31.0
Ovary									15	12.7	6.8	22.2
Prostate					150	129.4	109.2	152.5				
Testis					3	3.8	0.8	11.1				
Urinary Bladder (includes in situ)	62	25.5	19.4	33.1	53	48.2	36.0	63.7	9	7.2	3.2	14.8
Kidney and Renal Pelvis	63	27.9	21.2	36.3	41	37.9	27.0	52.1	22	19.4	11.7	30.5
Brain and Nervous System	22	11.5	7.0	17.9	11	11.3	5.5	20.7	11	12.2	5.7	22.8
Hodgkin Lymphoma	5	2.5	0.8	6.3	4	4.3	1.1	11.4	1	0.7	0.0	5.7
Non-Hodgkin Lymphoma	50	21.4	15.7	28.6	24	22.4	14.2	33.9	26	20.5	13.2	31.0
Myeloma	12	4.6	2.4	8.5	10	9.1	4.3	17.3	2	1.5	0.2	6.9
Leukemia	43	19.8	14.1	27.3	26	26.4	17.0	39.3	17	13.3	7.5	22.6
All Other Sites	151	68.6	57.7	81.2	72	69.1	53.8	87.7	79	69.1	53.6	87.9
Breast in Situ (not in total)									22	21.0	12.8	32.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Clark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	524	482.8	440.6	528.1	263	529.5	465.5	600.4	261	464.2	406.2	528.6
Oral Cavity and Pharynx	18	16.3	9.3	26.9	12	26.5	13.1	47.9	6	9.2	3.3	22.4
Esophagus	10	8.7	4.1	16.8	10	19.5	9.2	37.3	0			
Stomach	4	3.5	0.9	9.9	1	2.2	0.1	13.5	3	4.5	0.9	15.8
Colon and Rectum	57	52.3	39.1	69.0	23	44.2	27.6	67.9	34	56.0	37.3	81.5
Liver	9	7.5	3.4	15.1	6	11.8	4.2	27.2	3	4.1	0.8	15.1
Pancreas	21	17.2	10.6	27.1	15	29.0	16.0	49.2	6	9.5	3.5	22.7
Lung and Bronchus	83	74.2	58.7	93.0	40	81.3	57.4	112.3	43	72.2	51.9	98.9
Bones and Joints	1	0.7	0.0	5.7	1	2.4	0.1	14.0	0			
Melanoma of the Skin	24	22.7	14.2	34.7	16	32.7	18.2	54.7	8	15.2	6.1	31.9
Breast (invasive)	58	55.0	41.3	71.9	1	2.8	0.1	15.1	57	103.0	77.1	135.6
Cervix									5	12.9	3.9	30.9
Corpus and Uterus, NOS									21	37.6	22.4	60.0
Ovary									8	15.3	6.2	32.3
Prostate					40	70.9	50.4	98.1				
Testis					3	8.9	1.8	25.2				
Urinary Bladder (includes in situ)	33	27.4	18.8	39.2	23	44.5	28.0	68.1	10	15.0	7.0	29.9
Kidney and Renal Pelvis	27	24.4	15.8	36.5	18	36.6	21.4	59.2	9	15.4	6.6	31.6
Brain and Nervous System	9	9.5	4.2	18.8	4	10.3	2.6	27.0	5	8.1	2.5	21.2
Hodgkin Lymphoma	4	5.8	1.5	14.8	1	3.6	0.1	17.4	3	8.1	1.5	24.2
Non-Hodgkin Lymphoma	23	19.2	12.1	29.6	13	25.1	13.2	44.3	10	14.6	6.9	29.2
Myeloma	5	4.1	1.3	10.7	2	3.3	0.4	14.6	3	4.9	1.0	16.7
Leukemia	9	10.2	4.4	20.2	5	12.3	3.6	29.8	4	7.4	1.8	21.2
All Other Sites	52	52.7	38.7	70.4	29	61.8	40.8	90.3	23	51.3	31.2	79.3
Breast in Situ (not in total)									11	21.2	10.2	39.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Clay

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	531	560.5	511.7	613.0	295	661.4	585.8	744.8	236	478.3	414.6	549.7
Oral Cavity and Pharynx	21	23.5	14.1	37.1	15	36.7	19.9	62.7	6	10.3	3.7	25.5
Esophagus	11	11.1	5.5	20.8	10	21.3	10.0	41.1	1	2.1	0.1	14.7
Stomach	5	4.6	1.5	12.1	2	4.6	0.6	18.6	3	4.5	0.8	17.5
Colon and Rectum	55	54.8	40.9	72.5	30	63.9	42.7	93.2	25	45.7	28.7	70.6
Liver	7	6.9	2.7	15.4	7	15.0	5.9	33.1	0			
Pancreas	11	10.6	5.2	20.1	8	17.7	7.4	36.9	3	4.4	0.8	17.2
Lung and Bronchus	97	94.9	76.7	116.7	61	132.6	101.0	172.2	36	63.1	43.9	89.6
Bones and Joints	1	1.0	0.0	7.1	1	1.9	0.0	14.3	0			
Melanoma of the Skin	27	32.6	20.9	48.7	15	34.5	19.0	58.6	12	32.2	15.4	59.1
Breast (invasive)	61	64.8	48.7	85.0	0				61	123.3	92.1	162.7
Cervix									3	10.7	2.2	30.2
Corpus and Uterus, NOS									13	28.1	14.3	50.6
Ovary									8	15.4	6.1	33.7
Prostate					66	141.3	108.5	181.9				
Testis					1	3.5	0.1	18.6				
Urinary Bladder (includes in situ)	22	20.7	12.9	32.5	19	41.2	24.6	66.2	3	4.9	1.0	18.1
Kidney and Renal Pelvis	25	29.3	18.2	44.9	14	35.5	18.4	62.2	11	23.3	10.7	45.1
Brain and Nervous System	4	4.2	1.0	12.1	2	3.4	0.4	16.2	2	5.1	0.5	20.2
Hodgkin Lymphoma	1	2.1	0.1	10.3	0				1	4.3	0.1	20.9
Non-Hodgkin Lymphoma	19	19.7	11.6	31.9	13	28.4	14.9	50.5	6	11.9	3.9	29.2
Myeloma	3	2.5	0.5	9.1	1	1.6	0.0	13.7	2	3.3	0.4	16.0
Leukemia	19	20.9	12.3	33.9	10	26.4	12.3	50.1	9	15.1	6.8	31.7
All Other Sites	51	61.1	44.7	81.8	20	51.6	30.9	81.4	31	70.5	46.4	103.4
Breast in Situ (not in total)									13	26.6	13.7	48.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Clinton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,165	491.6	463.0	521.6	605	529.4	487.1	574.5	560	469.2	429.4	511.9
Oral Cavity and Pharynx	35	15.3	10.5	21.6	26	24.1	15.6	35.8	9	6.8	3.0	13.6
Esophagus	15	7.2	3.9	12.2	8	6.9	2.9	14.1	7	7.1	2.6	15.5
Stomach	15	6.4	3.5	10.8	14	12.2	6.5	20.9	1	0.6	0.0	5.1
Colon and Rectum	95	39.9	32.1	49.2	55	49.2	36.8	64.6	40	32.2	22.5	45.1
Liver	9	3.5	1.6	6.9	7	5.7	2.2	12.2	2	1.4	0.2	6.4
Pancreas	34	13.3	9.2	18.9	19	17.1	10.2	27.1	15	10.9	6.0	18.8
Lung and Bronchus	173	71.6	61.1	83.5	92	81.6	65.4	100.6	81	63.4	49.9	79.7
Bones and Joints	2	1.0	0.1	3.8	2	1.8	0.2	7.1	0			
Melanoma of the Skin	66	30.0	23.0	38.6	34	31.9	21.9	45.0	32	29.5	19.7	42.5
Breast (invasive)	167	72.4	61.6	84.8	1	1.3	0.0	6.7	166	142.8	121.1	167.6
Cervix									10	10.0	4.7	18.9
Corpus and Uterus, NOS									43	34.1	24.5	46.7
Ovary									11	9.3	4.5	17.5
Prostate					140	115.3	96.7	136.8				
Testis					9	8.0	3.6	15.5				
Urinary Bladder (includes in situ)	58	23.5	17.7	30.7	41	36.1	25.7	49.4	17	12.9	7.4	21.4
Kidney and Renal Pelvis	57	23.7	17.8	31.1	37	31.2	21.6	43.7	20	15.9	9.6	25.3
Brain and Nervous System	16	8.0	4.5	13.3	10	10.8	5.1	19.9	6	4.9	1.7	11.4
Hodgkin Lymphoma	2	1.2	0.1	4.2	0				2	2.7	0.3	9.2
Non-Hodgkin Lymphoma	44	19.3	13.8	26.2	26	23.4	15.1	34.8	18	15.3	8.7	25.2
Myeloma	10	3.9	1.9	7.5	8	6.7	2.9	13.7	2	1.8	0.2	7.0
Leukemia	31	13.6	9.1	19.6	20	17.6	10.6	27.7	11	9.6	4.6	18.0
All Other Sites	123	51.6	42.7	62.0	56	48.5	36.5	63.5	67	57.9	44.1	74.7
Breast in Situ (not in total)									32	27.8	18.6	40.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Coles

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,367	449.5	425.1	474.9	697	501.0	463.6	540.8	670	414.1	381.7	448.5
Oral Cavity and Pharynx	48	15.2	11.1	20.5	39	26.6	18.7	36.8	9	5.6	2.4	11.3
Esophagus	15	4.8	2.6	8.1	11	7.9	3.8	14.5	4	2.3	0.6	6.4
Stomach	12	3.4	1.8	6.3	7	4.4	1.8	9.6	5	2.5	0.8	6.6
Colon and Rectum	142	46.7	39.1	55.4	68	52.3	40.4	66.7	74	43.1	33.3	55.0
Liver	22	6.9	4.2	10.8	19	12.9	7.6	20.7	3	1.8	0.4	5.8
Pancreas	33	10.6	7.2	15.1	16	11.2	6.3	18.5	17	10.2	5.7	17.1
Lung and Bronchus	223	70.9	61.7	81.2	108	76.1	62.1	92.4	115	67.1	55.1	81.2
Bones and Joints	2	0.9	0.1	3.2	1	1.1	0.0	5.4	1	0.7	0.0	4.2
Melanoma of the Skin	82	27.5	21.6	34.5	45	33.6	24.2	45.4	37	23.4	16.0	33.1
Breast (invasive)	180	61.0	52.0	71.1	1	0.7	0.0	4.5	179	113.7	96.8	132.8
Cervix									7	5.4	2.1	11.2
Corpus and Uterus, NOS									40	21.8	15.4	30.4
Ovary									15	10.6	5.7	18.0
Prostate					107	69.9	57.0	84.9				
Testis					11	10.4	5.1	18.7				
Urinary Bladder (includes in situ)	75	24.2	18.9	30.6	63	46.0	35.1	59.4	12	7.1	3.6	12.9
Kidney and Renal Pelvis	80	28.6	22.4	36.0	53	40.7	30.1	53.7	27	18.3	11.7	27.3
Brain and Nervous System	17	6.1	3.5	10.1	12	8.6	4.3	15.4	5	3.9	1.2	9.3
Hodgkin Lymphoma	6	2.4	0.8	5.4	3	2.2	0.4	6.9	3	2.6	0.5	7.8
Non-Hodgkin Lymphoma	57	18.5	13.9	24.3	33	24.7	16.8	35.1	24	13.2	8.4	20.1
Myeloma	14	4.4	2.4	7.7	9	6.0	2.7	11.8	5	3.2	1.0	7.9
Leukemia	34	10.9	7.5	15.4	18	12.1	7.1	19.5	16	10.2	5.7	17.2
All Other Sites	145	49.4	41.4	58.5	73	53.8	42.0	68.1	72	47.7	36.7	61.0
Breast in Situ (not in total)									26	17.9	11.3	26.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	130,360	449.5	447.0	452.0	62,570	484.2	480.3	488.1	67,790	430.1	426.8	433.4
Oral Cavity and Pharynx	3,310	11.2	10.9	11.6	2,251	16.8	16.1	17.6	1,059	6.6	6.2	7.1
Esophagus	1,219	4.0	3.8	4.3	894	6.7	6.3	7.2	325	1.9	1.7	2.1
Stomach	2,569	8.9	8.6	9.3	1,468	11.7	11.1	12.4	1,101	6.8	6.4	7.3
Colon and Rectum	12,205	42.2	41.4	42.9	6,262	49.1	47.9	50.4	5,943	36.9	36.0	37.9
Liver	2,249	7.4	7.1	7.7	1,598	11.7	11.1	12.3	651	3.9	3.6	4.2
Pancreas	4,230	14.5	14.0	14.9	2,071	16.3	15.6	17.1	2,159	13.0	12.5	13.6
Lung and Bronchus	16,533	57.0	56.1	57.9	8,082	64.8	63.4	66.3	8,451	51.5	50.4	52.6
Bones and Joints	240	0.9	0.8	1.0	129	1.0	0.9	1.2	111	0.8	0.6	1.0
Melanoma of the Skin	4,182	14.7	14.2	15.1	2,405	19.1	18.3	19.9	1,777	11.7	11.1	12.2
Breast (invasive)	20,562	72.1	71.1	73.1	175	1.4	1.2	1.6	20,387	132.1	130.3	134.0
Cervix									1,183	8.2	7.8	8.7
Corpus and Uterus, NOS									5,095	31.5	30.6	32.4
Ovary									1,726	11.2	10.6	11.7
Prostate					15,938	116.0	114.2	117.9				
Testis					757	5.7	5.3	6.1				
Urinary Bladder (includes in situ)	5,222	18.0	17.5	18.5	3,801	31.4	30.4	32.4	1,421	8.5	8.1	9.0
Kidney and Renal Pelvis	4,653	16.1	15.6	16.6	2,901	22.2	21.4	23.1	1,752	11.1	10.5	11.6
Brain and Nervous System	1,586	5.7	5.4	6.0	859	6.7	6.2	7.1	727	4.9	4.5	5.3
Hodgkin Lymphoma	788	2.9	2.7	3.1	444	3.5	3.1	3.8	344	2.5	2.2	2.7
Non-Hodgkin Lymphoma	5,389	19.0	18.5	19.5	2,802	22.5	21.6	23.4	2,587	16.3	15.7	17.0
Myeloma	2,196	7.5	7.2	7.9	1,111	8.7	8.2	9.3	1,085	6.7	6.3	7.1
Leukemia	3,549	12.7	12.2	13.1	2,021	16.4	15.7	17.1	1,528	9.9	9.4	10.4
All Other Sites	14,979	52.7	51.9	53.6	6,601	52.4	51.1	53.7	8,378	54.1	53.0	55.3
Breast in Situ (not in total)									4,897	32.5	31.6	33.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Crawford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	636	474.6	437.5	514.2	328	531.1	474.2	593.4	308	441.8	391.1	498.0
Oral Cavity and Pharynx	13	9.2	4.8	16.4	7	10.5	4.2	22.9	6	7.3	2.6	18.2
Esophagus	5	3.6	1.1	9.2	4	6.1	1.6	17.0	1	1.9	0.0	11.8
Stomach	14	11.7	6.3	20.2	12	20.2	10.3	36.1	2	4.2	0.4	15.8
Colon and Rectum	55	43.0	32.1	56.6	30	53.6	36.0	77.2	25	33.8	21.2	52.1
Liver	4	2.7	0.7	7.9	3	4.3	0.8	14.4	1	1.4	0.0	10.5
Pancreas	21	14.9	9.2	23.5	7	12.2	4.9	25.9	14	18.7	10.1	33.2
Lung and Bronchus	105	77.1	62.9	94.0	62	99.4	75.9	128.5	43	59.0	42.3	81.3
Bones and Joints	2	1.8	0.2	7.1	1	1.2	0.0	9.4	1	2.9	0.1	14.4
Melanoma of the Skin	35	26.3	18.0	37.4	18	30.1	17.7	48.5	17	26.7	14.6	45.2
Breast (invasive)	66	49.7	38.1	64.1	2	3.2	0.4	12.8	64	94.5	71.5	123.4
Cervix									2	4.1	0.4	15.7
Corpus and Uterus, NOS									28	36.2	23.7	54.2
Ovary									6	8.1	2.9	19.7
Prostate					68	102.6	79.3	131.3				
Testis					3	5.4	1.1	16.5				
Urinary Bladder (includes in situ)	26	19.4	12.6	28.9	24	39.0	24.8	59.0	2	3.4	0.4	13.8
Kidney and Renal Pelvis	24	18.8	11.9	28.7	8	11.9	5.1	24.7	16	25.6	13.9	43.8
Brain and Nervous System	12	9.6	4.8	17.4	6	11.3	4.0	25.3	6	8.0	2.9	19.4
Hodgkin Lymphoma	2	2.0	0.2	7.5	1	2.6	0.1	13.1	1	1.2	0.0	10.1
Non-Hodgkin Lymphoma	35	24.8	17.2	35.1	13	20.5	10.8	36.2	22	26.9	16.8	42.6
Myeloma	10	7.0	3.3	13.6	6	9.6	3.5	22.0	4	5.0	1.4	15.3
Leukemia	24	17.1	10.9	26.0	13	20.5	10.8	36.1	11	14.6	7.2	27.8
All Other Sites	76	59.5	46.5	75.4	40	66.7	47.3	91.9	36	58.4	39.7	83.4
Breast in Situ (not in total)									5	7.9	2.4	20.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cumberland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	334	453.4	404.0	507.5	168	470.8	400.0	551.4	166	438.2	370.1	516.1
Oral Cavity and Pharynx	8	10.5	4.4	22.1	6	16.1	5.6	37.9	2	4.1	0.5	19.9
Esophagus	5	5.6	1.8	14.8	3	7.0	1.4	24.1	2	3.8	0.4	19.2
Stomach	2	2.6	0.3	11.1	1	2.0	0.0	16.6	1	3.3	0.1	19.9
Colon and Rectum	38	51.0	35.8	71.2	21	62.0	37.9	96.8	17	40.7	23.5	67.7
Liver	3	3.8	0.8	12.7	3	7.6	1.5	25.5	0			
Pancreas	7	8.9	3.6	19.7	5	14.2	4.5	35.2	2	5.0	0.6	21.6
Lung and Bronchus	49	60.5	44.5	81.1	29	79.1	52.6	115.6	20	46.2	28.0	74.1
Bones and Joints	1	1.1	0.0	8.5	1	2.1	0.1	16.9	0			
Melanoma of the Skin	21	30.0	18.0	47.5	12	33.7	16.9	61.4	9	26.1	10.6	53.7
Breast (invasive)	46	68.0	48.9	92.4	0				46	133.0	95.2	181.5
Cervix									2	7.1	0.6	27.2
Corpus and Uterus, NOS									13	32.1	16.5	58.2
Ovary									5	10.9	3.5	29.0
Prostate					34	92.2	63.1	131.5				
Testis					1	4.7	0.1	23.8				
Urinary Bladder (includes in situ)	13	16.9	8.9	30.2	10	24.7	11.7	47.9	3	9.8	1.9	30.3
Kidney and Renal Pelvis	12	16.1	8.0	29.5	7	19.4	7.4	42.7	5	13.8	4.2	35.0
Brain and Nervous System	5	10.3	3.2	24.1	4	17.6	4.7	44.0	1	2.4	0.1	17.7
Hodgkin Lymphoma	1	1.4	0.0	9.1	1	3.1	0.1	19.2	0			
Non-Hodgkin Lymphoma	12	15.0	7.7	27.5	9	21.7	9.8	44.0	3	9.2	1.9	28.7
Myeloma	4	5.0	1.3	14.3	1	2.1	0.1	16.9	3	6.8	1.3	24.0
Leukemia	8	12.9	5.3	26.4	2	7.2	0.8	26.6	6	17.6	5.6	41.9
All Other Sites	44	60.8	43.3	83.5	18	54.3	31.3	88.3	26	66.1	41.4	101.2
Breast in Situ (not in total)									5	15.1	4.3	38.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DeKalb

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,545	505.4	485.6	525.9	1,292	555.3	524.4	587.4	1,253	472.0	445.5	499.6
Oral Cavity and Pharynx	61	11.3	8.6	14.7	39	14.6	10.2	20.2	22	8.2	5.1	12.6
Esophagus	22	4.3	2.7	6.6	18	7.6	4.4	12.2	4	1.4	0.4	3.7
Stomach	23	4.5	2.8	6.8	18	8.0	4.7	12.8	5	1.8	0.6	4.2
Colon and Rectum	217	43.8	38.0	50.1	101	44.4	35.9	54.3	116	43.3	35.6	52.2
Liver	24	4.4	2.8	6.6	20	7.7	4.6	12.1	4	1.3	0.3	3.5
Pancreas	84	17.4	13.8	21.6	40	18.3	12.9	25.0	44	17.1	12.3	23.0
Lung and Bronchus	323	65.4	58.3	73.1	165	74.0	62.8	86.6	158	58.6	49.7	68.7
Bones and Joints	2	0.3	0.0	1.3	1	0.3	0.0	2.1	1	0.3	0.0	2.0
Melanoma of the Skin	115	22.6	18.6	27.2	64	27.5	21.0	35.4	51	19.4	14.4	25.7
Breast (invasive)	343	69.0	61.8	76.9	5	1.8	0.6	4.3	338	128.3	114.7	143.2
Cervix									20	8.0	4.8	12.6
Corpus and Uterus, NOS									74	26.6	20.7	33.6
Ovary									31	11.6	7.8	16.7
Prostate					316	127.9	113.8	143.3				
Testis					16	7.0	4.0	11.5				
Urinary Bladder (includes in situ)	122	24.3	20.1	29.1	97	44.7	36.0	54.8	25	8.5	5.5	12.7
Kidney and Renal Pelvis	99	20.1	16.3	24.6	70	30.9	23.9	39.2	29	10.7	7.1	15.6
Brain and Nervous System	27	5.4	3.5	7.9	22	9.1	5.6	14.0	5	2.1	0.7	5.0
Hodgkin Lymphoma	16	2.5	1.3	4.2	12	3.9	1.9	7.2	4	1.2	0.3	3.5
Non-Hodgkin Lymphoma	95	19.6	15.8	24.0	52	23.8	17.6	31.3	43	16.3	11.7	22.2
Myeloma	39	7.3	5.1	10.0	25	9.7	6.1	14.5	14	5.1	2.8	8.7
Leukemia	102	20.5	16.6	24.9	64	28.4	21.7	36.5	38	13.4	9.4	18.6
All Other Sites	374	75.9	68.2	84.2	147	65.7	55.2	77.6	227	88.5	77.0	101.3
Breast in Situ (not in total)									67	26.9	20.7	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DeWitt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	575	529.4	485.4	576.5	270	530.5	467.2	600.5	305	537.0	475.6	604.9
Oral Cavity and Pharynx	17	15.4	8.7	25.7	7	12.2	4.7	27.2	10	18.9	8.6	36.7
Esophagus	7	5.3	2.1	12.1	6	9.5	3.3	23.0	1	1.6	0.0	11.9
Stomach	8	7.1	3.0	14.9	2	2.9	0.3	13.7	6	10.8	3.8	25.4
Colon and Rectum	51	46.8	34.4	62.5	29	58.5	38.6	85.5	22	36.1	22.2	56.7
Liver	3	3.3	0.6	10.4	2	3.6	0.4	15.2	1	3.3	0.1	16.6
Pancreas	17	14.3	8.3	23.7	6	11.5	4.1	26.6	11	16.3	8.1	31.2
Lung and Bronchus	105	89.3	72.8	108.9	59	113.9	86.1	148.5	46	71.5	52.0	97.1
Bones and Joints	0				0				0			
Melanoma of the Skin	46	47.0	33.7	63.9	25	54.4	34.6	81.9	21	41.5	24.6	65.8
Breast (invasive)	73	67.8	52.7	86.4	0				73	130.4	100.9	166.5
Cervix									5	10.6	3.0	26.7
Corpus and Uterus, NOS									21	36.9	22.2	58.5
Ovary									4	7.0	1.8	19.9
Prostate					45	79.5	57.7	108.0				
Testis					1	2.9	0.1	15.4				
Urinary Bladder (includes in situ)	27	23.5	15.4	35.0	15	28.1	15.6	47.8	12	20.4	10.3	37.6
Kidney and Renal Pelvis	16	16.1	8.9	27.0	13	28.1	14.5	49.5	3	4.8	1.0	16.4
Brain and Nervous System	5	5.3	1.6	13.0	3	7.6	1.6	22.4	2	3.0	0.4	13.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	21	20.1	12.3	31.5	12	25.9	13.2	46.3	9	14.8	6.6	30.1
Myeloma	9	7.9	3.6	15.8	5	8.5	2.7	21.9	4	6.4	1.7	18.6
Leukemia	16	16.5	9.1	27.7	7	17.6	6.8	36.9	9	15.7	6.7	32.0
All Other Sites	78	76.1	59.5	96.1	33	65.7	44.6	94.0	45	87.2	62.4	119.2
Breast in Situ (not in total)									8	13.0	5.5	27.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Douglas

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	618	494.0	454.6	536.1	306	512.5	455.5	575.0	312	491.0	435.5	551.9
Oral Cavity and Pharynx	10	8.0	3.7	15.3	10	17.3	8.1	32.8	0			
Esophagus	12	9.2	4.6	16.6	9	15.2	6.8	29.8	3	3.8	0.7	13.0
Stomach	7	5.5	2.2	12.0	4	5.7	1.5	16.0	3	5.4	1.0	16.4
Colon and Rectum	51	41.2	30.4	54.8	27	46.2	30.2	68.2	24	37.5	23.4	57.4
Liver	5	3.3	1.1	8.5	3	4.0	0.8	13.4	2	2.3	0.3	10.8
Pancreas	22	16.3	10.1	25.3	13	21.4	11.2	37.5	9	12.0	5.4	24.2
Lung and Bronchus	86	66.3	52.8	82.5	44	72.1	52.0	97.9	42	60.9	43.5	83.7
Bones and Joints	3	2.0	0.4	6.6	1	1.8	0.0	10.9	2	2.2	0.3	10.4
Melanoma of the Skin	43	35.8	25.6	49.0	21	36.3	22.3	56.3	22	38.1	23.2	59.1
Breast (invasive)	89	73.4	58.4	91.2	2	2.5	0.3	11.2	87	137.7	108.8	172.1
Cervix									2	4.8	0.6	16.3
Corpus and Uterus, NOS									19	28.7	16.9	46.3
Ovary									5	9.2	2.7	22.3
Prostate					78	122.8	96.7	154.4				
Testis					3	5.8	1.1	17.5				
Urinary Bladder (includes in situ)	30	23.1	15.4	33.4	21	35.1	21.5	54.6	9	13.6	6.1	27.0
Kidney and Renal Pelvis	16	11.7	6.6	19.5	9	13.7	6.1	27.1	7	9.2	3.6	20.4
Brain and Nervous System	8	7.6	3.2	15.2	4	7.1	1.8	18.9	4	7.7	2.0	20.4
Hodgkin Lymphoma	3	3.4	0.7	9.8	2	4.8	0.5	16.8	1	2.0	0.1	11.3
Non-Hodgkin Lymphoma	24	21.3	13.4	32.2	11	20.3	9.9	37.1	13	22.2	11.3	39.1
Myeloma	7	5.5	2.1	11.9	6	11.1	4.0	24.7	1	1.6	0.0	10.1
Leukemia	24	18.4	11.7	27.8	7	12.7	5.1	26.6	17	24.3	13.9	40.3
All Other Sites	71	59.9	46.3	76.3	31	56.5	38.1	81.0	40	67.9	47.7	93.9
Breast in Situ (not in total)									17	30.9	17.4	50.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	24,972	459.9	454.0	465.8	12,082	486.8	477.8	495.9	12,890	446.4	438.5	454.4
Oral Cavity and Pharynx	642	11.3	10.4	12.3	464	17.4	15.8	19.1	178	6.1	5.2	7.1
Esophagus	243	4.4	3.9	5.1	180	7.3	6.2	8.5	63	2.1	1.6	2.7
Stomach	344	6.3	5.7	7.1	209	8.6	7.5	9.9	135	4.5	3.7	5.3
Colon and Rectum	2,083	38.6	36.9	40.3	1,107	45.2	42.5	48.0	976	33.2	31.1	35.4
Liver	290	5.2	4.6	5.8	204	8.0	6.9	9.2	86	2.9	2.3	3.6
Pancreas	686	12.5	11.6	13.5	353	14.7	13.1	16.3	333	10.9	9.7	12.1
Lung and Bronchus	2,693	50.1	48.1	52.0	1,275	53.5	50.5	56.6	1,418	47.9	45.4	50.5
Bones and Joints	51	1.0	0.8	1.4	30	1.2	0.8	1.8	21	0.9	0.5	1.3
Melanoma of the Skin	1,290	24.1	22.8	25.5	749	30.0	27.8	32.3	541	20.0	18.3	21.8
Breast (invasive)	4,180	76.8	74.5	79.3	31	1.4	0.9	1.9	4,149	143.5	139.0	148.0
Cervix									147	5.4	4.6	6.5
Corpus and Uterus, NOS									974	31.3	29.3	33.4
Ovary									330	11.5	10.3	12.9
Prostate					2,982	109.7	105.7	113.9				
Testis					170	7.9	6.7	9.1				
Urinary Bladder (includes in situ)	1,153	21.6	20.4	22.9	887	38.5	35.9	41.2	266	8.8	7.7	10.0
Kidney and Renal Pelvis	916	16.8	15.7	17.9	610	23.9	22.0	25.9	306	10.6	9.5	12.0
Brain and Nervous System	350	6.8	6.1	7.6	193	8.0	6.9	9.3	157	5.8	4.9	6.8
Hodgkin Lymphoma	146	3.2	2.7	3.7	76	3.3	2.6	4.1	70	3.1	2.4	3.9
Non-Hodgkin Lymphoma	1,114	21.0	19.7	22.3	633	26.6	24.5	28.9	481	16.5	15.0	18.1
Myeloma	370	6.8	6.1	7.6	197	8.4	7.3	9.7	173	5.8	4.9	6.7
Leukemia	754	14.5	13.5	15.6	442	19.0	17.2	21.0	312	11.1	9.8	12.4
All Other Sites	3,064	58.8	56.7	61.0	1,290	54.2	51.2	57.4	1,774	64.7	61.6	67.9
Breast in Situ (not in total)									1,238	43.8	41.3	46.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Edgar

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	566	433.7	397.0	473.2	306	505.7	448.7	568.7	260	383.8	335.0	438.4
Oral Cavity and Pharynx	13	9.6	4.9	17.6	9	15.6	6.8	31.4	4	4.8	1.3	15.4
Esophagus	10	6.3	3.0	12.6	9	12.1	5.5	25.2	1	1.3	0.0	10.7
Stomach	4	3.3	0.9	9.3	1	2.0	0.1	12.5	3	4.8	0.9	16.0
Colon and Rectum	65	47.5	36.3	61.6	35	58.9	40.6	83.6	30	36.6	24.1	54.8
Liver	6	4.2	1.5	10.3	6	9.5	3.4	22.7	0			
Pancreas	12	8.2	4.2	15.4	4	7.1	1.9	19.7	8	9.3	3.9	21.0
Lung and Bronchus	101	72.8	58.9	89.4	49	77.3	56.8	103.9	52	71.1	52.5	95.5
Bones and Joints	0				0				0			
Melanoma of the Skin	32	29.2	19.4	42.4	20	37.5	22.5	59.5	12	24.9	12.2	45.2
Breast (invasive)	63	48.5	36.8	63.2	1	2.1	0.1	12.7	62	88.7	66.7	116.6
Cervix									5	8.7	2.4	22.6
Corpus and Uterus, NOS									20	33.8	19.5	55.0
Ovary									4	6.0	1.6	17.5
Prostate					64	95.1	72.9	123.2				
Testis					6	17.5	6.3	37.4				
Urinary Bladder (includes in situ)	30	23.1	15.2	34.0	25	43.1	27.5	65.3	5	7.8	2.2	20.6
Kidney and Renal Pelvis	14	10.9	5.8	19.2	9	15.1	6.8	30.3	5	8.1	2.2	21.5
Brain and Nervous System	4	3.7	0.9	10.3	4	7.5	1.9	20.9	0			
Hodgkin Lymphoma	6	5.2	1.8	12.3	4	6.2	1.6	18.0	2	4.2	0.4	16.4
Non-Hodgkin Lymphoma	19	12.3	7.4	20.1	13	19.4	10.2	35.1	6	7.3	2.7	18.6
Myeloma	10	6.3	3.0	12.7	5	6.8	2.2	18.2	5	5.7	1.8	16.4
Leukemia	13	14.0	7.2	24.6	10	20.6	9.5	39.2	3	8.6	1.8	24.2
All Other Sites	65	51.6	39.3	67.0	32	52.1	35.2	75.3	33	51.9	34.3	75.8
Breast in Situ (not in total)									13	23.6	11.9	42.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Edwards

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	191	401.7	344.4	466.7	88	389.7	310.6	485.1	103	429.4	345.6	529.2
Oral Cavity and Pharynx	1	1.6	0.0	14.0	1	3.3	0.1	28.4	0			
Esophagus	2	3.3	0.4	16.2	1	3.4	0.1	28.6	1	3.2	0.1	27.8
Stomach	4	6.6	1.8	20.6	2	6.7	0.8	32.9	2	6.5	0.8	32.1
Colon and Rectum	25	56.1	35.6	85.0	10	51.8	24.4	98.1	15	59.6	32.2	104.0
Liver	4	7.8	2.1	22.9	3	11.5	2.4	40.3	1	4.1	0.1	29.6
Pancreas	4	9.0	2.4	25.2	3	14.1	2.8	45.8	1	3.9	0.1	29.2
Lung and Bronchus	36	69.4	48.2	98.4	16	69.1	38.7	116.9	20	71.9	43.4	116.2
Bones and Joints	1	1.6	0.0	14.0	0				1	3.2	0.1	27.8
Melanoma of the Skin	7	17.1	6.1	38.1	3	14.0	2.7	45.5	4	23.5	5.4	63.8
Breast (invasive)	26	56.5	36.0	85.4	0				26	111.1	70.5	168.7
Cervix									2	7.3	0.9	33.7
Corpus and Uterus, NOS									4	18.2	3.9	53.0
Ovary									0			
Prostate					26	102.3	66.3	154.5				
Testis					1	7.7	0.2	39.7				
Urinary Bladder (includes in situ)	6	13.0	4.7	30.5	2	8.7	1.0	37.0	4	17.1	4.5	48.8
Kidney and Renal Pelvis	10	23.7	10.9	45.8	6	27.1	9.7	63.4	4	22.4	5.6	60.3
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	1	1.6	0.0	13.8	0				1	2.3	0.1	26.1
Non-Hodgkin Lymphoma	5	11.0	3.5	27.9	3	14.2	2.9	45.7	2	9.8	1.1	39.3
Myeloma	2	4.4	0.5	18.4	2	11.1	1.3	42.3	0			
Leukemia	3	6.2	1.2	21.0	2	8.9	1.0	37.9	1	3.2	0.1	27.8
All Other Sites	21	47.4	28.6	75.0	7	35.7	14.1	76.6	14	62.1	32.3	109.8
Breast in Situ (not in total)									5	16.8	5.4	46.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Effingham

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,085	497.7	467.6	529.4	558	549.4	503.4	598.6	527	466.0	425.1	509.9
Oral Cavity and Pharynx	29	13.0	8.6	19.2	20	18.5	10.9	29.4	9	7.3	3.3	14.6
Esophagus	9	3.6	1.6	7.2	7	5.9	2.3	13.0	2	1.5	0.2	6.6
Stomach	10	4.2	2.0	8.1	8	9.1	3.9	18.1	2	1.7	0.2	7.1
Colon and Rectum	119	54.1	44.6	65.1	62	63.6	48.4	82.3	57	45.8	34.4	60.0
Liver	11	4.9	2.4	9.1	7	6.0	2.4	13.2	4	3.9	1.0	10.6
Pancreas	27	11.5	7.5	17.0	11	10.9	5.3	20.0	16	12.1	6.8	20.4
Lung and Bronchus	136	60.0	50.1	71.3	77	74.3	58.2	93.8	59	47.7	36.2	62.2
Bones and Joints	3	1.9	0.4	5.7	0				3	3.9	0.7	11.5
Melanoma of the Skin	64	32.2	24.5	41.5	30	32.4	21.7	46.6	34	34.6	23.5	49.2
Breast (invasive)	143	68.1	56.9	80.8	2	2.3	0.3	8.5	141	127.9	106.6	152.5
Cervix									10	12.3	5.5	23.2
Corpus and Uterus, NOS									37	30.9	21.6	43.3
Ovary									13	12.6	6.4	22.3
Prostate					173	155.8	132.9	181.8				
Testis					5	7.4	2.4	16.8				
Urinary Bladder (includes in situ)	63	28.4	21.7	36.7	48	51.2	37.5	68.3	15	13.2	7.1	22.8
Kidney and Renal Pelvis	31	14.5	9.6	20.9	18	15.8	9.2	25.7	13	13.3	6.7	23.4
Brain and Nervous System	12	6.0	3.0	10.9	6	7.5	2.7	16.4	6	4.2	1.5	10.2
Hodgkin Lymphoma	2	1.2	0.1	4.4	2	2.3	0.3	8.6	0			
Non-Hodgkin Lymphoma	35	16.9	11.6	24.0	15	16.3	8.8	27.4	20	17.3	10.3	27.6
Myeloma	11	4.8	2.3	8.9	5	5.1	1.5	12.5	6	4.3	1.5	10.4
Leukemia	24	11.4	7.2	17.2	11	12.1	5.9	22.0	13	11.1	5.8	19.7
All Other Sites	118	55.7	45.8	67.3	51	52.9	39.0	70.2	67	60.5	46.1	78.1
Breast in Situ (not in total)									24	24.3	15.0	37.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Fayette

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	650	441.9	407.8	478.4	363	513.4	461.2	570.2	287	382.4	337.1	432.7
Oral Cavity and Pharynx	24	15.9	10.1	24.3	16	21.3	12.0	35.6	8	9.1	3.9	19.7
Esophagus	4	2.7	0.7	7.5	4	5.8	1.6	15.6	0			
Stomach	9	6.0	2.7	11.9	7	10.3	4.1	21.9	2	2.6	0.3	11.3
Colon and Rectum	63	43.0	32.8	55.6	37	53.4	37.4	74.2	26	31.7	20.2	48.2
Liver	6	3.9	1.4	9.0	2	2.6	0.3	10.8	4	4.4	1.2	13.5
Pancreas	21	13.5	8.3	21.2	13	17.7	9.4	31.0	8	10.3	4.1	22.2
Lung and Bronchus	105	69.3	56.5	84.4	63	84.9	65.0	109.5	42	54.4	38.7	75.1
Bones and Joints	2	1.3	0.2	5.5	0				2	2.5	0.3	11.1
Melanoma of the Skin	32	23.3	15.8	33.3	17	25.7	14.9	41.6	15	21.7	11.6	37.5
Breast (invasive)	76	51.9	40.6	65.6	1	1.2	0.0	8.3	75	101.5	78.7	129.4
Cervix									4	9.8	2.5	24.6
Corpus and Uterus, NOS									17	20.4	11.8	33.9
Ovary									3	3.5	0.7	12.2
Prostate					98	133.4	108.1	163.4				
Testis					4	6.8	1.8	17.8				
Urinary Bladder (includes in situ)	23	14.7	9.3	22.6	18	24.8	14.6	40.0	5	5.4	1.7	14.8
Kidney and Renal Pelvis	27	19.5	12.6	29.0	18	25.6	15.0	41.2	9	14.2	6.0	28.6
Brain and Nervous System	6	5.1	1.8	11.5	5	8.7	2.7	20.7	1	1.2	0.0	9.3
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	27	17.7	11.6	26.3	14	21.1	11.5	36.0	13	15.3	8.1	27.7
Myeloma	6	3.9	1.4	9.0	3	4.4	0.9	13.6	3	3.7	0.8	12.8
Leukemia	15	10.8	5.9	18.3	10	15.1	7.1	28.2	5	7.3	2.2	18.6
All Other Sites	78	56.2	44.1	70.9	33	50.4	34.5	71.4	45	63.3	44.9	87.0
Breast in Situ (not in total)									11	14.6	7.1	27.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Ford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	476	525.2	477.0	577.3	241	567.4	495.7	647.1	235	497.4	431.9	570.6
Oral Cavity and Pharynx	17	17.0	9.7	28.5	10	23.0	10.8	44.0	7	11.5	3.8	28.3
Esophagus	5	5.4	1.7	13.7	2	4.7	0.5	19.1	3	5.9	1.2	20.0
Stomach	7	9.5	3.5	20.5	5	16.0	5.0	37.6	2	2.9	0.3	15.4
Colon and Rectum	50	53.6	39.1	72.1	25	57.4	36.4	87.0	25	52.8	33.1	80.8
Liver	5	4.2	1.3	11.5	3	6.4	1.3	21.1	2	2.6	0.3	14.7
Pancreas	18	21.4	12.3	35.0	13	35.7	18.5	62.6	5	8.6	2.8	23.1
Lung and Bronchus	56	58.1	43.6	76.5	32	72.6	49.1	104.4	24	46.0	29.1	70.7
Bones and Joints	1	0.7	0.0	6.5	0				1	0.9	0.0	12.4
Melanoma of the Skin	43	48.9	34.8	67.1	24	53.9	34.1	82.0	19	45.9	26.5	74.4
Breast (invasive)	70	78.6	60.7	100.6	0				70	149.1	114.8	191.3
Cervix									1	3.5	0.1	18.5
Corpus and Uterus, NOS									10	17.8	8.4	35.3
Ovary									9	15.6	7.0	32.5
Prostate					45	99.7	72.2	135.4				
Testis					1	3.7	0.1	19.1				
Urinary Bladder (includes in situ)	18	18.2	10.6	29.8	16	37.5	21.2	62.6	2	3.4	0.4	16.1
Kidney and Renal Pelvis	19	22.6	13.2	36.4	10	26.1	11.9	49.8	9	18.1	8.1	36.7
Brain and Nervous System	7	10.0	3.9	21.0	3	8.6	1.8	25.8	4	11.9	3.1	31.2
Hodgkin Lymphoma	3	4.7	0.9	13.8	0				3	9.5	1.9	27.9
Non-Hodgkin Lymphoma	17	16.7	9.4	28.0	10	22.8	10.6	44.0	7	12.2	4.4	28.8
Myeloma	8	9.8	4.0	20.2	5	13.6	4.2	33.0	3	5.6	1.1	19.5
Leukemia	20	23.1	13.8	36.8	16	39.3	22.1	65.5	4	8.4	2.1	24.2
All Other Sites	46	53.7	38.4	73.3	21	46.3	28.1	73.1	25	65.0	40.5	99.0
Breast in Situ (not in total)									12	27.1	13.7	49.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Franklin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,471	531.3	503.5	560.3	782	597.1	554.8	642.0	689	481.0	443.9	520.6
Oral Cavity and Pharynx	45	15.7	11.4	21.4	32	22.4	15.2	32.2	13	9.5	4.8	17.1
Esophagus	21	7.5	4.6	11.9	18	14.0	8.1	22.7	3	2.1	0.4	7.0
Stomach	18	6.3	3.7	10.4	12	9.5	4.7	17.2	6	4.1	1.4	9.8
Colon and Rectum	128	46.7	38.7	55.9	73	58.4	45.5	74.1	55	36.3	27.0	48.2
Liver	11	4.1	2.0	7.6	8	5.8	2.5	12.2	3	2.4	0.4	7.7
Pancreas	39	13.0	9.2	18.0	26	18.0	11.7	26.9	13	8.0	4.3	14.5
Lung and Bronchus	289	100.7	89.1	113.4	161	123.1	104.4	144.5	128	82.0	68.1	98.4
Bones and Joints	1	0.3	0.0	2.4	0				1	0.5	0.0	4.5
Melanoma of the Skin	76	27.5	21.5	34.8	45	33.5	24.3	45.4	31	23.5	15.7	34.1
Breast (invasive)	174	65.7	55.9	76.9	1	0.7	0.0	5.0	173	124.3	105.5	145.7
Cervix									12	12.7	6.3	22.5
Corpus and Uterus, NOS									46	31.4	22.7	42.8
Ovary									12	7.6	3.8	14.2
Prostate					154	108.8	92.1	128.1				
Testis					5	5.8	1.8	13.4				
Urinary Bladder (includes in situ)	79	27.2	21.4	34.2	57	43.7	32.9	57.2	22	13.6	8.3	21.5
Kidney and Renal Pelvis	76	28.5	22.2	36.2	44	35.1	25.2	48.0	32	22.3	14.9	32.5
Brain and Nervous System	24	11.0	6.9	16.7	14	13.6	7.2	23.3	10	8.8	4.0	16.9
Hodgkin Lymphoma	5	3.1	1.0	7.1	4	5.0	1.3	12.4	1	1.3	0.0	6.6
Non-Hodgkin Lymphoma	51	19.4	14.2	26.0	24	19.9	12.4	30.3	27	19.1	12.2	28.8
Myeloma	15	5.1	2.8	8.8	7	4.8	1.9	10.7	8	5.5	2.3	11.6
Leukemia	34	12.5	8.5	17.8	24	19.0	12.0	28.8	10	6.8	3.2	13.3
All Other Sites	156	57.0	48.1	67.3	73	56.1	43.6	71.3	83	59.3	46.5	74.8
Breast in Situ (not in total)									27	20.2	12.9	30.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Fulton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,250	504.9	476.3	535.0	641	539.9	498.2	584.5	609	492.8	451.4	537.3
Oral Cavity and Pharynx	45	17.7	12.8	24.1	36	29.0	20.2	40.8	9	7.4	3.2	15.3
Esophagus	15	6.0	3.3	10.3	12	10.1	5.1	18.2	3	2.0	0.4	7.3
Stomach	11	4.4	2.0	8.4	5	4.0	1.2	10.2	6	4.6	1.4	11.7
Colon and Rectum	150	59.6	50.2	70.4	71	61.7	48.0	78.4	79	56.9	44.6	72.2
Liver	17	6.5	3.8	10.8	15	12.2	6.8	20.7	2	1.5	0.2	6.7
Pancreas	44	16.4	11.8	22.4	22	18.5	11.5	28.6	22	13.9	8.5	22.5
Lung and Bronchus	201	75.4	65.1	87.0	108	86.8	71.0	105.4	93	68.1	54.4	84.8
Bones and Joints	3	1.4	0.2	4.6	2	2.3	0.2	8.5	1	0.4	0.0	5.1
Melanoma of the Skin	57	25.8	19.3	33.8	28	24.4	16.1	35.9	29	30.1	19.5	44.4
Breast (invasive)	178	73.9	63.0	86.2	1	0.9	0.0	5.8	177	146.1	123.9	171.6
Cervix									11	13.0	6.0	24.2
Corpus and Uterus, NOS									27	22.7	14.4	34.5
Ovary									15	12.1	6.5	21.2
Prostate					117	92.5	76.3	111.4				
Testis					4	4.3	1.2	11.1				
Urinary Bladder (includes in situ)	70	27.1	21.0	34.7	61	51.7	39.5	66.9	9	8.2	3.4	16.8
Kidney and Renal Pelvis	56	22.6	16.8	29.9	39	32.5	22.9	45.0	17	14.2	7.9	24.0
Brain and Nervous System	13	6.8	3.5	11.9	9	8.9	3.9	17.4	4	4.5	1.1	12.0
Hodgkin Lymphoma	6	3.2	1.1	7.2	5	5.3	1.7	12.6	1	0.6	0.0	5.4
Non-Hodgkin Lymphoma	53	22.0	16.3	29.2	32	29.0	19.7	41.5	21	16.0	9.6	25.7
Myeloma	17	6.8	3.9	11.3	8	6.8	2.9	13.9	9	7.4	3.2	15.3
Leukemia	24	10.4	6.5	16.0	13	12.4	6.5	21.7	11	7.4	3.4	14.9
All Other Sites	116	49.8	40.8	60.4	53	46.4	34.5	61.4	63	55.4	41.5	72.7
Breast in Situ (not in total)									37	34.2	23.6	48.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Gallatin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	173	457.3	387.5	537.2	96	540.4	432.1	670.1	77	384.0	296.8	491.5
Oral Cavity and Pharynx	3	9.0	1.6	29.7	3	18.5	3.4	60.6	0			
Esophagus	1	1.8	0.0	17.5	1	4.0	0.1	36.0	0			
Stomach	2	4.3	0.5	20.9	1	4.2	0.1	36.6	1	4.2	0.1	35.9
Colon and Rectum	17	41.5	23.8	69.7	12	61.5	31.0	114.5	5	20.9	6.7	58.1
Liver	1	2.6	0.1	19.1	1	5.6	0.1	39.6	0			
Pancreas	2	4.3	0.5	20.9	0				2	8.1	1.0	40.9
Lung and Bronchus	42	96.8	69.0	134.3	21	111.7	67.8	177.5	21	87.7	53.1	142.2
Bones and Joints	0				0				0			
Melanoma of the Skin	5	17.4	5.2	42.8	3	24.4	4.7	72.8	2	11.3	1.2	48.1
Breast (invasive)	18	54.6	31.1	89.9	0				18	103.8	58.4	172.4
Cervix									1	9.9	0.3	50.6
Corpus and Uterus, NOS									2	8.9	1.1	42.6
Ovary									2	8.1	1.0	40.9
Prostate					15	72.4	39.7	126.7				
Testis					0							
Urinary Bladder (includes in situ)	11	27.3	13.5	52.0	9	48.0	21.4	97.7	2	9.7	1.2	44.0
Kidney and Renal Pelvis	11	31.1	14.7	59.4	7	43.1	16.1	95.3	4	19.4	4.9	58.2
Brain and Nervous System	5	19.1	5.7	46.1	2	10.8	1.2	47.3	3	25.8	4.8	76.1
Hodgkin Lymphoma	1	5.4	0.1	26.7	1	10.8	0.3	53.6	0			
Non-Hodgkin Lymphoma	8	21.7	8.6	46.9	4	25.4	6.0	71.7	4	19.1	4.7	57.8
Myeloma	4	7.9	2.1	25.5	2	8.7	1.0	42.7	2	7.3	0.9	39.4
Leukemia	2	4.1	0.5	20.6	2	8.7	1.0	42.7	0			
All Other Sites	20	61.2	35.7	98.7	12	82.5	40.4	150.3	8	39.8	15.5	87.7
Breast in Situ (not in total)									2	8.1	1.0	40.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Greene

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	497	538.0	490.4	589.5	233	536.3	468.3	612.2	264	547.2	480.1	621.9
Oral Cavity and Pharynx	15	15.7	8.7	26.9	11	23.4	11.6	43.7	4	8.4	2.0	24.7
Esophagus	5	5.2	1.7	13.3	4	9.5	2.6	25.8	1	1.8	0.0	14.5
Stomach	5	4.7	1.5	12.4	1	1.9	0.0	14.2	4	6.9	1.9	21.2
Colon and Rectum	33	36.8	25.0	52.8	17	40.4	23.2	66.3	16	32.8	18.2	56.0
Liver	10	9.7	4.6	19.0	4	8.1	2.1	23.3	6	10.4	3.8	25.9
Pancreas	14	15.0	8.1	26.1	2	4.5	0.5	18.4	12	24.3	12.3	45.0
Lung and Bronchus	85	87.7	69.8	109.5	47	102.7	75.2	138.1	38	76.6	53.5	107.8
Bones and Joints	0				0				0			
Melanoma of the Skin	28	29.7	19.6	43.9	11	26.3	13.0	48.5	17	33.6	19.4	56.1
Breast (invasive)	84	89.9	71.3	112.5	1	2.5	0.1	15.6	83	168.9	133.2	212.3
Cervix									1	4.3	0.1	21.1
Corpus and Uterus, NOS									11	24.9	11.8	47.2
Ovary									9	20.0	8.6	40.7
Prostate					50	109.3	80.7	145.8				
Testis					1	3.5	0.1	18.2				
Urinary Bladder (includes in situ)	23	22.4	14.2	34.6	17	38.0	22.0	62.4	6	11.2	4.0	27.4
Kidney and Renal Pelvis	24	30.1	18.8	45.8	13	35.4	18.5	61.8	11	24.5	11.6	46.6
Brain and Nervous System	1	1.0	0.0	7.4	1	2.3	0.1	15.1	0			
Hodgkin Lymphoma	2	3.6	0.4	12.4	1	3.4	0.1	17.9	1	3.8	0.1	19.6
Non-Hodgkin Lymphoma	21	22.7	13.9	35.6	10	23.3	11.1	44.3	11	23.4	11.4	44.2
Myeloma	6	6.2	2.2	14.6	4	9.4	2.5	25.8	2	3.8	0.5	17.4
Leukemia	19	23.0	13.5	37.0	10	24.0	11.3	45.7	9	23.1	9.8	46.4
All Other Sites	50	56.1	41.0	75.4	28	68.3	44.6	100.7	22	44.4	26.8	70.4
Breast in Situ (not in total)									11	22.4	10.9	42.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Grundy

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,501	546.8	519.0	575.8	796	621.1	576.9	667.8	705	497.1	460.4	536.0
Oral Cavity and Pharynx	35	12.2	8.4	17.1	25	17.7	11.3	26.5	10	6.9	3.3	13.0
Esophagus	18	6.4	3.7	10.3	16	12.4	6.9	20.5	2	1.3	0.2	5.0
Stomach	20	7.5	4.5	11.7	13	10.1	5.2	17.7	7	5.0	2.0	10.5
Colon and Rectum	136	51.0	42.6	60.5	76	65.2	50.8	82.2	60	41.4	31.4	53.6
Liver	22	7.1	4.4	10.9	18	11.7	6.8	19.0	4	2.4	0.6	6.6
Pancreas	44	16.3	11.8	22.1	29	23.3	15.3	33.8	15	10.0	5.5	16.7
Lung and Bronchus	203	73.3	63.4	84.4	114	88.5	72.4	107.1	89	60.6	48.5	74.9
Bones and Joints	2	0.7	0.1	2.8	1	0.8	0.0	4.6	1	0.8	0.0	4.4
Melanoma of the Skin	65	23.6	18.1	30.2	34	25.0	16.9	35.6	31	23.7	16.0	33.8
Breast (invasive)	222	82.8	72.1	94.7	0				222	157.7	137.3	180.4
Cervix									10	8.8	4.2	16.1
Corpus and Uterus, NOS									38	25.2	17.7	34.8
Ovary									11	8.5	4.2	15.4
Prostate					203	144.3	124.4	166.5				
Testis					9	7.0	3.2	13.5				
Urinary Bladder (includes in situ)	64	23.9	18.3	30.7	46	40.5	29.2	54.5	18	11.7	6.9	18.9
Kidney and Renal Pelvis	55	19.5	14.6	25.6	34	25.4	17.4	36.0	21	13.8	8.5	21.4
Brain and Nervous System	25	9.5	6.1	14.2	14	11.5	6.1	19.5	11	8.8	4.3	15.8
Hodgkin Lymphoma	8	3.4	1.4	6.6	5	4.7	1.5	10.9	3	2.3	0.5	6.8
Non-Hodgkin Lymphoma	48	17.5	12.8	23.3	28	23.0	14.9	33.8	20	14.5	8.8	22.6
Myeloma	16	5.7	3.2	9.3	6	4.5	1.6	10.1	10	6.4	3.1	12.2
Leukemia	50	18.7	13.8	24.8	31	27.5	18.4	39.5	19	12.8	7.6	20.4
All Other Sites	197	74.7	64.4	86.1	94	78.2	62.7	96.4	103	74.4	60.5	90.6
Breast in Situ (not in total)									37	25.5	17.9	35.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Hamilton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	288	470.2	415.3	531.1	166	589.0	500.4	690.3	122	378.5	310.1	459.2
Oral Cavity and Pharynx	8	11.4	4.9	24.7	5	16.3	5.2	42.4	3	7.7	1.6	28.9
Esophagus	5	7.2	2.3	19.2	4	11.3	3.1	34.6	1	2.9	0.1	22.7
Stomach	1	1.5	0.0	11.6	1	3.2	0.1	23.8	0			
Colon and Rectum	31	49.7	33.2	72.6	12	45.4	22.7	83.1	19	50.2	29.6	83.4
Liver	1	2.3	0.1	13.4	1	4.4	0.1	26.8	0			
Pancreas	9	13.2	6.0	27.1	5	14.9	4.8	39.7	4	9.9	2.6	31.8
Lung and Bronchus	48	72.8	53.5	98.1	31	106.4	71.9	154.2	17	48.7	27.9	82.1
Bones and Joints	1	3.0	0.1	15.5	1	5.8	0.1	30.6	0			
Melanoma of the Skin	16	29.5	16.2	50.0	10	38.0	17.8	73.1	6	24.3	7.8	57.1
Breast (invasive)	25	43.1	27.1	66.0	0				25	81.6	50.8	126.1
Cervix									1	4.7	0.1	27.2
Corpus and Uterus, NOS									10	34.1	15.4	67.3
Ovary									5	14.3	4.6	38.3
Prostate					34	110.3	75.9	157.5				
Testis					2	12.1	1.5	41.6				
Urinary Bladder (includes in situ)	13	20.8	10.8	37.6	10	38.7	18.2	74.0	3	7.8	1.6	29.2
Kidney and Renal Pelvis	16	27.6	15.3	46.9	11	40.6	19.7	76.1	5	15.9	4.4	42.8
Brain and Nervous System	5	8.4	2.6	21.8	2	5.9	0.7	27.5	3	11.0	2.0	36.0
Hodgkin Lymphoma	1	1.7	0.0	11.9	1	3.9	0.1	25.6	0			
Non-Hodgkin Lymphoma	11	18.8	9.0	35.8	5	17.7	5.7	44.9	6	20.7	6.7	50.1
Myeloma	3	4.4	0.9	15.6	3	9.7	2.0	33.2	0			
Leukemia	9	13.7	6.2	28.1	7	24.1	9.5	53.5	2	5.3	0.6	25.8
All Other Sites	33	58.3	39.3	84.1	21	80.3	48.8	126.2	12	39.5	19.4	73.7
Breast in Situ (not in total)									5	17.9	5.3	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Hancock

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	662	490.4	451.1	532.4	329	494.6	440.2	554.7	333	495.1	438.2	557.8
Oral Cavity and Pharynx	21	14.5	8.7	23.4	11	15.2	7.5	29.0	10	14.1	5.9	29.1
Esophagus	5	3.5	1.1	9.3	5	7.2	2.3	18.8	0			
Stomach	8	5.8	2.3	12.6	6	9.2	3.1	22.2	2	2.5	0.3	12.3
Colon and Rectum	62	43.9	33.0	57.8	29	42.2	27.5	62.9	33	44.9	29.7	66.2
Liver	5	4.2	1.2	10.8	3	5.8	1.1	18.2	2	2.1	0.2	11.6
Pancreas	18	12.9	7.4	21.6	7	11.2	4.1	25.3	11	14.3	6.9	27.8
Lung and Bronchus	98	67.3	54.2	83.0	57	81.3	61.3	106.9	41	55.8	39.2	78.3
Bones and Joints	0				0				0			
Melanoma of the Skin	39	31.5	21.7	44.5	19	30.2	17.8	48.9	20	34.6	19.9	56.4
Breast (invasive)	80	61.7	48.0	78.4	2	3.0	0.4	13.1	78	117.9	91.1	150.8
Cervix									6	13.9	4.4	31.8
Corpus and Uterus, NOS									35	53.7	35.9	77.9
Ovary									12	20.7	9.6	39.1
Prostate					75	101.0	79.0	128.4				
Testis					1	2.8	0.1	14.4				
Urinary Bladder (includes in situ)	34	22.4	15.2	32.5	25	35.5	22.7	54.2	9	11.5	4.7	24.9
Kidney and Renal Pelvis	30	24.0	15.6	35.6	25	43.9	27.4	67.1	5	6.3	2.0	17.3
Brain and Nervous System	9	9.4	4.1	18.5	4	7.7	2.0	20.9	5	11.4	3.3	27.7
Hodgkin Lymphoma	2	3.3	0.4	10.9	0				2	6.8	0.8	22.2
Non-Hodgkin Lymphoma	25	18.6	11.7	28.5	16	25.8	14.2	43.9	9	11.2	5.1	23.6
Myeloma	10	7.0	3.2	14.0	8	12.1	5.0	25.9	2	2.4	0.3	12.1
Leukemia	17	11.0	6.2	18.7	8	12.5	5.1	26.6	9	9.7	4.4	21.2
All Other Sites	70	55.2	42.1	71.3	28	48.2	31.0	71.9	42	61.2	42.8	85.6
Breast in Situ (not in total)									16	20.4	11.6	35.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Hardin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	156	450.7	378.2	535.8	95	549.0	438.5	684.9	61	357.5	265.9	476.6
Oral Cavity and Pharynx	4	10.6	2.6	35.5	4	21.8	5.4	72.0	0			
Esophagus	2	5.2	0.6	28.1	2	9.8	1.2	54.7	0			
Stomach	3	8.8	1.8	33.3	1	6.4	0.2	51.6	2	11.5	1.4	59.1
Colon and Rectum	11	36.5	17.0	72.0	10	69.1	30.6	139.8	1	6.0	0.2	52.1
Liver	1	2.0	0.1	23.9	0				1	4.1	0.1	48.7
Pancreas	6	13.3	4.9	37.6	3	12.7	2.6	57.5	3	14.2	2.9	61.2
Lung and Bronchus	41	118.3	83.5	166.5	25	136.8	87.5	212.9	16	103.4	56.2	181.3
Bones and Joints	1	7.4	0.2	37.2	1	15.0	0.4	74.4	0			
Melanoma of the Skin	7	24.4	8.5	57.4	3	14.8	2.9	61.4	4	32.4	7.0	96.0
Breast (invasive)	8	20.1	8.4	47.1	0				8	38.0	15.8	91.4
Cervix									1	6.0	0.2	52.1
Corpus and Uterus, NOS									4	20.3	5.4	69.3
Ovary									0			
Prostate					14	74.2	39.6	137.2				
Testis					0							
Urinary Bladder (includes in situ)	12	33.8	17.3	64.9	12	68.8	35.1	131.7	0			
Kidney and Renal Pelvis	8	23.4	9.5	53.1	3	16.8	3.3	64.9	5	29.9	8.4	86.1
Brain and Nervous System	1	2.3	0.1	24.4	0				1	4.1	0.1	48.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	14.4	5.2	39.4	4	20.1	5.3	68.1	2	8.2	1.0	53.3
Myeloma	1	2.4	0.1	24.5	0				1	5.0	0.1	50.3
Leukemia	3	11.9	2.0	40.6	3	23.2	3.9	79.4	0			
All Other Sites	22	67.2	40.1	109.0	10	59.7	27.9	121.4	12	74.5	34.6	146.9
Breast in Situ (not in total)									4	23.4	6.2	74.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Henderson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	244	420.3	365.9	482.0	113	387.9	316.2	474.3	131	450.2	370.7	544.6
Oral Cavity and Pharynx	6	8.5	3.1	22.9	5	14.3	4.6	42.5	1	1.9	0.0	26.3
Esophagus	2	3.2	0.4	16.3	2	6.8	0.8	33.8	0			
Stomach	0				0				0			
Colon and Rectum	20	33.3	20.1	54.5	7	21.1	8.4	51.5	13	46.5	24.3	85.5
Liver	3	4.5	0.9	17.9	2	6.1	0.7	32.4	1	2.8	0.1	27.8
Pancreas	7	10.7	4.3	25.9	4	12.6	3.4	40.9	3	8.9	1.8	35.6
Lung and Bronchus	49	76.4	55.9	104.1	26	80.1	52.0	123.5	23	71.7	43.9	115.3
Bones and Joints	1	3.9	0.1	20.1	1	7.8	0.2	40.4	0			
Melanoma of the Skin	11	15.8	7.9	31.9	6	18.8	6.8	48.9	5	12.7	4.0	39.7
Breast (invasive)	37	66.4	45.6	95.1	0				37	128.2	88.4	183.4
Cervix									2	11.2	1.0	44.5
Corpus and Uterus, NOS									8	25.1	10.6	57.0
Ovary									2	6.1	0.7	32.0
Prostate					25	81.5	52.4	126.0				
Testis					2	15.6	1.9	53.5				
Urinary Bladder (includes in situ)	10	14.8	7.0	30.8	9	30.9	14.0	65.1	1	2.8	0.1	27.8
Kidney and Renal Pelvis	9	16.0	6.8	34.2	3	9.4	1.9	36.7	6	21.0	6.7	54.1
Brain and Nervous System	2	5.1	0.5	20.8	2	10.8	1.0	43.7	0			
Hodgkin Lymphoma	3	9.3	1.7	28.4	1	7.8	0.2	40.4	2	10.9	1.0	43.7
Non-Hodgkin Lymphoma	6	15.8	5.0	37.2	2	6.3	0.7	32.7	4	25.0	6.0	66.6
Myeloma	1	1.4	0.0	13.9	0				1	2.8	0.1	27.8
Leukemia	8	12.9	5.4	29.0	5	16.6	5.2	46.8	3	7.8	1.5	33.8
All Other Sites	30	53.6	35.0	80.2	11	41.3	19.6	80.8	19	64.9	37.2	109.4
Breast in Situ (not in total)									7	19.5	7.8	48.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Henry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,654	476.9	453.2	501.5	869	518.5	483.5	555.5	785	447.8	415.1	482.5
Oral Cavity and Pharynx	55	16.8	12.5	22.3	42	26.5	18.8	36.5	13	7.7	3.9	14.0
Esophagus	18	5.1	2.9	8.3	15	9.3	5.1	15.9	3	1.5	0.3	5.2
Stomach	16	4.4	2.5	7.4	12	7.4	3.7	13.4	4	1.9	0.5	5.7
Colon and Rectum	144	39.8	33.4	47.3	75	44.1	34.5	55.9	69	35.9	27.6	46.2
Liver	16	4.3	2.4	7.2	14	7.9	4.3	13.9	2	0.9	0.1	4.3
Pancreas	54	14.9	11.1	19.7	28	16.4	10.8	24.2	26	13.4	8.6	20.4
Lung and Bronchus	241	65.3	57.1	74.4	138	79.1	66.2	94.1	103	53.9	43.7	66.1
Bones and Joints	3	0.8	0.2	2.7	2	1.1	0.1	4.7	1	0.5	0.0	3.9
Melanoma of the Skin	95	27.9	22.3	34.6	56	32.8	24.6	43.2	39	24.9	17.3	35.0
Breast (invasive)	217	63.9	55.3	73.6	2	1.3	0.2	5.1	215	122.2	105.4	141.1
Cervix									23	16.2	9.9	25.0
Corpus and Uterus, NOS									66	39.7	30.3	51.3
Ovary									22	14.8	9.0	23.1
Prostate					197	106.1	91.6	122.6				
Testis					7	6.3	2.5	13.0				
Urinary Bladder (includes in situ)	66	17.9	13.8	23.1	46	28.3	20.6	38.2	20	10.0	5.9	16.1
Kidney and Renal Pelvis	68	22.0	16.8	28.4	50	34.4	25.1	46.0	18	10.7	6.0	17.8
Brain and Nervous System	15	4.8	2.5	8.2	9	6.0	2.6	12.0	6	3.5	1.2	8.3
Hodgkin Lymphoma	4	1.6	0.4	4.1	2	1.5	0.2	5.6	2	1.6	0.2	6.0
Non-Hodgkin Lymphoma	86	25.3	20.0	31.7	48	29.6	21.6	39.9	38	21.8	15.1	30.8
Myeloma	9	2.4	1.0	5.0	7	3.9	1.5	8.9	2	1.0	0.1	4.5
Leukemia	47	14.1	10.2	19.2	24	16.5	10.4	25.0	23	13.3	8.2	20.7
All Other Sites	185	55.3	47.3	64.4	95	59.8	48.0	73.7	90	52.5	41.5	65.6
Breast in Situ (not in total)									54	33.0	24.3	44.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Iroquois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,027	495.6	464.4	528.6	529	533.1	487.2	582.5	498	468.1	425.2	514.6
Oral Cavity and Pharynx	30	15.3	10.0	22.6	18	18.0	10.2	29.9	12	12.5	6.1	23.1
Esophagus	13	6.5	3.3	11.8	11	12.1	5.8	22.6	2	1.7	0.2	8.1
Stomach	18	8.1	4.8	13.4	13	12.1	6.4	21.8	5	4.4	1.4	11.6
Colon and Rectum	103	50.1	40.5	61.6	49	47.0	34.4	63.2	54	51.7	37.8	69.4
Liver	11	4.7	2.3	9.0	9	8.2	3.7	16.8	2	1.6	0.2	7.6
Pancreas	31	13.3	9.0	19.4	15	14.3	8.0	24.6	16	12.9	7.3	22.3
Lung and Bronchus	176	80.4	68.7	93.8	95	93.6	75.4	115.4	81	70.0	55.2	88.2
Bones and Joints	1	0.4	0.0	3.3	1	0.8	0.0	6.6	0			
Melanoma of the Skin	56	29.1	21.5	38.7	30	30.6	20.5	44.5	26	29.5	18.3	45.1
Breast (invasive)	124	61.6	50.8	74.3	5	4.9	1.5	12.6	119	113.6	93.0	137.8
Cervix									1	0.8	0.0	6.7
Corpus and Uterus, NOS									36	31.9	22.2	45.3
Ovary									15	17.2	9.1	29.7
Prostate					107	102.6	83.8	125.0				
Testis					2	4.1	0.5	13.5				
Urinary Bladder (includes in situ)	42	19.0	13.6	26.2	34	34.9	24.1	49.4	8	6.7	2.7	15.0
Kidney and Renal Pelvis	55	26.5	19.6	35.3	38	38.3	26.7	53.8	17	16.6	9.1	28.2
Brain and Nervous System	13	6.1	3.2	10.9	9	9.1	4.1	18.2	4	3.8	1.0	10.9
Hodgkin Lymphoma	3	1.9	0.3	6.1	2	2.8	0.3	10.9	1	0.9	0.0	6.9
Non-Hodgkin Lymphoma	40	18.3	13.0	25.3	23	22.5	14.2	34.7	17	14.5	8.4	24.3
Myeloma	16	7.0	4.0	11.8	7	6.5	2.6	14.5	9	7.0	3.1	14.8
Leukemia	24	12.8	7.9	19.6	15	18.1	9.7	30.8	9	7.5	3.4	15.5
All Other Sites	110	58.7	47.5	71.9	46	52.8	37.9	72.0	64	63.3	47.5	83.1
Breast in Situ (not in total)									22	20.2	12.4	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Jackson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,391	448.3	424.2	473.5	725	500.6	463.7	539.8	666	414.4	382.0	448.9
Oral Cavity and Pharynx	47	15.1	10.9	20.3	36	24.0	16.6	33.7	11	7.1	3.5	13.0
Esophagus	21	6.5	4.0	10.2	16	10.6	5.9	17.6	5	2.9	0.9	7.3
Stomach	12	3.8	1.9	6.8	8	5.4	2.2	11.1	4	1.9	0.5	5.6
Colon and Rectum	126	38.9	32.2	46.7	72	48.9	37.9	62.1	54	30.6	22.6	40.6
Liver	21	7.3	4.4	11.3	15	10.3	5.6	17.4	6	4.5	1.6	10.0
Pancreas	25	7.2	4.6	10.8	12	7.9	4.0	14.2	13	6.7	3.5	12.1
Lung and Bronchus	233	74.0	64.6	84.5	120	83.4	68.7	100.3	113	67.1	54.8	81.4
Bones and Joints	1	0.3	0.0	1.9	0				1	0.6	0.0	3.7
Melanoma of the Skin	73	22.7	17.7	28.9	42	30.0	21.4	41.0	31	17.8	11.9	25.8
Breast (invasive)	206	70.8	61.1	81.7	3	2.4	0.5	7.1	203	132.8	114.2	153.5
Cervix									13	8.9	4.6	15.6
Corpus and Uterus, NOS									36	23.5	16.1	33.1
Ovary									13	8.5	4.4	14.8
Prostate					146	96.6	81.1	114.2				
Testis					7	6.0	2.3	12.4				
Urinary Bladder (includes in situ)	63	18.2	13.9	23.5	50	32.5	23.9	43.4	13	6.6	3.5	11.8
Kidney and Renal Pelvis	65	21.9	16.8	28.2	38	27.5	19.2	38.1	27	16.9	10.9	25.1
Brain and Nervous System	21	7.3	4.4	11.4	10	7.5	3.5	14.0	11	7.2	3.4	13.4
Hodgkin Lymphoma	7	2.2	0.8	4.8	6	3.5	1.1	8.3	1	0.9	0.0	4.5
Non-Hodgkin Lymphoma	55	18.5	13.8	24.4	31	21.9	14.7	31.5	24	16.6	10.4	25.0
Myeloma	18	5.4	3.2	8.7	10	6.3	2.9	12.0	8	4.5	1.9	9.4
Leukemia	33	10.9	7.4	15.5	22	16.0	9.9	24.6	11	6.9	3.4	12.7
All Other Sites	149	49.0	41.1	58.0	81	60.0	47.3	75.1	68	42.0	32.0	54.1
Breast in Situ (not in total)									37	24.9	17.2	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Jasper

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	316	471.9	419.1	530.0	173	521.2	444.2	608.9	143	434.6	362.1	518.3
Oral Cavity and Pharynx	10	13.3	6.3	26.0	8	24.1	10.2	50.1	2	4.9	0.6	23.0
Esophagus	1	1.4	0.0	10.2	1	2.9	0.1	20.4	0			
Stomach	4	5.1	1.4	15.1	4	10.2	2.7	30.1	0			
Colon and Rectum	37	52.0	36.2	73.1	16	50.1	28.2	83.8	21	56.3	34.4	89.3
Liver	3	3.8	0.8	13.4	1	3.3	0.1	21.2	2	4.0	0.5	21.2
Pancreas	10	14.2	6.8	27.6	5	13.5	4.3	35.2	5	14.3	4.6	36.7
Lung and Bronchus	47	68.3	49.8	92.3	24	69.5	44.2	105.9	23	66.8	41.4	103.8
Bones and Joints	0				0				0			
Melanoma of the Skin	16	26.9	14.7	45.7	10	33.1	15.3	63.6	6	23.6	7.6	54.3
Breast (invasive)	42	68.7	48.3	95.1	1	2.4	0.1	19.3	41	133.4	93.1	186.0
Cervix									3	10.0	1.8	32.5
Corpus and Uterus, NOS									6	17.1	6.1	40.5
Ovary									3	9.9	1.9	32.0
Prostate					47	136.2	99.4	183.9				
Testis					2	11.1	1.3	37.3				
Urinary Bladder (includes in situ)	14	19.7	10.7	34.5	10	29.8	14.2	57.3	4	9.5	2.4	29.3
Kidney and Renal Pelvis	13	21.6	11.0	38.7	10	35.1	16.0	67.3	3	8.8	1.8	29.2
Brain and Nervous System	5	9.4	2.8	23.2	3	12.7	2.4	38.0	2	5.2	0.6	23.7
Hodgkin Lymphoma	2	3.7	0.4	14.4	1	2.4	0.1	19.1	1	5.1	0.1	26.4
Non-Hodgkin Lymphoma	11	15.4	7.6	29.0	5	14.1	4.5	36.3	6	16.8	6.1	40.0
Myeloma	4	4.7	1.3	14.3	3	7.1	1.5	25.7	1	1.7	0.0	18.3
Leukemia	10	13.3	6.3	26.0	10	28.7	13.6	55.4	0			
All Other Sites	26	41.6	26.6	62.7	12	35.0	17.9	63.7	14	47.1	24.5	82.8
Breast in Situ (not in total)									7	20.0	7.7	44.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Jefferson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,322	518.6	490.2	548.3	713	584.7	541.7	630.4	609	476.2	437.1	518.0
Oral Cavity and Pharynx	42	16.5	11.7	22.6	32	25.7	17.4	36.8	10	6.7	3.2	13.2
Esophagus	14	5.2	2.8	9.1	10	8.0	3.8	15.2	4	2.2	0.6	7.0
Stomach	16	5.9	3.3	9.8	8	6.3	2.7	12.9	8	5.5	2.4	11.7
Colon and Rectum	143	55.0	46.2	65.2	77	62.7	49.2	79.0	66	49.0	37.5	63.4
Liver	20	7.9	4.7	12.6	15	12.4	6.8	21.0	5	3.4	1.1	8.8
Pancreas	45	16.9	12.2	22.9	26	21.8	14.1	32.4	19	13.5	7.9	22.0
Lung and Bronchus	220	83.9	72.9	96.1	120	97.8	80.8	117.5	100	73.3	59.2	90.2
Bones and Joints	0				0				0			
Melanoma of the Skin	69	29.8	22.9	38.1	45	39.6	28.6	53.5	24	21.5	13.3	33.0
Breast (invasive)	172	69.6	59.2	81.4	2	1.6	0.2	6.4	170	137.0	116.1	160.8
Cervix									12	10.1	4.9	18.6
Corpus and Uterus, NOS									45	34.8	24.9	47.7
Ovary									10	8.5	4.0	16.2
Prostate					165	127.5	108.5	149.2				
Testis					2	2.3	0.3	8.1				
Urinary Bladder (includes in situ)	66	25.1	19.4	32.3	52	44.8	33.3	59.1	14	9.9	5.3	17.4
Kidney and Renal Pelvis	50	22.3	16.4	29.8	32	28.5	19.3	40.8	18	16.4	9.4	26.7
Brain and Nervous System	17	6.4	3.7	10.5	10	8.2	3.9	15.6	7	5.6	2.2	12.2
Hodgkin Lymphoma	4	2.4	0.6	6.0	1	1.3	0.0	6.5	3	3.6	0.7	10.4
Non-Hodgkin Lymphoma	45	17.5	12.7	23.8	28	22.3	14.6	32.8	17	13.1	7.5	21.6
Myeloma	18	6.5	3.8	10.6	12	9.3	4.8	16.8	6	4.3	1.4	10.4
Leukemia	38	15.4	10.8	21.5	19	17.3	10.3	27.3	19	13.4	7.6	22.2
All Other Sites	109	44.8	36.5	54.5	57	47.2	35.5	61.7	52	44.4	32.5	59.4
Breast in Situ (not in total)									31	27.2	18.1	39.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Jersey

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	739	492.8	456.7	531.3	375	531.3	477.5	589.9	364	467.6	418.4	521.4
Oral Cavity and Pharynx	22	15.1	9.3	23.6	15	22.1	12.2	37.5	7	9.0	3.3	20.5
Esophagus	9	5.3	2.4	10.7	7	8.9	3.5	19.7	2	2.0	0.2	9.6
Stomach	4	2.4	0.6	6.9	1	1.6	0.0	10.1	3	3.2	0.6	11.4
Colon and Rectum	56	37.3	27.9	49.2	32	44.7	30.4	64.1	24	31.7	19.7	48.9
Liver	7	4.0	1.6	8.9	7	8.7	3.4	19.4	0			
Pancreas	16	10.4	5.9	17.5	7	9.3	3.7	20.4	9	11.1	5.0	22.6
Lung and Bronchus	120	75.3	62.3	90.6	62	85.2	65.0	110.4	58	66.4	50.3	86.9
Bones and Joints	1	0.5	0.0	4.3	1	1.1	0.0	8.8	0			
Melanoma of the Skin	43	29.9	21.3	41.1	21	28.6	17.5	44.8	22	33.1	20.1	51.6
Breast (invasive)	98	67.5	54.2	83.2	0				98	128.5	103.1	158.8
Cervix									0			
Corpus and Uterus, NOS									25	35.5	22.1	54.2
Ovary									6	6.5	2.4	15.9
Prostate					81	109.3	86.4	137.2				
Testis					1	2.3	0.1	11.9				
Urinary Bladder (includes in situ)	28	18.9	12.4	27.9	20	28.8	17.4	45.4	8	10.8	4.4	22.7
Kidney and Renal Pelvis	35	22.3	15.4	31.7	23	30.6	19.2	47.1	12	15.1	7.7	27.6
Brain and Nervous System	14	11.4	5.9	19.8	7	11.3	4.2	24.5	7	11.3	4.2	24.5
Hodgkin Lymphoma	8	6.9	3.0	13.8	6	10.4	3.8	23.2	2	3.7	0.4	13.4
Non-Hodgkin Lymphoma	38	25.9	18.1	36.3	19	30.1	17.8	48.2	19	22.9	13.5	37.2
Myeloma	11	8.1	3.8	15.1	6	9.6	3.2	22.4	5	6.3	2.0	16.1
Leukemia	28	19.7	12.8	29.3	20	30.5	18.2	48.3	8	10.5	4.3	22.3
All Other Sites	88	57.9	46.1	72.1	39	58.1	40.9	80.6	49	59.8	43.7	80.7
Breast in Situ (not in total)									12	14.3	7.2	26.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Jo Daviess

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	855	467.4	433.6	503.6	471	519.4	470.0	573.3	384	421.7	375.4	472.9
Oral Cavity and Pharynx	31	18.2	11.8	27.4	21	23.0	13.8	37.3	10	13.8	5.6	28.6
Esophagus	15	8.0	4.2	14.6	14	13.9	7.5	25.3	1	2.9	0.1	14.3
Stomach	10	5.6	2.6	11.5	7	9.1	3.4	20.6	3	2.7	0.5	11.4
Colon and Rectum	63	33.5	25.4	44.1	36	38.3	26.5	54.9	27	29.4	18.6	45.6
Liver	9	4.6	2.0	9.9	7	7.1	2.7	17.2	2	2.0	0.2	10.7
Pancreas	25	12.3	7.6	19.5	12	13.4	6.3	26.2	13	10.5	5.6	20.8
Lung and Bronchus	125	61.4	50.9	74.1	73	75.8	59.1	96.9	52	50.4	37.2	68.3
Bones and Joints	3	2.3	0.3	7.8	0				3	4.6	0.7	15.9
Melanoma of the Skin	49	28.3	20.2	39.0	29	32.6	21.1	49.4	20	24.4	13.7	41.1
Breast (invasive)	107	62.2	49.8	77.2	0				107	121.7	97.1	151.4
Cervix									3	4.9	0.8	16.3
Corpus and Uterus, NOS									30	30.7	19.5	47.2
Ovary									8	8.8	3.5	20.1
Prostate					107	101.6	82.7	124.8				
Testis					4	10.2	2.7	25.1				
Urinary Bladder (includes in situ)	45	22.1	15.9	30.8	33	34.5	23.7	50.2	12	12.4	5.7	24.9
Kidney and Renal Pelvis	32	19.9	12.9	29.7	22	26.8	15.7	43.5	10	12.4	5.2	25.9
Brain and Nervous System	8	5.0	1.9	11.2	6	8.4	2.6	20.5	2	1.4	0.2	9.6
Hodgkin Lymphoma	7	7.7	2.9	16.4	6	14.2	5.0	30.8	1	0.7	0.0	8.9
Non-Hodgkin Lymphoma	24	12.0	7.4	19.2	17	18.6	10.3	32.3	7	5.6	2.3	14.8
Myeloma	8	3.3	1.4	8.0	5	3.9	1.3	12.4	3	2.4	0.5	11.0
Leukemia	26	15.9	9.8	24.9	18	24.1	13.4	40.7	8	8.3	3.1	19.7
All Other Sites	116	67.3	54.2	82.9	54	63.9	46.5	86.4	62	71.6	52.6	95.9
Breast in Situ (not in total)									24	31.8	19.5	49.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Johnson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	399	439.2	395.8	486.6	242	530.2	463.9	604.2	157	353.9	297.5	419.4
Oral Cavity and Pharynx	8	10.0	4.2	20.6	6	14.9	5.4	33.8	2	5.9	0.6	24.4
Esophagus	2	2.1	0.3	9.4	1	1.9	0.0	14.4	1	1.9	0.0	16.9
Stomach	4	5.1	1.4	14.1	3	7.8	1.6	24.2	1	3.1	0.1	19.8
Colon and Rectum	35	40.8	28.0	58.0	26	58.1	37.5	87.0	9	24.2	10.1	49.9
Liver	9	9.4	4.2	19.1	8	16.5	7.1	34.5	1	1.9	0.0	17.0
Pancreas	7	7.4	2.9	16.5	6	14.2	5.1	32.6	1	1.9	0.0	17.0
Lung and Bronchus	89	91.8	73.4	114.2	59	126.8	95.9	165.5	30	59.8	39.9	88.8
Bones and Joints	1	1.2	0.0	8.1	1	2.6	0.1	16.1	0			
Melanoma of the Skin	15	17.6	9.7	30.2	8	17.2	7.3	36.0	7	20.4	7.3	45.7
Breast (invasive)	53	59.1	43.8	78.6	0				53	121.6	89.3	163.5
Cervix									1	2.1	0.1	17.3
Corpus and Uterus, NOS									7	15.6	5.9	36.3
Ovary									2	3.7	0.5	19.4
Prostate					40	80.9	57.4	112.0				
Testis				0								
Urinary Bladder (includes in situ)	25	24.5	15.8	37.4	22	44.2	27.5	68.8	3	5.5	1.1	21.7
Kidney and Renal Pelvis	21	25.0	15.0	39.7	12	28.8	14.4	52.2	9	18.2	8.3	38.3
Brain and Nervous System	3	2.8	0.6	10.1	1	1.6	0.0	13.7	2	4.0	0.5	19.9
Hodgkin Lymphoma	0			0					0			
Non-Hodgkin Lymphoma	18	23.1	13.2	37.8	11	29.1	14.0	53.7	7	13.6	5.4	32.2
Myeloma	6	7.3	2.5	17.3	6	14.1	4.9	32.7	0			
Leukemia	13	14.7	7.7	26.4	9	20.4	9.2	40.5	4	8.0	2.2	25.1
All Other Sites	40	45.7	32.2	63.7	23	51.2	31.9	78.9	17	42.6	23.8	72.0
Breast in Situ (not in total)									7	15.1	5.9	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,145	435.5	427.6	443.5	6,035	468.8	456.6	481.3	6,110	415.3	404.8	426.1
Oral Cavity and Pharynx	325	11.0	9.8	12.3	227	16.1	14.0	18.4	98	6.5	5.3	8.0
Esophagus	100	3.5	2.9	4.3	85	6.5	5.1	8.1	15	0.9	0.5	1.6
Stomach	178	6.5	5.6	7.6	117	9.2	7.6	11.2	61	4.3	3.3	5.5
Colon and Rectum	1,007	36.6	34.3	39.0	525	41.2	37.6	45.0	482	32.6	29.7	35.7
Liver	175	6.0	5.1	7.0	126	9.5	7.8	11.3	49	3.2	2.4	4.3
Pancreas	356	13.1	11.7	14.6	180	14.6	12.4	17.0	176	11.9	10.2	13.8
Lung and Bronchus	1,312	48.5	45.8	51.2	655	54.6	50.3	59.1	657	44.2	40.8	47.7
Bones and Joints	35	1.3	0.9	1.8	22	1.7	1.0	2.5	13	0.9	0.5	1.6
Melanoma of the Skin	635	22.9	21.1	24.8	339	26.6	23.8	29.8	296	20.6	18.3	23.2
Breast (invasive)	1,839	65.2	62.2	68.3	15	1.2	0.6	1.9	1,824	123.1	117.4	129.0
Cervix									72	5.2	4.0	6.5
Corpus and Uterus, NOS									405	26.0	23.5	28.7
Ovary									148	10.0	8.4	11.7
Prostate					1,487	105.6	100.1	111.3				
Testis					88	7.1	5.7	8.7				
Urinary Bladder (includes in situ)	624	23.4	21.5	25.3	481	41.3	37.6	45.3	143	9.6	8.1	11.3
Kidney and Renal Pelvis	478	17.1	15.6	18.8	306	23.3	20.6	26.1	172	11.7	10.0	13.7
Brain and Nervous System	191	6.9	5.9	8.0	100	7.5	6.1	9.2	91	6.3	5.0	7.7
Hodgkin Lymphoma	61	2.3	1.7	2.9	33	2.4	1.6	3.4	28	2.2	1.4	3.1
Non-Hodgkin Lymphoma	522	19.4	17.7	21.1	281	22.6	19.9	25.5	241	16.6	14.5	18.9
Myeloma	188	6.6	5.7	7.7	111	8.6	7.0	10.5	77	5.0	3.9	6.3
Leukemia	352	13.0	11.6	14.4	198	16.0	13.8	18.5	154	10.5	8.9	12.4
All Other Sites	1,567	58.0	55.1	61.0	659	53.3	49.2	57.7	908	64.0	59.9	68.4
Breast in Situ (not in total)									455	30.6	27.8	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,410	509.2	491.8	527.1	1,715	536.8	511.1	563.6	1,695	489.1	465.3	513.8
Oral Cavity and Pharynx	80	11.8	9.3	14.8	60	18.6	14.0	24.1	20	5.6	3.4	8.8
Esophagus	35	4.8	3.3	6.8	30	8.9	5.9	12.9	5	1.2	0.4	3.1
Stomach	41	6.1	4.4	8.4	29	8.9	5.9	13.0	12	3.6	1.8	6.4
Colon and Rectum	297	43.8	38.8	49.2	157	49.2	41.6	57.9	140	38.4	32.2	45.7
Liver	45	6.0	4.4	8.2	37	10.3	7.2	14.4	8	2.0	0.9	4.2
Pancreas	109	15.9	13.0	19.3	52	16.6	12.3	22.0	57	15.4	11.5	20.1
Lung and Bronchus	540	78.1	71.6	85.2	283	88.1	77.9	99.3	257	69.9	61.5	79.2
Bones and Joints	2	0.4	0.0	1.3	1	0.3	0.0	2.0	1	0.4	0.0	2.1
Melanoma of the Skin	151	23.9	20.1	28.2	87	29.1	23.2	36.1	64	19.8	15.0	25.5
Breast (invasive)	520	81.1	74.1	88.7	4	1.4	0.4	3.7	516	153.3	139.9	167.7
Cervix									24	9.4	5.9	14.0
Corpus and Uterus, NOS									113	30.9	25.3	37.4
Ovary									42	12.1	8.7	16.5
Prostate					365	106.4	95.6	118.2				
Testis					25	10.3	6.6	15.2				
Urinary Bladder (includes in situ)	168	23.9	20.4	27.9	128	40.3	33.5	48.1	40	10.3	7.3	14.3
Kidney and Renal Pelvis	150	22.8	19.2	26.9	82	26.6	21.0	33.3	68	19.4	14.9	24.7
Brain and Nervous System	36	6.2	4.3	8.6	20	7.3	4.4	11.4	16	5.2	2.9	8.6
Hodgkin Lymphoma	22	3.8	2.3	5.8	15	5.2	2.9	8.8	7	2.3	0.9	4.8
Non-Hodgkin Lymphoma	135	20.5	17.1	24.4	82	27.0	21.3	33.7	53	15.2	11.3	20.1
Myeloma	40	6.3	4.4	8.6	21	7.1	4.3	11.0	19	5.5	3.3	8.8
Leukemia	92	13.5	10.8	16.7	50	16.0	11.8	21.3	42	11.4	8.2	15.7
All Other Sites	378	57.8	52.0	64.2	187	59.1	50.8	68.5	191	57.7	49.5	66.9
Breast in Situ (not in total)									76	23.2	18.1	29.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kendall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,697	498.1	478.7	518.0	1,318	539.8	509.1	571.7	1,379	471.8	446.6	498.0
Oral Cavity and Pharynx	70	12.8	9.9	16.3	50	18.7	13.6	25.0	20	7.5	4.5	11.7
Esophagus	27	4.9	3.1	7.2	21	8.5	5.0	13.2	6	1.8	0.7	4.1
Stomach	43	8.0	5.7	10.8	25	10.3	6.5	15.5	18	6.1	3.6	9.7
Colon and Rectum	218	40.9	35.4	46.9	119	46.4	37.9	56.0	99	35.9	29.0	43.9
Liver	20	3.6	2.2	5.6	11	4.6	2.1	8.4	9	2.9	1.3	5.6
Pancreas	80	16.0	12.5	20.0	47	20.5	14.8	27.7	33	12.1	8.2	17.1
Lung and Bronchus	285	59.7	52.7	67.3	143	68.9	57.4	81.8	142	53.6	44.9	63.4
Bones and Joints	6	1.0	0.4	2.2	3	1.0	0.2	3.2	3	0.9	0.2	2.8
Melanoma of the Skin	124	21.7	17.9	26.0	56	21.8	16.1	28.7	68	22.5	17.4	28.7
Breast (invasive)	435	74.8	67.8	82.4	4	1.7	0.4	4.4	431	140.7	127.5	155.0
Cervix									19	5.8	3.5	9.2
Corpus and Uterus, NOS									84	26.7	21.2	33.2
Ovary									26	9.4	6.1	13.9
Prostate					326	126.4	112.4	141.8				
Testis					27	9.3	6.1	13.6				
Urinary Bladder (includes in situ)	127	28.0	23.1	33.4	93	47.7	37.9	58.9	34	13.4	9.2	18.7
Kidney and Renal Pelvis	101	17.5	14.2	21.4	61	21.4	16.2	27.7	40	13.9	9.8	19.0
Brain and Nervous System	38	6.9	4.8	9.5	21	8.0	4.8	12.5	17	6.0	3.4	9.7
Hodgkin Lymphoma	21	3.6	2.2	5.5	15	5.1	2.8	8.5	6	2.0	0.7	4.5
Non-Hodgkin Lymphoma	103	18.8	15.2	22.9	52	19.7	14.4	26.2	51	18.0	13.3	23.8
Myeloma	35	7.2	5.0	10.2	15	7.3	3.9	12.3	20	7.3	4.4	11.4
Leukemia	83	15.3	12.1	19.1	59	23.6	17.6	30.9	24	8.3	5.3	12.5
All Other Sites	399	72.2	65.1	79.9	170	68.9	58.3	80.8	229	76.8	67.0	87.6
Breast in Situ (not in total)									126	41.0	34.1	49.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Knox

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,711	476.1	452.7	500.5	856	497.6	463.9	533.4	855	465.2	432.0	500.4
Oral Cavity and Pharynx	48	13.0	9.5	17.5	33	18.8	12.8	26.9	15	7.6	4.2	13.2
Esophagus	30	7.5	5.0	11.0	26	14.6	9.5	22.0	4	1.7	0.5	5.3
Stomach	21	5.4	3.3	8.6	8	4.6	2.0	9.5	13	6.4	3.4	11.6
Colon and Rectum	163	44.5	37.6	52.4	91	53.0	42.3	65.7	72	36.6	27.9	47.3
Liver	21	5.4	3.3	8.5	19	10.5	6.2	16.8	2	1.0	0.1	4.5
Pancreas	40	10.6	7.5	14.8	16	9.1	5.2	15.2	24	11.9	7.4	18.6
Lung and Bronchus	281	74.9	66.2	84.5	149	86.4	72.8	101.9	132	65.1	54.1	77.9
Bones and Joints	1	0.3	0.0	1.9	0				1	0.5	0.0	3.8
Melanoma of the Skin	82	23.8	18.6	30.0	39	23.1	16.1	32.2	43	24.8	17.4	34.6
Breast (invasive)	261	75.0	65.7	85.4	2	1.1	0.1	4.6	259	144.2	125.8	164.7
Cervix									8	8.6	3.6	16.7
Corpus and Uterus, NOS									60	33.3	24.9	43.9
Ovary									16	8.9	4.8	15.4
Prostate					173	92.6	79.0	108.0				
Testis					9	7.6	3.4	14.3				
Urinary Bladder (includes in situ)	94	24.5	19.7	30.3	70	41.0	31.8	52.2	24	11.6	7.2	18.0
Kidney and Renal Pelvis	75	22.1	17.1	28.2	48	29.6	21.5	39.9	27	15.1	9.5	23.0
Brain and Nervous System	28	9.4	6.1	14.0	17	11.6	6.5	19.1	11	7.5	3.5	14.1
Hodgkin Lymphoma	7	2.8	1.0	5.8	3	2.3	0.5	6.7	4	3.3	0.7	8.9
Non-Hodgkin Lymphoma	62	17.4	13.1	22.7	39	23.4	16.4	32.5	23	12.3	7.4	19.4
Myeloma	23	6.1	3.8	9.5	13	7.9	4.1	14.1	10	4.2	2.0	8.7
Leukemia	40	12.5	8.7	17.3	23	14.8	9.3	22.6	17	10.6	5.8	17.9
All Other Sites	168	47.4	40.2	55.7	78	45.9	36.1	57.8	90	50.1	39.3	63.1
Breast in Situ (not in total)									46	27.9	19.8	38.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,767	458.3	451.3	465.2	8,655	477.4	467.0	488.0	9,112	448.7	439.3	458.3
Oral Cavity and Pharynx	414	10.0	9.0	11.0	283	14.3	12.7	16.2	131	6.0	5.0	7.2
Esophagus	180	4.5	3.9	5.3	136	7.4	6.2	8.9	44	2.1	1.5	2.9
Stomach	272	7.3	6.4	8.2	165	9.4	8.0	11.0	107	5.5	4.5	6.7
Colon and Rectum	1,400	36.4	34.5	38.4	748	41.6	38.6	44.8	652	31.8	29.4	34.4
Liver	218	5.5	4.8	6.3	161	8.5	7.2	10.0	57	2.8	2.1	3.7
Pancreas	567	14.9	13.7	16.2	301	17.0	15.0	19.1	266	13.0	11.5	14.7
Lung and Bronchus	2,054	54.0	51.6	56.5	977	56.8	53.1	60.6	1,077	52.1	49.0	55.4
Bones and Joints	32	0.9	0.6	1.2	19	1.0	0.6	1.6	13	0.7	0.4	1.2
Melanoma of the Skin	987	25.7	24.1	27.4	550	31.0	28.3	33.8	437	22.2	20.1	24.4
Breast (invasive)	2,950	75.5	72.7	78.3	27	1.4	0.9	2.1	2,923	142.5	137.2	147.9
Cervix									107	6.0	4.9	7.2
Corpus and Uterus, NOS									660	30.2	27.8	32.6
Ovary									228	11.2	9.7	12.8
Prostate					2,097	105.4	100.8	110.2				
Testis					90	5.4	4.3	6.7				
Urinary Bladder (includes in situ)	825	22.2	20.7	23.8	633	38.3	35.2	41.5	192	9.5	8.2	11.0
Kidney and Renal Pelvis	664	16.8	15.5	18.2	468	25.0	22.7	27.5	196	9.5	8.2	11.0
Brain and Nervous System	242	6.5	5.7	7.4	128	7.1	5.9	8.5	114	6.1	5.0	7.4
Hodgkin Lymphoma	76	2.2	1.7	2.8	40	2.2	1.6	3.0	36	2.2	1.5	3.1
Non-Hodgkin Lymphoma	815	21.5	20.0	23.0	488	28.0	25.5	30.7	327	16.2	14.4	18.1
Myeloma	252	6.5	5.7	7.4	131	7.4	6.1	8.8	121	5.8	4.8	7.0
Leukemia	551	15.0	13.7	16.3	307	18.1	16.0	20.3	244	12.6	11.0	14.3
All Other Sites	2,086	56.0	53.6	58.6	906	52.1	48.6	55.7	1,180	60.7	57.2	64.4
Breast in Situ (not in total)									704	33.9	31.3	36.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

LaSalle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,774	506.7	490.1	523.7	1,995	565.1	539.9	591.3	1,779	463.4	440.9	486.8
Oral Cavity and Pharynx	124	16.4	13.6	19.7	98	27.3	22.0	33.5	26	6.6	4.2	10.0
Esophagus	37	4.9	3.4	6.9	35	9.8	6.7	13.9	2	0.4	0.1	2.0
Stomach	39	5.1	3.6	7.0	28	7.5	4.9	11.0	11	2.9	1.4	5.5
Colon and Rectum	353	46.3	41.4	51.6	183	52.7	45.1	61.2	170	40.4	34.3	47.4
Liver	48	6.0	4.4	8.1	36	9.4	6.5	13.3	12	2.7	1.4	5.0
Pancreas	111	14.4	11.8	17.5	63	17.7	13.5	22.8	48	11.4	8.3	15.4
Lung and Bronchus	644	82.2	75.8	88.9	331	91.9	82.1	102.7	313	74.5	66.3	83.6
Bones and Joints	7	1.4	0.6	2.9	3	1.2	0.3	3.5	4	1.6	0.4	4.2
Melanoma of the Skin	172	25.0	21.2	29.2	107	31.6	25.7	38.5	65	19.6	14.8	25.4
Breast (invasive)	459	64.4	58.4	70.9	3	1.1	0.2	3.3	456	123.4	111.6	136.1
Cervix									23	7.3	4.5	11.2
Corpus and Uterus, NOS									101	26.2	21.1	32.3
Ovary									55	13.7	10.2	18.2
Prostate					411	108.6	98.2	120.0				
Testis					23	8.9	5.6	13.5				
Urinary Bladder (includes in situ)	220	28.5	24.7	32.6	170	48.9	41.7	57.1	50	11.7	8.6	15.7
Kidney and Renal Pelvis	160	22.9	19.3	26.9	96	28.9	23.2	35.6	64	17.2	13.0	22.4
Brain and Nervous System	43	6.9	4.9	9.4	20	6.2	3.7	9.7	23	7.8	4.8	12.0
Hodgkin Lymphoma	14	2.6	1.4	4.4	8	2.7	1.1	5.5	6	2.7	1.0	5.7
Non-Hodgkin Lymphoma	134	17.9	14.9	21.4	70	20.4	15.8	26.0	64	15.9	12.1	20.8
Myeloma	48	6.1	4.5	8.2	29	8.3	5.5	12.1	19	4.1	2.4	6.7
Leukemia	99	13.7	11.1	16.9	60	17.0	12.9	22.2	39	11.4	7.9	15.9
All Other Sites	449	62.5	56.6	68.8	221	64.9	56.4	74.5	228	61.9	53.7	71.1
Breast in Situ (not in total)									92	25.3	20.2	31.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lawrence

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	495	471.6	430.2	516.1	265	541.6	477.6	612.1	230	442.2	382.9	508.7
Oral Cavity and Pharynx	10	9.5	4.5	18.2	9	19.4	8.7	37.4	1	1.8	0.0	13.5
Esophagus	7	6.1	2.4	13.5	5	10.5	3.4	25.1	2	2.7	0.3	14.4
Stomach	2	1.9	0.2	7.6	1	1.8	0.0	11.7	1	1.8	0.0	13.5
Colon and Rectum	43	41.5	29.9	56.5	24	48.3	30.8	72.6	19	33.5	20.0	54.5
Liver	12	11.7	5.9	21.1	10	19.5	9.3	36.7	2	5.2	0.5	20.1
Pancreas	15	12.9	7.2	22.1	4	8.0	2.1	21.4	11	16.5	8.1	32.5
Lung and Bronchus	84	78.1	62.1	97.3	46	91.0	66.4	122.3	38	67.8	47.2	95.6
Bones and Joints	0				0				0			
Melanoma of the Skin	26	24.4	15.8	36.5	14	28.7	15.6	48.8	12	24.7	12.2	45.5
Breast (invasive)	62	57.9	44.1	74.9	0				62	111.9	84.3	146.7
Cervix									3	5.0	1.0	17.7
Corpus and Uterus, NOS									13	28.6	14.2	51.9
Ovary									2	3.1	0.4	15.1
Prostate					61	121.7	92.7	157.2				
Testis					1	3.1	0.1	15.4				
Urinary Bladder (includes in situ)	24	22.1	14.1	33.4	17	37.1	21.5	59.8	7	11.6	4.6	26.7
Kidney and Renal Pelvis	15	15.5	8.6	26.2	10	19.6	9.3	37.0	5	13.2	4.0	31.9
Brain and Nervous System	9	9.0	4.0	17.8	5	9.9	3.1	24.0	4	8.3	1.8	24.4
Hodgkin Lymphoma	4	4.3	1.2	11.5	2	4.2	0.5	16.0	2	7.0	0.8	24.0
Non-Hodgkin Lymphoma	16	16.7	9.4	27.7	9	19.1	8.7	36.9	7	17.6	6.6	38.0
Myeloma	8	8.0	3.4	16.2	4	8.7	2.4	22.8	4	6.6	1.8	19.9
Leukemia	18	16.0	9.5	26.0	12	25.7	13.2	45.4	6	8.8	3.1	22.5
All Other Sites	60	61.6	46.6	80.0	31	65.6	44.4	93.8	29	66.4	42.5	99.0
Breast in Situ (not in total)									7	15.0	5.6	33.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,158	483.1	454.7	513.0	610	504.9	464.6	547.9	548	474.4	433.0	519.1
Oral Cavity and Pharynx	39	16.7	11.7	23.2	31	26.8	18.0	38.6	8	5.9	2.5	12.8
Esophagus	11	4.4	2.2	8.3	9	7.3	3.3	14.5	2	1.7	0.2	7.3
Stomach	13	5.0	2.6	9.1	11	8.9	4.4	16.7	2	1.2	0.1	6.3
Colon and Rectum	93	38.6	31.0	47.8	46	37.3	27.2	50.5	47	39.3	28.2	53.7
Liver	19	7.8	4.6	12.7	17	13.1	7.5	21.7	2	2.4	0.2	9.2
Pancreas	41	16.4	11.6	22.6	27	21.9	14.2	32.6	14	10.5	5.6	18.6
Lung and Bronchus	179	70.7	60.6	82.2	85	68.0	54.1	84.8	94	73.8	59.4	91.2
Bones and Joints	2	1.1	0.1	4.2	2	2.1	0.2	8.0	0			
Melanoma of the Skin	64	29.5	22.4	38.3	33	28.4	19.3	40.7	31	33.4	21.9	48.7
Breast (invasive)	138	58.6	48.9	69.9	1	1.0	0.0	6.1	137	118.4	98.2	141.9
Cervix									10	11.4	5.2	21.6
Corpus and Uterus, NOS									56	48.3	35.6	64.4
Ovary									10	9.3	4.1	18.2
Prostate					115	88.2	72.6	106.7				
Testis					5	5.9	1.9	13.8				
Urinary Bladder (includes in situ)	63	25.1	19.2	32.5	49	41.1	30.2	55.0	14	11.5	6.2	20.3
Kidney and Renal Pelvis	48	19.5	14.2	26.3	33	26.7	18.1	38.2	15	13.0	7.0	22.6
Brain and Nervous System	14	5.7	3.0	9.9	9	7.5	3.4	14.9	5	3.4	1.1	9.4
Hodgkin Lymphoma	4	2.0	0.5	5.3	3	2.8	0.6	8.8	1	1.0	0.0	6.6
Non-Hodgkin Lymphoma	46	20.0	14.5	27.1	30	26.5	17.7	38.4	16	13.7	7.7	23.1
Myeloma	11	4.7	2.3	8.9	2	2.0	0.2	7.9	9	6.8	3.0	14.1
Leukemia	33	13.6	9.2	19.6	20	17.2	10.3	27.2	13	10.0	5.1	18.5
All Other Sites	144	64.2	53.7	76.3	82	72.3	57.2	90.4	62	59.5	44.4	78.2
Breast in Situ (not in total)									25	21.2	13.4	32.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Livingston

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,286	531.6	501.9	562.7	676	592.5	547.5	640.4	610	486.8	446.8	529.6
Oral Cavity and Pharynx	32	13.8	9.2	19.8	26	22.7	14.5	34.0	6	4.8	1.6	11.5
Esophagus	15	5.9	3.2	10.2	13	11.3	5.9	20.0	2	1.3	0.2	6.1
Stomach	7	3.1	1.2	6.7	5	4.8	1.5	11.5	2	1.7	0.1	7.3
Colon and Rectum	124	50.3	41.6	60.4	64	56.6	43.3	72.9	60	43.9	33.1	57.5
Liver	13	4.7	2.5	8.4	9	6.6	3.0	13.4	4	2.7	0.7	8.1
Pancreas	36	14.7	10.2	20.8	19	16.3	9.6	26.1	17	12.7	7.1	21.4
Lung and Bronchus	216	86.6	75.2	99.5	119	104.3	86.1	125.4	97	75.6	60.9	93.2
Bones and Joints	0				0				0			
Melanoma of the Skin	64	29.2	22.2	37.8	41	38.0	26.9	52.2	23	22.1	13.6	33.9
Breast (invasive)	179	76.1	64.9	88.8	1	0.7	0.0	5.2	178	147.6	125.6	172.5
Cervix									12	13.0	6.4	23.2
Corpus and Uterus, NOS									32	25.0	16.9	36.0
Ovary									19	13.4	7.7	22.3
Prostate					161	130.2	110.5	152.9				
Testis					8	10.6	4.6	20.7				
Urinary Bladder (includes in situ)	52	21.0	15.5	27.9	40	36.5	25.9	50.3	12	7.6	3.8	14.3
Kidney and Renal Pelvis	53	21.0	15.6	27.9	28	24.2	15.9	35.6	25	19.1	12.1	29.2
Brain and Nervous System	17	8.4	4.7	13.7	11	10.8	5.3	19.9	6	6.3	2.2	14.1
Hodgkin Lymphoma	3	1.3	0.2	4.1	1	0.7	0.0	5.2	2	1.9	0.2	7.5
Non-Hodgkin Lymphoma	45	18.1	13.1	24.5	31	26.9	18.1	38.8	14	10.2	5.5	18.0
Myeloma	13	5.6	3.0	9.8	9	8.5	3.9	16.5	4	3.1	0.8	8.7
Leukemia	37	16.1	11.2	22.6	23	22.7	14.2	34.5	14	9.6	5.0	17.3
All Other Sites	148	62.4	52.3	74.0	67	60.0	46.2	76.9	81	65.1	50.8	82.5
Breast in Situ (not in total)									43	36.6	26.1	50.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Logan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,072	563.8	529.7	599.6	531	604.6	553.4	659.4	541	545.2	498.1	595.9
Oral Cavity and Pharynx	35	19.1	13.2	27.0	27	32.3	21.1	47.4	8	7.5	3.1	16.1
Esophagus	20	10.5	6.3	16.5	16	17.5	9.9	29.0	4	4.3	1.1	12.0
Stomach	12	5.6	2.8	10.4	7	7.7	3.0	16.6	5	4.6	1.4	12.0
Colon and Rectum	111	59.2	48.5	71.8	52	58.9	43.7	78.0	59	59.9	45.0	78.6
Liver	13	6.1	3.2	10.8	9	8.8	4.0	17.5	4	3.8	1.0	11.0
Pancreas	33	16.7	11.4	23.9	10	12.7	6.0	23.7	23	20.1	12.5	31.4
Lung and Bronchus	203	103.1	89.1	118.8	105	119.8	97.7	145.7	98	91.6	73.9	112.7
Bones and Joints	0				0				0			
Melanoma of the Skin	50	28.5	21.0	38.1	32	36.8	24.9	52.5	18	21.4	12.3	34.8
Breast (invasive)	134	71.4	59.5	85.1	2	2.8	0.3	10.3	132	134.4	111.5	160.9
Cervix									12	18.4	9.3	32.2
Corpus and Uterus, NOS									39	37.5	26.4	52.2
Ovary									7	7.5	2.8	16.5
Prostate					107	116.4	95.1	141.3				
Testis					3	3.3	0.7	10.4				
Urinary Bladder (includes in situ)	54	28.3	21.1	37.3	40	48.2	34.2	66.1	14	12.7	6.7	22.5
Kidney and Renal Pelvis	33	18.1	12.3	25.9	19	21.6	12.8	34.5	14	15.0	7.8	26.3
Brain and Nervous System	12	6.0	3.0	10.9	2	1.9	0.2	8.0	10	9.9	4.6	19.3
Hodgkin Lymphoma	3	2.0	0.4	6.1	0				3	4.2	0.8	12.7
Non-Hodgkin Lymphoma	43	22.7	16.3	31.0	26	31.0	20.1	46.0	17	15.5	8.9	25.8
Myeloma	14	7.3	3.9	12.5	8	9.8	4.2	19.8	6	4.9	1.8	12.0
Leukemia	26	13.3	8.6	19.9	16	18.7	10.6	30.8	10	10.2	4.7	19.9
All Other Sites	108	57.8	47.2	70.4	50	56.5	41.7	75.1	58	61.8	46.1	81.3
Breast in Situ (not in total)									24	25.2	15.8	38.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,962	546.6	529.0	564.7	2,029	602.4	575.6	630.1	1,933	507.1	483.4	531.8
Oral Cavity and Pharynx	128	17.6	14.6	21.1	79	23.3	18.3	29.4	49	12.4	9.1	16.7
Esophagus	44	5.7	4.1	7.7	37	10.8	7.5	15.2	7	1.5	0.6	3.4
Stomach	40	6.1	4.3	8.4	27	8.5	5.5	12.7	13	4.1	2.0	7.2
Colon and Rectum	372	51.3	46.0	57.1	198	59.6	51.3	68.9	174	44.7	37.9	52.4
Liver	68	8.4	6.5	10.8	53	14.2	10.6	18.8	15	3.3	1.8	5.7
Pancreas	104	13.7	11.2	16.8	53	15.5	11.5	20.5	51	12.2	9.0	16.4
Lung and Bronchus	723	94.7	87.8	102.1	361	104.7	94.0	116.4	362	88.0	78.9	98.0
Bones and Joints	3	0.6	0.1	1.7	1	0.5	0.0	2.5	2	0.7	0.1	2.6
Melanoma of the Skin	188	28.3	24.2	33.0	107	33.9	27.6	41.3	81	24.7	19.2	31.2
Breast (invasive)	442	62.9	56.9	69.4	2	0.7	0.1	2.6	440	116.7	105.4	129.0
Cervix									30	11.4	7.5	16.4
Corpus and Uterus, NOS									121	30.2	24.8	36.5
Ovary									36	10.4	7.1	14.8
Prostate					436	121.5	110.1	133.9				
Testis					11	4.6	2.3	8.3				
Urinary Bladder (includes in situ)	185	23.5	20.2	27.3	140	41.3	34.6	49.0	45	10.3	7.5	14.1
Kidney and Renal Pelvis	166	23.9	20.3	28.1	98	31.0	24.9	38.2	68	18.0	13.7	23.2
Brain and Nervous System	48	7.6	5.5	10.3	26	9.1	5.8	13.6	22	6.3	3.8	9.8
Hodgkin Lymphoma	15	2.9	1.6	4.8	9	3.4	1.5	6.7	6	2.4	0.8	5.1
Non-Hodgkin Lymphoma	148	19.9	16.7	23.6	74	22.9	17.8	29.0	74	17.4	13.5	22.3
Myeloma	66	8.1	6.2	10.4	34	9.0	6.2	12.9	32	7.2	4.9	10.5
Leukemia	86	11.9	9.4	14.9	55	17.0	12.7	22.4	31	7.8	5.1	11.4
All Other Sites	502	73.8	67.1	81.0	228	70.9	61.6	81.2	274	77.6	68.0	88.2
Breast in Situ (not in total)									120	32.7	26.8	39.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Macoupin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,713	526.2	500.6	553.0	921	601.9	562.5	643.5	792	468.4	434.5	504.5
Oral Cavity and Pharynx	51	16.4	12.0	21.9	39	26.5	18.6	36.9	12	7.0	3.5	13.0
Esophagus	17	5.0	2.9	8.4	16	9.8	5.5	16.5	1	0.7	0.0	4.6
Stomach	14	4.4	2.3	7.7	11	8.0	3.9	14.8	3	1.4	0.3	5.2
Colon and Rectum	159	51.1	43.1	60.2	85	61.6	48.8	76.8	74	42.9	33.2	54.9
Liver	23	6.6	4.1	10.2	19	12.0	7.2	19.3	4	1.9	0.5	5.9
Pancreas	42	12.0	8.6	16.6	22	13.7	8.4	21.4	20	10.1	6.1	16.4
Lung and Bronchus	326	94.1	83.9	105.3	192	121.4	104.5	140.6	134	73.1	61.0	87.4
Bones and Joints	3	1.6	0.3	4.5	2	2.1	0.2	7.1	1	1.1	0.0	5.8
Melanoma of the Skin	67	21.5	16.4	27.7	41	27.9	19.8	38.4	26	16.5	10.4	25.3
Breast (invasive)	225	71.6	62.1	82.2	4	2.2	0.6	6.5	221	134.3	116.2	154.6
Cervix									14	10.5	5.4	18.3
Corpus and Uterus, NOS									52	29.4	21.7	39.5
Ovary									16	10.4	5.7	17.6
Prostate					175	107.1	91.5	125.0				
Testis					10	9.6	4.5	17.9				
Urinary Bladder (includes in situ)	86	23.9	19.1	29.8	70	42.6	33.1	54.4	16	8.5	4.8	14.5
Kidney and Renal Pelvis	95	29.7	23.8	36.9	55	35.7	26.5	47.3	40	23.8	16.6	33.4
Brain and Nervous System	10	3.4	1.5	6.5	3	2.0	0.4	6.6	7	4.6	1.7	10.3
Hodgkin Lymphoma	7	3.1	1.2	6.4	2	1.6	0.2	6.1	5	4.6	1.4	10.8
Non-Hodgkin Lymphoma	61	17.8	13.5	23.2	38	24.8	17.4	34.6	23	12.3	7.7	19.2
Myeloma	21	6.2	3.8	9.8	14	9.6	5.2	16.5	7	3.9	1.5	8.8
Leukemia	53	16.5	12.2	21.9	30	21.0	14.0	30.5	23	12.9	8.0	20.1
All Other Sites	186	60.0	51.3	69.9	93	62.7	50.3	77.5	93	58.4	46.2	73.1
Breast in Situ (not in total)									40	25.7	18.0	35.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,234	490.7	479.8	501.7	3,949	516.2	499.8	533.0	4,285	478.8	464.0	494.0
Oral Cavity and Pharynx	237	14.1	12.3	16.0	162	20.2	17.1	23.7	75	8.7	6.8	11.0
Esophagus	103	6.0	4.9	7.4	92	11.6	9.3	14.3	11	1.3	0.6	2.4
Stomach	93	5.3	4.2	6.5	57	7.4	5.6	9.7	36	3.5	2.4	5.0
Colon and Rectum	708	41.8	38.7	45.1	361	48.0	43.1	53.4	347	37.1	33.2	41.4
Liver	122	6.6	5.5	8.0	85	9.8	7.8	12.2	37	3.8	2.6	5.3
Pancreas	232	13.3	11.6	15.2	114	15.0	12.3	18.1	118	12.0	9.9	14.5
Lung and Bronchus	1,426	82.1	77.8	86.6	696	91.2	84.4	98.4	730	76.4	70.8	82.3
Bones and Joints	13	1.0	0.5	1.7	10	1.6	0.7	2.9	3	0.4	0.1	1.3
Melanoma of the Skin	356	22.6	20.2	25.2	194	26.4	22.8	30.6	162	20.4	17.2	24.0
Breast (invasive)	1,184	73.0	68.8	77.5	12	1.7	0.9	3.1	1,172	135.2	127.3	143.6
Cervix									51	6.9	5.1	9.2
Corpus and Uterus, NOS									285	29.9	26.4	33.8
Ovary									88	10.3	8.2	12.8
Prostate					743	90.9	84.3	97.8				
Testis					33	5.7	3.9	8.0				
Urinary Bladder (includes in situ)	392	22.6	20.4	25.0	273	37.1	32.7	41.9	119	12.5	10.3	15.1
Kidney and Renal Pelvis	391	24.0	21.6	26.6	235	31.1	27.1	35.5	156	17.9	15.1	21.1
Brain and Nervous System	119	7.9	6.5	9.5	58	8.3	6.2	10.8	61	7.6	5.8	9.9
Hodgkin Lymphoma	38	2.6	1.8	3.5	23	3.1	1.9	4.7	15	2.1	1.2	3.5
Non-Hodgkin Lymphoma	343	20.2	18.0	22.5	176	22.4	19.2	26.1	167	18.3	15.5	21.4
Myeloma	91	5.2	4.1	6.4	52	6.7	4.9	8.8	39	4.0	2.8	5.5
Leukemia	264	16.4	14.4	18.5	146	20.3	17.1	24.0	118	13.7	11.2	16.6
All Other Sites	922	56.7	53.0	60.6	427	57.7	52.2	63.6	495	56.8	51.7	62.3
Breast in Situ (not in total)									267	32.5	28.6	36.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Marion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,438	557.6	528.0	588.6	781	639.5	594.2	687.5	657	496.5	457.0	538.8
Oral Cavity and Pharynx	37	14.5	10.1	20.2	25	20.7	13.3	31.0	12	9.2	4.6	16.8
Esophagus	27	9.4	6.1	14.0	21	16.0	9.8	25.1	6	3.7	1.3	9.1
Stomach	15	5.5	3.0	9.5	10	8.5	4.0	16.2	5	3.2	1.0	8.5
Colon and Rectum	136	54.5	45.3	65.0	71	60.8	47.1	77.5	65	48.3	36.6	62.8
Liver	22	7.9	4.8	12.3	16	11.4	6.5	19.3	6	4.8	1.6	11.3
Pancreas	25	8.3	5.3	12.5	18	12.9	7.6	21.1	7	4.1	1.6	9.4
Lung and Bronchus	244	87.9	77.0	100.1	139	109.9	92.1	130.5	105	71.4	58.1	87.3
Bones and Joints	4	1.6	0.4	4.4	1	0.6	0.0	4.9	3	2.4	0.4	7.8
Melanoma of the Skin	71	30.3	23.3	38.8	39	35.0	24.6	48.5	32	27.6	18.2	40.1
Breast (invasive)	166	68.6	58.0	80.6	0				166	130.6	110.3	153.8
Cervix									9	8.8	3.8	17.3
Corpus and Uterus, NOS									49	36.6	26.5	49.5
Ovary									8	6.3	2.6	13.3
Prostate					185	140.0	120.2	162.4				
Testis					5	6.6	2.1	15.0				
Urinary Bladder (includes in situ)	61	22.1	16.8	28.8	49	40.0	29.4	53.5	12	7.9	3.9	14.8
Kidney and Renal Pelvis	54	21.3	15.8	28.3	33	27.8	19.0	39.7	21	16.4	9.8	25.9
Brain and Nervous System	14	6.7	3.6	11.6	7	7.2	2.8	15.1	7	6.2	2.2	13.5
Hodgkin Lymphoma	6	3.2	1.1	7.1	2	2.5	0.3	8.7	4	3.8	1.0	10.1
Non-Hodgkin Lymphoma	56	21.8	16.3	28.8	35	29.4	20.2	41.7	21	15.6	9.5	24.7
Myeloma	16	5.8	3.2	9.9	8	6.4	2.6	13.6	8	4.9	2.1	10.7
Leukemia	52	21.9	16.1	29.2	31	28.1	18.8	40.5	21	15.8	9.3	25.2
All Other Sites	176	71.2	60.6	83.1	86	75.6	59.9	94.2	90	68.8	54.6	85.8
Breast in Situ (not in total)									30	22.0	14.5	32.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Marshall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	468	524.0	474.7	577.5	246	572.6	500.1	653.9	222	487.6	420.8	563.1
Oral Cavity and Pharynx	17	17.4	10.0	29.4	12	25.6	13.1	47.6	5	10.4	3.3	28.0
Esophagus	8	10.2	4.0	21.7	7	18.9	7.0	41.6	1	1.7	0.0	15.8
Stomach	6	7.3	2.3	17.8	6	15.9	5.4	37.5	0			
Colon and Rectum	47	53.6	38.6	73.2	23	59.8	36.7	92.8	24	47.1	29.6	73.6
Liver	6	5.5	2.0	14.0	2	4.6	0.5	20.0	4	6.4	1.7	21.7
Pancreas	13	12.9	6.9	23.6	9	19.9	9.0	40.5	4	7.2	1.9	23.1
Lung and Bronchus	83	82.8	65.8	103.8	45	98.6	71.6	134.1	38	71.6	50.5	101.0
Bones and Joints	0				0				0			
Melanoma of the Skin	18	23.7	13.3	39.4	8	19.8	8.0	42.1	10	26.9	11.6	53.5
Breast (invasive)	53	61.6	45.3	82.5	0				53	119.9	87.9	161.1
Cervix									2	7.0	0.6	27.3
Corpus and Uterus, NOS									16	34.9	19.4	59.9
Ovary									5	12.0	3.3	32.2
Prostate					55	115.5	86.2	153.2				
Testis					2	9.7	1.2	32.2				
Urinary Bladder (includes in situ)	23	23.6	14.7	36.9	16	34.9	19.5	59.6	7	13.5	5.3	31.8
Kidney and Renal Pelvis	14	17.8	9.1	31.7	8	22.0	8.5	46.8	6	12.7	4.6	31.0
Brain and Nervous System	13	19.4	9.8	34.5	4	12.5	3.1	33.7	9	25.8	11.0	51.8
Hodgkin Lymphoma	2	4.9	0.6	16.2	0				2	9.9	1.2	32.8
Non-Hodgkin Lymphoma	16	17.5	9.6	30.2	11	26.7	12.7	50.9	5	9.4	3.0	26.1
Myeloma	5	5.0	1.6	13.5	4	8.8	2.4	25.9	1	2.1	0.1	16.7
Leukemia	12	14.1	6.8	26.6	8	18.0	7.4	38.7	4	10.6	2.1	31.3
All Other Sites	52	59.1	43.2	79.6	26	61.6	39.5	93.1	26	58.5	36.4	90.4
Breast in Situ (not in total)									11	31.2	14.5	59.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Mason

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	535	513.7	469.1	561.9	280	567.3	500.7	641.3	255	481.7	420.6	550.1
Oral Cavity and Pharynx	17	16.9	9.5	28.5	12	27.6	13.9	50.1	5	7.5	2.2	21.7
Esophagus	6	4.9	1.8	12.3	4	6.5	1.8	20.3	2	3.2	0.4	15.8
Stomach	4	3.5	0.9	10.5	3	5.8	1.1	19.9	1	1.7	0.0	13.7
Colon and Rectum	59	55.3	41.5	72.8	32	64.2	43.4	92.9	27	48.3	30.6	73.8
Liver	10	8.7	4.1	17.3	8	15.5	6.6	32.9	2	3.0	0.3	15.5
Pancreas	21	19.3	11.7	30.9	10	19.7	9.2	38.7	11	19.0	9.0	37.3
Lung and Bronchus	112	100.2	82.3	121.7	56	110.3	82.9	145.3	56	96.7	72.7	127.7
Bones and Joints	1	1.7	0.0	9.0	0				1	3.2	0.1	17.5
Melanoma of the Skin	26	26.8	17.1	40.6	18	41.6	24.2	67.8	8	13.0	5.4	28.8
Breast (invasive)	57	61.2	45.5	81.0	0				57	120.7	89.4	160.2
Cervix									2	6.3	0.7	22.8
Corpus and Uterus, NOS									10	20.8	9.3	41.1
Ovary									4	7.7	1.5	24.0
Prostate					61	110.7	84.3	144.5				
Testis					2	6.0	0.6	22.8				
Urinary Bladder (includes in situ)	23	22.5	13.9	35.3	18	40.5	23.4	66.2	5	8.2	2.7	22.4
Kidney and Renal Pelvis	17	14.8	8.6	24.9	6	10.8	3.9	26.4	11	18.2	8.9	35.5
Brain and Nervous System	6	5.9	1.9	14.4	5	10.2	2.9	27.0	1	1.5	0.0	13.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	19	19.6	11.3	32.0	10	20.9	9.7	40.8	9	19.0	8.0	39.0
Myeloma	3	2.7	0.5	9.5	1	1.9	0.0	14.3	2	3.5	0.4	16.4
Leukemia	20	20.2	12.0	32.5	12	28.0	14.1	51.0	8	14.3	6.0	31.1
All Other Sites	55	55.7	41.3	74.1	22	47.1	29.0	73.6	33	65.8	43.8	95.9
Breast in Situ (not in total)									10	17.7	8.4	35.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Massac

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	488	480.0	436.5	527.1	263	547.8	481.4	621.5	225	424.6	367.6	488.7
Oral Cavity and Pharynx	19	17.1	10.1	27.8	14	27.8	15.0	48.6	5	7.2	2.2	20.2
Esophagus	7	5.9	2.4	13.3	5	8.7	2.8	23.1	2	3.2	0.4	15.0
Stomach	5	4.9	1.5	12.5	4	8.7	2.3	24.1	1	1.7	0.0	12.8
Colon and Rectum	47	48.9	35.3	66.2	24	56.5	35.4	86.1	23	41.7	25.8	65.0
Liver	4	3.4	0.9	10.1	4	7.5	2.0	21.7	0			
Pancreas	19	18.0	10.7	29.0	9	16.5	7.5	33.5	10	18.9	8.7	37.0
Lung and Bronchus	100	91.6	74.2	112.5	51	99.6	73.8	132.8	49	85.2	62.2	115.0
Bones and Joints	0				0				0			
Melanoma of the Skin	18	17.8	10.2	29.3	12	24.3	12.3	44.5	6	11.8	3.9	28.3
Breast (invasive)	54	55.3	41.0	73.5	0				54	104.6	77.2	139.3
Cervix									4	12.4	3.2	31.6
Corpus and Uterus, NOS									12	21.1	10.8	38.9
Ovary									3	5.0	0.9	17.8
Prostate					56	113.4	85.1	149.1				
Testis					1	4.2	0.1	20.3				
Urinary Bladder (includes in situ)	18	16.1	9.4	26.5	16	31.2	17.7	52.6	2	3.3	0.4	15.1
Kidney and Renal Pelvis	17	15.4	8.6	25.9	12	25.2	12.6	46.2	5	6.9	2.1	19.5
Brain and Nervous System	10	12.1	5.5	23.3	7	20.0	7.6	42.4	3	4.9	1.0	17.2
Hodgkin Lymphoma	2	3.8	0.5	12.6	0				2	7.2	0.9	24.1
Non-Hodgkin Lymphoma	16	17.0	9.4	28.7	10	25.0	11.5	47.7	6	9.4	3.4	23.4
Myeloma	6	5.2	1.9	12.4	5	9.0	2.9	23.6	1	1.7	0.0	12.8
Leukemia	13	15.4	7.8	27.5	7	14.0	5.6	30.9	6	16.8	5.6	37.7
All Other Sites	57	56.9	42.3	75.2	26	55.9	35.9	84.0	31	61.9	40.5	91.0
Breast in Situ (not in total)									11	20.3	9.7	38.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

McDonough

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	884	491.5	458.0	526.9	415	494.4	446.2	546.6	469	498.9	451.6	550.0
Oral Cavity and Pharynx	22	13.3	8.0	20.7	16	19.6	10.8	33.0	6	7.6	2.5	17.7
Esophagus	6	2.8	1.0	6.6	5	4.8	1.6	12.6	1	0.8	0.0	6.7
Stomach	5	2.4	0.7	6.2	5	5.5	1.7	13.8	0			
Colon and Rectum	99	54.5	43.9	67.0	48	57.4	41.9	77.2	51	51.0	37.3	68.7
Liver	5	3.4	1.0	8.3	2	2.5	0.3	9.9	3	4.3	0.7	13.3
Pancreas	21	11.5	6.9	18.2	9	11.2	4.9	22.2	12	11.4	5.5	21.6
Lung and Bronchus	149	75.7	63.8	89.4	75	86.7	67.8	109.5	74	66.4	51.8	84.5
Bones and Joints	3	1.3	0.3	4.6	2	1.8	0.2	8.2	1	0.8	0.0	6.7
Melanoma of the Skin	43	24.4	17.3	33.6	22	28.1	17.4	43.3	21	21.9	12.9	35.2
Breast (invasive)	125	75.6	62.3	91.1	0				125	144.6	118.8	174.4
Cervix									10	16.1	7.5	29.8
Corpus and Uterus, NOS									25	27.1	17.0	41.2
Ovary									6	6.1	2.1	14.4
Prostate					100	108.1	87.3	132.9				
Testis					3	6.4	1.3	17.5				
Urinary Bladder (includes in situ)	42	22.0	15.6	30.4	30	39.3	26.3	56.7	12	10.3	5.1	19.4
Kidney and Renal Pelvis	25	14.7	9.3	22.3	13	16.3	8.4	28.9	12	13.3	6.5	24.4
Brain and Nervous System	11	7.5	3.5	13.9	5	5.6	1.5	14.6	6	9.1	3.1	20.3
Hodgkin Lymphoma	2	1.1	0.1	4.5	1	1.4	0.0	8.3	1	0.8	0.0	6.7
Non-Hodgkin Lymphoma	40	22.0	15.4	30.7	12	16.6	8.2	29.9	28	27.0	17.7	40.2
Myeloma	13	5.7	3.0	10.4	6	5.7	2.1	13.7	7	5.2	2.1	12.5
Leukemia	31	15.9	10.6	23.2	22	26.3	16.2	40.7	9	8.2	3.5	16.9
All Other Sites	98	58.6	46.9	72.3	39	51.0	35.9	70.7	59	66.7	49.5	88.1
Breast in Situ (not in total)									25	30.4	19.0	46.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

McHenry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,991	459.8	449.4	470.3	3,929	480.7	465.0	496.8	4,062	448.6	434.5	463.1
Oral Cavity and Pharynx	242	13.0	11.3	14.8	172	19.3	16.4	22.6	70	7.2	5.6	9.2
Esophagus	90	5.1	4.0	6.3	78	9.6	7.5	12.2	12	1.4	0.7	2.5
Stomach	99	5.9	4.7	7.2	66	8.2	6.2	10.6	33	3.9	2.6	5.5
Colon and Rectum	680	39.3	36.3	42.5	364	44.9	40.1	50.0	316	34.4	30.6	38.6
Liver	80	4.6	3.6	5.7	49	5.8	4.2	7.8	31	3.4	2.3	4.9
Pancreas	238	13.9	12.1	15.8	125	15.1	12.4	18.2	113	12.5	10.3	15.1
Lung and Bronchus	1,058	62.1	58.3	66.1	531	69.4	63.3	75.9	527	57.1	52.2	62.3
Bones and Joints	16	1.0	0.6	1.6	7	0.8	0.3	1.7	9	1.1	0.5	2.2
Melanoma of the Skin	481	28.4	25.9	31.2	272	33.5	29.5	38.0	209	24.5	21.2	28.2
Breast (invasive)	1,244	71.1	67.0	75.3	17	1.9	1.1	3.1	1,227	134.5	126.8	142.5
Cervix									46	5.6	4.0	7.5
Corpus and Uterus, NOS									288	29.1	25.8	32.8
Ovary									123	13.8	11.4	16.6
Prostate					925	102.1	95.4	109.3				
Testis					56	8.1	6.1	10.6				
Urinary Bladder (includes in situ)	359	21.6	19.3	24.0	271	36.6	32.2	41.5	88	9.7	7.7	12.0
Kidney and Renal Pelvis	291	16.2	14.3	18.3	182	21.0	17.9	24.5	109	11.8	9.7	14.4
Brain and Nervous System	122	7.4	6.1	8.9	70	9.0	6.9	11.4	52	5.9	4.4	7.8
Hodgkin Lymphoma	36	2.3	1.6	3.2	18	2.2	1.3	3.5	18	2.4	1.4	3.8
Non-Hodgkin Lymphoma	309	17.9	15.9	20.1	177	22.2	18.9	25.9	132	14.2	11.8	16.9
Myeloma	98	5.7	4.6	7.0	49	6.1	4.4	8.1	49	5.3	3.9	7.1
Leukemia	193	11.8	10.1	13.6	113	14.6	11.9	17.7	80	9.4	7.4	11.8
All Other Sites	917	55.5	51.8	59.3	387	50.5	45.3	56.0	530	61.4	56.1	67.0
Breast in Situ (not in total)									277	29.8	26.3	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

McLean

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,798	437.6	423.5	452.1	1,856	461.2	439.8	483.4	1,942	426.3	407.0	446.2
Oral Cavity and Pharynx	110	13.1	10.7	15.9	76	19.4	15.2	24.4	34	7.9	5.4	11.1
Esophagus	41	4.7	3.3	6.4	33	8.3	5.7	11.8	8	1.9	0.8	3.7
Stomach	36	3.9	2.7	5.4	23	5.5	3.5	8.4	13	2.6	1.4	4.6
Colon and Rectum	331	38.5	34.4	43.0	179	45.5	38.9	52.9	152	33.2	28.0	39.1
Liver	43	4.8	3.4	6.5	33	8.0	5.5	11.4	10	2.1	1.0	3.9
Pancreas	104	12.2	9.9	14.9	54	13.9	10.3	18.3	50	10.8	7.9	14.3
Lung and Bronchus	518	60.0	54.8	65.5	255	65.8	57.7	74.7	263	55.4	48.8	62.7
Bones and Joints	5	0.6	0.2	1.5	3	0.8	0.2	2.3	2	0.4	0.0	1.6
Melanoma of the Skin	292	34.5	30.6	38.9	154	39.3	33.2	46.3	138	31.8	26.6	37.7
Breast (invasive)	620	72.3	66.6	78.4	7	1.7	0.7	3.6	613	135.0	124.2	146.5
Cervix									24	5.8	3.7	8.7
Corpus and Uterus, NOS									128	27.8	23.0	33.1
Ovary									45	10.2	7.3	13.7
Prostate					426	96.1	87.0	106.0				
Testis					19	4.1	2.4	6.6				
Urinary Bladder (includes in situ)	164	18.9	16.1	22.2	125	33.0	27.3	39.5	39	7.8	5.5	10.8
Kidney and Renal Pelvis	149	16.9	14.3	19.9	102	24.9	20.1	30.4	47	10.0	7.3	13.4
Brain and Nervous System	51	6.1	4.5	8.1	33	8.3	5.6	11.7	18	4.1	2.4	6.6
Hodgkin Lymphoma	23	2.8	1.8	4.3	15	3.8	2.1	6.3	8	2.0	0.8	4.0
Non-Hodgkin Lymphoma	138	15.8	13.2	18.7	70	17.7	13.7	22.5	68	14.6	11.2	18.6
Myeloma	40	4.7	3.3	6.4	21	5.5	3.4	8.5	19	4.1	2.4	6.5
Leukemia	78	9.6	7.5	12.0	44	12.1	8.8	16.3	34	8.1	5.5	11.4
All Other Sites	413	48.5	43.8	53.5	184	47.4	40.6	54.9	229	50.9	44.3	58.2
Breast in Situ (not in total)									122	27.4	22.6	32.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Menard

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	461	544.0	493.2	598.9	249	636.2	556.3	725.1	212	473.7	408.9	546.7
Oral Cavity and Pharynx	20	25.7	15.2	41.1	13	34.3	17.5	61.3	7	18.6	7.0	40.5
Esophagus	3	3.0	0.6	10.6	2	4.5	0.5	19.7	1	1.7	0.0	14.7
Stomach	9	11.2	4.8	22.6	4	9.1	2.4	26.2	5	13.4	3.8	34.0
Colon and Rectum	40	48.7	34.3	67.7	20	54.9	32.7	87.3	20	42.7	25.5	68.9
Liver	6	5.8	2.1	14.2	5	10.2	3.2	27.2	1	1.7	0.0	14.7
Pancreas	15	17.4	9.6	29.9	5	12.0	3.8	30.5	10	22.1	10.3	43.1
Lung and Bronchus	62	69.6	53.0	90.4	37	92.8	64.6	130.2	25	52.0	33.3	79.2
Bones and Joints	0				0				0			
Melanoma of the Skin	26	35.2	22.4	53.0	16	42.8	23.8	71.8	10	28.9	13.2	55.1
Breast (invasive)	62	72.1	54.6	94.0	0				62	138.5	104.7	180.8
Cervix									2	5.7	0.5	22.6
Corpus and Uterus, NOS									10	18.7	8.9	37.2
Ovary									7	14.4	5.7	32.4
Prostate					61	134.4	102.0	175.3				
Testis					4	15.6	4.1	39.4				
Urinary Bladder (includes in situ)	21	22.8	14.0	35.9	21	50.6	30.9	79.6	0			
Kidney and Renal Pelvis	21	26.1	15.6	41.5	14	38.9	20.3	67.8	7	16.7	6.2	37.4
Brain and Nervous System	4	7.3	1.9	18.7	4	14.0	3.6	36.4	0			
Hodgkin Lymphoma	2	3.6	0.4	13.0	1	4.5	0.1	22.5	1	2.4	0.1	16.3
Non-Hodgkin Lymphoma	15	17.8	9.7	30.5	6	14.4	5.1	33.8	9	21.0	9.1	42.5
Myeloma	6	8.6	3.1	19.4	4	13.7	3.6	35.4	2	4.8	0.6	19.8
Leukemia	18	22.6	13.0	36.9	12	31.8	15.9	57.7	6	14.8	5.1	34.7
All Other Sites	47	55.7	40.3	75.6	20	57.8	34.6	91.1	27	55.6	35.6	84.2
Breast in Situ (not in total)									13	28.3	14.3	51.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Mercer

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	604	529.9	486.6	576.5	332	583.3	520.2	653.0	272	485.2	425.7	551.5
Oral Cavity and Pharynx	15	13.4	7.3	23.3	13	24.3	12.5	43.7	2	2.4	0.3	13.2
Esophagus	7	6.0	2.4	13.4	6	10.7	3.9	25.1	1	1.7	0.0	12.8
Stomach	2	1.5	0.2	7.1	2	2.9	0.3	14.0	0			
Colon and Rectum	56	46.8	35.1	61.8	30	50.8	33.9	74.4	26	42.9	27.5	65.3
Liver	6	4.1	1.5	10.4	6	9.4	3.4	22.9	0			
Pancreas	22	19.1	11.9	29.8	11	18.3	9.0	34.8	11	19.5	9.6	36.9
Lung and Bronchus	109	88.6	72.4	107.8	64	108.0	82.7	139.9	45	70.3	51.0	96.0
Bones and Joints	2	3.1	0.4	10.8	0				2	6.3	0.7	21.9
Melanoma of the Skin	43	42.8	30.3	58.9	27	51.0	33.0	76.1	16	35.9	19.5	60.6
Breast (invasive)	82	75.8	59.5	95.7	1	1.6	0.0	12.4	81	148.1	115.7	187.4
Cervix									3	7.2	1.2	22.5
Corpus and Uterus, NOS									19	34.6	20.2	56.5
Ovary									8	12.5	5.1	27.6
Prostate					61	100.1	76.1	130.6				
Testis					2	6.8	0.8	23.0				
Urinary Bladder (includes in situ)	24	19.2	12.2	29.5	21	34.2	21.0	54.1	3	5.0	1.0	17.3
Kidney and Renal Pelvis	16	14.2	7.8	24.3	12	21.0	10.6	38.8	4	8.5	2.0	23.9
Brain and Nervous System	8	8.0	3.2	16.8	7	12.7	4.8	28.6	1	3.4	0.1	17.3
Hodgkin Lymphoma	3	3.3	0.6	10.6	2	5.0	0.5	19.0	1	1.5	0.0	12.3
Non-Hodgkin Lymphoma	31	29.9	19.8	43.7	15	29.0	15.8	49.9	16	31.0	16.7	53.2
Myeloma	5	4.1	1.3	10.8	3	5.4	1.1	18.0	2	3.0	0.4	14.4
Leukemia	13	10.0	5.3	18.1	6	9.2	3.3	22.6	7	10.8	4.3	24.7
All Other Sites	67	60.4	46.0	78.2	43	82.9	59.0	114.1	24	40.5	24.9	63.3
Breast in Situ (not in total)									16	30.5	17.0	51.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Monroe

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	973	435.8	408.0	465.2	501	464.0	422.8	508.3	472	416.9	378.7	458.2
Oral Cavity and Pharynx	33	13.9	9.4	20.0	25	21.1	13.4	32.2	8	7.2	2.9	15.1
Esophagus	15	5.9	3.3	10.2	12	10.6	5.3	19.3	3	1.8	0.4	6.8
Stomach	8	3.7	1.6	7.7	4	3.6	0.9	10.2	4	3.6	0.9	10.0
Colon and Rectum	71	31.5	24.4	40.2	41	36.5	25.8	50.4	30	26.5	17.5	38.8
Liver	12	5.3	2.7	9.6	10	9.1	4.3	17.6	2	1.6	0.2	6.9
Pancreas	26	11.4	7.4	17.1	16	15.7	8.8	26.1	10	7.9	3.7	15.4
Lung and Bronchus	120	51.3	42.3	61.7	60	56.3	42.6	73.3	60	49.0	37.1	63.9
Bones and Joints	2	0.7	0.1	3.3	1	0.6	0.0	5.5	1	0.8	0.0	5.7
Melanoma of the Skin	65	31.4	23.9	40.5	40	39.8	28.0	55.0	25	24.6	15.5	37.1
Breast (invasive)	153	71.6	60.3	84.4	1	0.8	0.0	5.7	152	136.9	115.2	161.7
Cervix									2	2.2	0.2	8.4
Corpus and Uterus, NOS									26	22.3	14.3	33.4
Ovary									12	9.4	4.8	17.3
Prostate					127	110.6	91.6	132.8				
Testis					1	1.5	0.0	7.6				
Urinary Bladder (includes in situ)	44	18.4	13.2	25.0	35	32.3	22.2	45.7	9	6.8	3.0	13.9
Kidney and Renal Pelvis	40	16.7	11.8	23.2	24	21.2	13.4	32.5	16	12.4	6.9	21.0
Brain and Nervous System	20	10.9	6.5	17.2	9	9.4	4.1	18.4	11	12.7	6.1	23.2
Hodgkin Lymphoma	4	2.6	0.7	6.6	0				4	5.2	1.4	13.2
Non-Hodgkin Lymphoma	43	20.5	14.7	28.1	23	22.1	13.7	34.1	20	19.1	11.4	30.2
Myeloma	17	7.6	4.4	12.6	10	10.6	5.0	19.9	7	5.5	2.2	12.3
Leukemia	23	10.4	6.5	15.9	14	12.6	6.8	21.8	9	8.1	3.6	16.2
All Other Sites	109	51.0	41.7	62.0	48	49.6	36.2	66.5	61	53.6	40.6	69.8
Breast in Situ (not in total)									35	35.2	24.0	49.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Montgomery

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	994	491.2	460.0	524.0	533	549.9	503.3	599.9	461	453.2	409.5	500.5
Oral Cavity and Pharynx	29	15.6	10.3	22.8	19	21.1	12.6	33.4	10	9.6	4.4	19.1
Esophagus	8	3.6	1.5	7.7	6	6.2	2.3	14.2	2	1.7	0.1	8.2
Stomach	9	4.2	1.9	8.6	6	6.2	2.2	14.2	3	2.1	0.4	8.4
Colon and Rectum	113	56.1	45.9	68.0	60	65.3	49.6	84.7	53	47.8	35.0	64.5
Liver	12	5.6	2.8	10.3	9	8.3	3.8	16.7	3	3.1	0.5	10.9
Pancreas	25	11.0	7.1	16.8	13	13.2	6.9	23.2	12	8.9	4.4	17.3
Lung and Bronchus	191	92.1	79.2	106.7	110	112.9	92.5	136.8	81	75.3	59.1	95.1
Bones and Joints	0				0				0			
Melanoma of the Skin	43	23.4	16.7	32.1	22	22.8	14.2	35.2	21	27.1	16.0	42.9
Breast (invasive)	105	52.7	42.8	64.4	1	1.3	0.0	7.6	104	102.2	82.5	125.7
Cervix									10	14.9	6.7	28.3
Corpus and Uterus, NOS									27	25.7	16.6	38.7
Ovary									10	9.8	4.2	20.0
Prostate					87	84.5	67.4	105.0				
Testis					3	2.8	0.6	9.3				
Urinary Bladder (includes in situ)	45	21.0	15.3	28.6	40	41.1	29.2	56.7	5	4.4	1.4	11.8
Kidney and Renal Pelvis	52	25.8	19.0	34.5	33	33.3	22.7	47.6	19	19.0	10.8	31.5
Brain and Nervous System	16	8.6	4.8	14.4	11	12.4	6.1	22.9	5	4.3	1.3	11.7
Hodgkin Lymphoma	2	1.0	0.1	4.3	1	1.2	0.0	7.1	1	0.9	0.0	7.0
Non-Hodgkin Lymphoma	39	18.2	12.8	25.5	16	16.8	9.4	28.2	23	19.1	12.0	30.0
Myeloma	14	6.5	3.5	11.3	8	8.5	3.6	17.3	6	4.6	1.6	12.0
Leukemia	33	16.1	10.8	23.3	20	22.4	13.5	35.3	13	11.5	5.9	21.2
All Other Sites	121	63.2	51.9	76.3	68	69.4	53.6	88.8	53	61.2	44.4	82.3
Breast in Situ (not in total)									15	19.4	10.4	33.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Morgan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,306	555.7	524.9	588.0	691	626.0	579.2	675.8	615	517.2	474.3	563.2
Oral Cavity and Pharynx	38	16.0	11.2	22.3	25	22.3	14.3	33.6	13	11.1	5.7	20.0
Esophagus	17	6.6	3.8	10.9	14	12.1	6.5	20.9	3	2.2	0.4	7.7
Stomach	16	6.6	3.8	11.1	12	10.9	5.6	19.6	4	3.2	0.9	9.2
Colon and Rectum	123	51.8	42.8	62.4	69	65.3	50.5	83.3	54	41.4	30.6	55.4
Liver	19	7.4	4.4	12.0	17	14.0	8.0	23.1	2	1.4	0.2	6.6
Pancreas	26	11.1	7.1	16.6	15	14.9	8.2	25.0	11	7.7	3.8	14.9
Lung and Bronchus	230	93.1	81.1	106.5	126	111.1	92.2	133.1	104	81.2	65.6	99.8
Bones and Joints	2	1.0	0.1	4.0	0				2	2.2	0.2	8.5
Melanoma of the Skin	62	26.3	19.9	34.3	43	39.1	28.0	53.3	19	17.5	10.0	28.7
Breast (invasive)	180	82.3	70.1	96.0	2	1.7	0.2	7.1	178	158.5	134.4	185.8
Cervix									8	9.3	3.7	18.9
Corpus and Uterus, NOS									37	28.3	19.6	40.0
Ovary									12	9.2	4.6	17.2
Prostate					151	130.4	110.1	153.8				
Testis					4	4.8	1.3	12.4				
Urinary Bladder (includes in situ)	63	25.2	19.2	32.6	49	46.3	34.1	61.8	14	9.5	5.1	17.0
Kidney and Renal Pelvis	45	18.2	13.2	24.8	21	16.5	10.1	25.9	24	20.1	12.5	31.1
Brain and Nervous System	19	10.2	5.9	16.3	12	12.8	6.4	23.0	7	8.3	3.1	17.7
Hodgkin Lymphoma	5	2.8	0.9	6.6	3	3.4	0.7	10.1	2	2.4	0.2	9.0
Non-Hodgkin Lymphoma	45	18.8	13.6	25.6	23	21.8	13.6	33.3	22	15.6	9.6	24.6
Myeloma	17	6.8	3.9	11.3	9	8.1	3.7	16.0	8	5.7	2.3	12.7
Leukemia	30	13.7	9.1	19.9	17	15.6	9.0	25.5	13	12.4	6.2	22.3
All Other Sites	157	70.5	59.4	83.1	79	74.7	58.9	93.8	78	70.0	54.2	89.3
Breast in Situ (not in total)									38	35.4	24.4	50.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Moultrie

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	443	467.8	423.5	515.7	238	541.1	472.7	617.0	205	413.1	355.4	478.0
Oral Cavity and Pharynx	11	12.4	5.9	23.0	10	23.7	10.9	45.3	1	1.8	0.0	12.9
Esophagus	3	3.9	0.8	11.8	2	5.8	0.7	20.8	1	2.3	0.1	14.0
Stomach	10	9.2	4.3	18.0	7	16.4	6.5	34.7	3	3.5	0.7	14.6
Colon and Rectum	56	56.6	42.3	74.5	29	64.8	43.0	94.5	27	50.2	32.2	75.6
Liver	3	3.1	0.6	9.9	3	6.5	1.3	20.5	0			
Pancreas	18	17.3	10.1	28.2	10	23.0	11.0	43.3	8	11.5	4.8	25.6
Lung and Bronchus	71	74.3	57.8	94.4	38	85.4	60.2	118.4	33	65.9	44.9	94.0
Bones and Joints	1	1.0	0.0	6.6	1	2.0	0.1	13.6	0			
Melanoma of the Skin	21	23.0	14.0	36.0	15	34.3	18.8	58.1	6	12.8	4.4	29.5
Breast (invasive)	54	59.0	43.6	78.2	2	6.4	0.7	22.6	52	106.3	77.9	142.1
Cervix									5	15.6	4.7	36.3
Corpus and Uterus, NOS									11	24.4	11.4	45.7
Ovary									9	18.2	7.8	36.6
Prostate					36	73.6	51.1	103.6				
Testis					4	13.2	3.3	33.5				
Urinary Bladder (includes in situ)	27	26.1	17.0	39.0	17	36.6	21.2	59.8	10	19.4	8.8	37.9
Kidney and Renal Pelvis	21	23.0	13.8	36.2	12	28.2	14.0	51.0	9	18.6	8.0	37.4
Brain and Nervous System	7	9.4	3.6	19.8	5	13.3	4.2	31.6	2	5.7	0.5	21.0
Hodgkin Lymphoma	3	4.5	0.9	13.0	3	9.3	1.8	26.7	0			
Non-Hodgkin Lymphoma	25	24.7	15.7	37.4	20	42.4	25.7	66.7	5	11.2	3.2	28.1
Myeloma	7	8.9	3.5	18.8	4	11.3	2.9	29.4	3	6.6	1.4	20.5
Leukemia	6	5.7	2.0	13.4	3	5.7	1.2	19.0	3	5.5	1.0	18.6
All Other Sites	34	34.3	23.4	48.8	17	39.0	22.6	63.5	17	33.8	19.3	55.8
Breast in Situ (not in total)									17	35.0	19.7	58.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Ogle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,609	474.7	451.1	499.4	787	474.5	441.1	509.9	822	480.5	446.7	516.3
Oral Cavity and Pharynx	48	14.0	10.2	18.8	31	18.0	12.2	26.1	17	10.4	5.9	17.1
Esophagus	20	5.8	3.5	9.2	16	9.8	5.5	16.5	4	2.0	0.5	5.9
Stomach	21	6.1	3.7	9.5	12	6.8	3.5	12.4	9	5.3	2.4	10.6
Colon and Rectum	144	41.4	34.7	49.0	70	41.7	32.3	53.2	74	40.3	31.3	51.3
Liver	13	3.4	1.8	6.1	12	6.5	3.3	11.9	1	0.5	0.0	3.6
Pancreas	39	10.6	7.5	14.7	25	14.9	9.5	22.5	14	7.2	3.9	12.6
Lung and Bronchus	245	68.4	60.0	77.7	135	81.6	68.2	97.1	110	57.7	47.3	70.0
Bones and Joints	3	0.9	0.2	2.8	2	1.1	0.1	4.7	1	0.6	0.0	3.8
Melanoma of the Skin	96	30.6	24.6	37.8	42	25.5	18.2	35.0	54	36.7	27.1	48.7
Breast (invasive)	200	60.7	52.3	70.1	1	0.6	0.0	4.1	199	116.8	100.4	135.2
Cervix									10	6.9	3.1	13.1
Corpus and Uterus, NOS									64	36.1	27.5	46.8
Ovary									20	11.9	7.1	19.0
Prostate					160	91.6	77.7	107.6				
Testis					8	7.3	3.1	14.4				
Urinary Bladder (includes in situ)	77	21.9	17.2	27.6	61	37.1	28.2	48.2	16	8.6	4.8	14.6
Kidney and Renal Pelvis	69	20.4	15.7	26.1	41	24.5	17.4	33.7	28	16.6	10.8	24.6
Brain and Nervous System	17	5.9	3.4	9.7	6	4.2	1.5	9.6	11	7.6	3.7	14.0
Hodgkin Lymphoma	9	3.4	1.5	6.6	2	1.2	0.1	5.0	7	5.7	2.2	11.9
Non-Hodgkin Lymphoma	74	23.5	18.3	29.8	36	24.1	16.7	33.9	38	22.9	15.9	32.1
Myeloma	21	5.8	3.5	9.0	15	8.8	4.8	14.9	6	2.9	1.1	7.0
Leukemia	47	14.9	10.8	20.2	23	15.2	9.5	23.3	24	14.5	9.1	22.1
All Other Sites	204	62.0	53.5	71.6	89	53.8	42.9	66.8	115	69.4	56.7	84.3
Breast in Situ (not in total)									42	25.9	18.4	35.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,581	500.1	486.7	513.8	2,845	552.7	532.1	573.9	2,736	463.2	445.3	481.6
Oral Cavity and Pharynx	137	12.4	10.4	14.8	94	18.5	14.8	22.8	43	7.4	5.3	10.1
Esophagus	66	5.9	4.5	7.5	51	9.9	7.3	13.1	15	2.6	1.4	4.4
Stomach	68	6.0	4.6	7.6	38	7.2	5.0	10.0	30	5.0	3.3	7.3
Colon and Rectum	489	44.5	40.5	48.7	264	53.6	47.2	60.7	225	36.5	31.7	41.9
Liver	69	5.6	4.3	7.1	59	10.3	7.8	13.5	10	1.6	0.7	3.0
Pancreas	158	13.9	11.8	16.4	83	17.4	13.8	21.7	75	11.1	8.7	14.1
Lung and Bronchus	978	84.7	79.4	90.3	543	105.0	96.2	114.5	435	69.2	62.7	76.2
Bones and Joints	9	1.0	0.4	1.8	3	0.7	0.1	1.9	6	1.2	0.4	2.7
Melanoma of the Skin	312	29.0	25.8	32.6	180	36.9	31.5	42.8	132	23.5	19.5	28.1
Breast (invasive)	831	78.4	73.0	84.2	5	1.0	0.3	2.5	826	146.0	135.8	156.8
Cervix									51	10.7	7.8	14.2
Corpus and Uterus, NOS									155	24.7	20.9	29.2
Ovary									51	8.3	6.1	11.1
Prostate					686	122.9	113.7	132.7				
Testis					22	5.4	3.3	8.1				
Urinary Bladder (includes in situ)	238	20.8	18.2	23.6	173	35.0	29.9	40.8	65	9.9	7.6	12.7
Kidney and Renal Pelvis	242	22.3	19.5	25.4	165	32.8	27.9	38.4	77	13.4	10.5	16.9
Brain and Nervous System	65	6.2	4.7	7.9	29	5.8	3.8	8.4	36	6.7	4.6	9.4
Hodgkin Lymphoma	28	2.8	1.8	4.1	18	3.7	2.2	5.9	10	2.0	0.9	3.7
Non-Hodgkin Lymphoma	217	19.4	16.8	22.2	110	21.1	17.3	25.6	107	18.0	14.6	22.0
Myeloma	55	4.8	3.6	6.3	28	5.6	3.7	8.2	27	4.0	2.6	6.0
Leukemia	120	11.1	9.2	13.3	73	14.8	11.6	18.7	47	8.1	5.9	11.0
All Other Sites	534	49.1	44.9	53.6	221	45.0	39.1	51.5	313	53.1	47.1	59.6
Breast in Situ (not in total)									183	32.9	28.1	38.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Perry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	677	493.9	456.4	533.9	342	497.7	445.5	554.6	335	510.9	454.0	573.3
Oral Cavity and Pharynx	15	11.0	6.1	18.6	14	19.1	10.3	32.9	1	1.9	0.0	11.2
Esophagus	6	3.5	1.3	8.4	4	5.0	1.3	14.1	2	2.2	0.3	10.9
Stomach	5	3.0	1.0	7.9	3	4.0	0.8	12.8	2	2.2	0.3	10.8
Colon and Rectum	75	54.7	42.7	69.2	35	51.1	35.4	71.9	40	60.6	42.1	84.9
Liver	8	6.5	2.7	13.2	6	9.2	3.3	20.6	2	3.8	0.4	14.8
Pancreas	25	17.4	11.1	26.2	15	21.8	12.1	36.8	10	13.0	6.1	25.7
Lung and Bronchus	115	79.8	65.6	96.3	63	91.3	69.9	117.7	52	69.7	51.4	93.3
Bones and Joints	1	0.7	0.0	4.6	1	1.3	0.0	8.8	0			
Melanoma of the Skin	30	22.8	15.1	33.1	19	29.3	17.4	46.5	11	17.9	8.4	33.8
Breast (invasive)	87	67.1	53.4	83.4	0				87	141.0	111.3	176.6
Cervix									9	18.9	8.3	36.5
Corpus and Uterus, NOS									13	20.9	10.5	37.7
Ovary									12	20.7	10.1	37.9
Prostate					63	88.8	67.9	114.5				
Testis					3	4.4	0.9	13.9				
Urinary Bladder (includes in situ)	40	26.4	18.7	36.5	28	39.7	26.2	58.3	12	13.5	6.6	26.1
Kidney and Renal Pelvis	31	23.3	15.7	33.6	20	29.2	17.7	46.0	11	17.5	8.5	32.6
Brain and Nervous System	6	5.3	1.8	11.9	4	6.2	1.6	16.7	2	3.9	0.4	15.0
Hodgkin Lymphoma	3	3.0	0.6	8.9	0				3	6.8	1.3	19.9
Non-Hodgkin Lymphoma	23	16.6	10.4	25.4	11	16.5	8.1	30.3	12	16.7	8.6	30.5
Myeloma	5	3.4	1.1	8.6	3	4.1	0.8	13.3	2	2.9	0.4	12.4
Leukemia	19	15.5	9.1	24.8	10	15.9	7.5	29.9	9	16.1	6.9	32.1
All Other Sites	83	61.2	48.4	76.6	40	60.8	43.1	83.5	43	60.8	42.6	84.7
Breast in Situ (not in total)									13	16.3	8.6	29.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Piatt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	556	496.3	454.3	541.4	274	504.4	444.7	570.6	282	497.1	437.6	562.9
Oral Cavity and Pharynx	15	14.2	7.7	24.4	5	8.1	2.6	21.1	10	19.2	8.7	37.3
Esophagus	3	2.4	0.5	8.2	2	3.2	0.4	14.2	1	1.7	0.0	12.0
Stomach	10	9.1	4.2	17.7	10	19.6	9.1	37.7	0			
Colon and Rectum	48	44.8	32.7	60.3	27	51.9	33.7	77.0	21	38.2	23.0	60.4
Liver	9	7.7	3.5	15.3	7	12.6	4.9	27.5	2	3.3	0.4	14.3
Pancreas	20	17.3	10.4	27.6	13	23.9	12.3	42.7	7	10.8	4.3	24.2
Lung and Bronchus	73	61.9	48.3	78.7	36	68.0	47.2	95.6	37	57.6	40.2	81.1
Bones and Joints	0				0				0			
Melanoma of the Skin	51	53.4	39.0	71.5	29	59.1	38.7	86.8	22	50.6	30.6	78.3
Breast (invasive)	72	64.2	49.7	82.0	0				72	123.6	95.5	158.1
Cervix									5	9.1	2.8	23.1
Corpus and Uterus, NOS									18	30.4	17.4	50.3
Ovary									7	12.5	4.7	27.8
Prostate					61	102.3	77.9	133.1				
Testis					1	3.0	0.1	15.4				
Urinary Bladder (includes in situ)	15	12.1	6.7	20.7	13	22.5	11.8	40.1	2	2.9	0.4	13.4
Kidney and Renal Pelvis	19	16.4	9.8	26.4	10	18.0	8.5	34.8	9	15.3	6.8	30.8
Brain and Nervous System	8	6.9	2.9	14.6	5	9.0	2.8	22.7	3	5.5	1.0	18.2
Hodgkin Lymphoma	1	1.5	0.0	7.7	1	3.0	0.1	15.6	0			
Non-Hodgkin Lymphoma	25	22.2	14.0	33.7	13	24.2	12.6	42.9	12	20.6	10.1	38.3
Myeloma	6	4.8	1.7	11.4	3	5.3	1.1	17.5	3	4.2	0.9	15.2
Leukemia	17	14.3	8.2	23.8	8	14.7	6.1	30.8	9	13.3	6.0	27.2
All Other Sites	72	66.2	51.2	84.6	30	56.1	37.4	81.6	42	78.4	55.2	108.7
Breast in Situ (not in total)									14	27.7	14.5	48.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pike

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	591	529.6	485.8	576.6	319	599.3	533.6	671.5	272	475.5	416.2	541.5
Oral Cavity and Pharynx	22	23.2	14.0	36.1	15	31.5	17.4	53.0	7	17.0	6.1	37.1
Esophagus	6	4.8	1.7	11.5	6	10.7	3.9	24.9	0			
Stomach	4	3.7	0.9	10.5	4	8.0	2.1	22.1	0			
Colon and Rectum	54	49.0	36.0	65.6	31	59.3	39.7	85.9	23	43.2	25.5	68.9
Liver	10	7.7	3.7	15.2	8	14.6	6.2	30.2	2	3.0	0.4	14.1
Pancreas	23	18.7	11.8	28.9	11	19.2	9.5	35.9	12	17.9	9.0	33.8
Lung and Bronchus	98	83.3	67.4	102.4	59	110.2	83.6	143.5	39	60.9	43.0	85.3
Bones and Joints	0				0				0			
Melanoma of the Skin	35	35.5	24.1	50.7	16	29.8	16.6	50.2	19	42.4	24.1	68.9
Breast (invasive)	67	62.5	47.8	80.7	0				67	120.9	91.8	157.0
Cervix									2	2.8	0.3	13.6
Corpus and Uterus, NOS									15	25.8	14.0	44.8
Ovary									2	5.4	0.5	20.1
Prostate					60	104.8	79.3	136.8				
Testis					3	9.3	1.9	26.2				
Urinary Bladder (includes in situ)	29	24.1	16.0	35.4	19	35.6	21.3	56.8	10	15.1	7.0	30.3
Kidney and Renal Pelvis	20	19.2	11.4	30.6	15	29.1	16.0	49.5	5	9.9	2.7	25.6
Brain and Nervous System	3	3.3	0.5	10.6	1	3.5	0.1	17.2	2	3.0	0.4	14.0
Hodgkin Lymphoma	3	3.2	0.6	10.1	2	4.4	0.4	17.2	1	1.6	0.0	12.3
Non-Hodgkin Lymphoma	18	14.8	8.7	24.3	12	21.1	10.7	38.5	6	10.1	3.6	24.1
Myeloma	11	10.1	4.8	19.1	4	6.3	1.7	18.4	7	13.5	4.9	30.3
Leukemia	24	22.1	13.9	33.8	11	21.5	10.5	39.8	13	21.2	10.7	39.0
All Other Sites	82	70.9	55.8	89.4	42	80.4	57.3	110.5	40	61.5	42.8	86.9
Breast in Situ (not in total)									8	15.7	6.5	32.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pope

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	170	488.2	408.6	581.5	101	585.9	462.0	737.2	69	392.4	297.3	516.8
Oral Cavity and Pharynx	10	27.4	12.2	58.8	9	50.0	21.3	109.9	1	4.0	0.1	55.7
Esophagus	2	8.0	0.7	36.0	2	15.2	1.4	68.0	0			
Stomach	1	2.4	0.1	26.2	0				1	5.2	0.1	57.5
Colon and Rectum	12	32.9	14.8	67.8	7	41.9	13.0	106.0	5	24.0	7.7	79.1
Liver	3	8.5	1.6	34.4	1	7.4	0.2	54.8	2	10.0	1.2	62.9
Pancreas	7	15.2	6.1	41.0	3	13.3	2.7	59.3	4	16.8	4.5	69.5
Lung and Bronchus	25	59.2	37.9	94.4	15	67.9	37.5	126.3	10	50.3	23.6	111.8
Bones and Joints	0				0				0			
Melanoma of the Skin	9	35.8	14.3	75.7	6	48.0	14.1	119.6	3	23.9	4.1	86.4
Breast (invasive)	16	52.7	27.4	94.7	1	3.6	0.1	47.8	15	103.0	52.7	189.4
Cervix									2	19.9	1.7	84.9
Corpus and Uterus, NOS									1	4.0	0.1	55.7
Ovary									3	21.4	4.3	80.0
Prostate					23	110.0	68.9	177.7				
Testis					0							
Urinary Bladder (includes in situ)	4	12.2	2.7	40.5	3	19.6	3.2	72.9	1	3.9	0.1	55.6
Kidney and Renal Pelvis	13	43.0	20.1	83.2	11	76.6	32.6	155.4	2	10.0	1.2	62.9
Brain and Nervous System	1	2.6	0.1	26.5	1	6.1	0.2	52.1	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	11	30.1	13.3	63.3	4	28.3	5.4	89.2	7	32.6	13.0	88.9
Myeloma	2	5.1	0.6	29.5	1	6.1	0.2	52.1	1	4.4	0.1	56.2
Leukemia	4	9.8	2.6	35.1	2	11.2	1.3	58.3	2	9.3	1.1	61.7
All Other Sites	21	65.4	36.3	111.0	12	80.5	35.1	160.5	9	49.8	21.0	114.6
Breast in Situ (not in total)									3	18.7	3.7	75.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pulaski

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	213	514.7	443.9	594.7	108	529.1	430.1	646.7	105	512.7	411.7	632.8
Oral Cavity and Pharynx	4	8.2	2.2	25.0	3	14.6	3.0	50.0	1	3.2	0.1	31.4
Esophagus	3	6.1	1.2	22.3	2	8.5	1.0	40.5	1	3.5	0.1	31.9
Stomach	5	14.6	4.2	37.0	2	9.8	1.2	43.1	3	18.3	3.2	58.3
Colon and Rectum	14	30.2	16.3	53.8	7	34.8	13.7	77.8	7	26.9	10.7	63.0
Liver	6	13.0	4.7	31.8	3	14.4	2.9	49.6	3	12.0	2.4	43.9
Pancreas	6	13.3	4.8	32.3	3	14.7	3.0	50.0	3	11.8	2.4	43.4
Lung and Bronchus	46	102.2	74.5	138.7	26	129.0	83.7	193.8	20	81.0	49.2	130.7
Bones and Joints	0				0				0			
Melanoma of the Skin	6	15.5	4.9	37.7	2	8.5	1.0	40.5	4	22.1	4.6	64.5
Breast (invasive)	27	74.7	47.4	112.8	0				27	142.5	90.0	216.0
Cervix									1	11.0	0.3	52.0
Corpus and Uterus, NOS									9	49.9	21.2	101.1
Ovary									1	3.5	0.1	31.9
Prostate					30	137.2	91.1	202.5				
Testis					1	11.9	0.3	55.9				
Urinary Bladder (includes in situ)	13	28.4	15.1	51.4	10	48.8	23.2	95.4	3	11.3	2.3	42.3
Kidney and Renal Pelvis	7	18.0	6.5	41.0	4	23.2	5.3	66.4	3	12.3	2.5	44.4
Brain and Nervous System	3	6.3	1.3	22.8	1	4.7	0.1	35.7	2	7.5	0.9	37.4
Hodgkin Lymphoma	2	10.7	1.3	35.0	1	11.9	0.3	55.9	1	11.0	0.3	52.0
Non-Hodgkin Lymphoma	6	13.6	4.8	33.1	4	17.2	4.6	52.5	2	11.2	1.2	45.6
Myeloma	2	6.6	0.6	26.2	0				2	13.0	1.1	51.5
Leukemia	3	9.2	1.8	28.6	0				3	18.2	3.6	56.6
All Other Sites	18	41.1	23.9	68.1	9	39.8	18.0	82.2	9	42.4	18.4	87.3
Breast in Situ (not in total)									1	4.1	0.1	33.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Putnam

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	177	391.1	332.2	458.8	105	476.5	384.6	586.5	72	321.1	245.9	415.4
Oral Cavity and Pharynx	3	6.3	1.3	23.0	3	12.9	2.6	45.9	0			
Esophagus	5	11.3	3.6	29.8	5	22.8	7.3	59.7	0			
Stomach	3	5.9	1.2	22.1	3	12.0	2.5	43.9	0			
Colon and Rectum	13	30.3	15.7	55.3	9	44.5	19.4	90.8	4	15.1	4.0	49.4
Liver	1	4.8	0.1	24.1	1	8.8	0.2	45.6	0			
Pancreas	4	8.3	2.2	25.6	4	19.4	4.8	56.7	0			
Lung and Bronchus	40	82.7	58.8	115.6	24	99.0	62.4	153.9	16	68.6	38.8	118.4
Bones and Joints	1	5.0	0.1	24.9	0				1	10.4	0.3	51.7
Melanoma of the Skin	11	27.5	12.0	54.5	6	21.6	7.9	55.9	5	33.7	8.5	87.0
Breast (invasive)	25	54.6	34.2	84.6	0				25	109.5	68.9	170.2
Cervix									0			
Corpus and Uterus, NOS									4	13.7	3.7	46.9
Ovary									2	8.8	1.0	42.2
Prostate					23	87.9	55.1	138.6				
Testis					0							
Urinary Bladder (includes in situ)	7	19.3	7.2	42.9	7	39.5	14.8	86.9	0			
Kidney and Renal Pelvis	4	7.2	1.9	23.5	3	10.2	2.1	40.9	1	3.9	0.1	35.0
Brain and Nervous System	3	6.8	1.4	23.9	1	4.9	0.1	35.1	2	8.6	1.0	41.6
Hodgkin Lymphoma	1	1.9	0.0	16.9	0				1	3.9	0.1	35.0
Non-Hodgkin Lymphoma	3	6.3	1.3	23.0	2	12.6	1.4	48.7	1	3.2	0.1	33.8
Myeloma	4	8.0	2.1	25.1	3	15.5	2.8	51.8	1	3.7	0.1	34.6
Leukemia	5	10.3	3.3	28.2	4	19.3	4.8	56.7	1	3.8	0.1	34.9
All Other Sites	15	38.3	19.9	67.8	7	45.8	16.5	99.8	8	34.2	13.8	76.7
Breast in Situ (not in total)									6	21.2	7.8	56.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Randolph

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,047	476.4	447.1	507.1	548	517.8	474.5	564.2	499	474.0	430.0	521.6
Oral Cavity and Pharynx	27	11.9	7.7	17.7	20	17.3	10.4	27.5	7	6.7	2.4	15.3
Esophagus	8	3.6	1.5	7.5	8	7.7	3.3	15.8	0			
Stomach	14	6.6	3.6	11.4	10	10.1	4.8	19.0	4	4.2	1.0	11.9
Colon and Rectum	113	49.9	40.9	60.5	58	56.2	42.5	73.3	55	43.7	32.4	58.5
Liver	17	7.4	4.3	12.2	15	13.1	7.3	22.2	2	1.7	0.2	7.8
Pancreas	27	12.1	7.9	18.0	19	18.3	10.9	29.0	8	6.4	2.7	14.1
Lung and Bronchus	160	70.6	59.9	82.9	84	80.7	64.1	100.6	76	67.7	52.5	86.4
Bones and Joints	1	0.8	0.0	4.1	0				1	1.7	0.0	8.8
Melanoma of the Skin	46	22.3	16.2	30.2	26	26.0	16.8	38.6	20	22.3	13.0	36.0
Breast (invasive)	133	62.9	52.4	75.1	1	1.2	0.0	6.6	132	129.8	107.0	156.4
Cervix									3	4.7	0.9	13.7
Corpus and Uterus, NOS									41	36.9	26.0	51.4
Ovary									12	10.9	5.4	20.4
Prostate					97	84.2	67.9	103.5				
Testis					8	8.7	3.7	17.4				
Urinary Bladder (includes in situ)	45	20.1	14.5	27.2	36	36.5	25.4	51.0	9	7.7	3.1	16.4
Kidney and Renal Pelvis	52	22.5	16.7	29.9	32	28.0	19.0	40.2	20	17.9	10.6	28.9
Brain and Nervous System	11	5.5	2.7	10.3	5	4.9	1.6	12.0	6	7.7	2.5	17.7
Hodgkin Lymphoma	3	1.8	0.3	5.5	3	3.8	0.7	10.9	0			
Non-Hodgkin Lymphoma	49	23.0	16.9	30.8	29	28.5	18.9	41.4	20	19.8	11.6	32.0
Myeloma	11	4.6	2.3	8.7	7	6.2	2.5	13.5	4	3.3	0.9	9.8
Leukemia	36	16.2	11.2	23.0	25	24.4	15.6	36.6	11	9.4	4.5	18.3
All Other Sites	133	63.5	52.8	75.9	65	62.1	47.7	79.8	68	71.4	53.8	93.1
Breast in Situ (not in total)									24	24.5	15.1	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Richland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	548	497.0	454.5	542.7	297	551.3	489.1	619.9	251	462.5	403.3	528.5
Oral Cavity and Pharynx	10	9.5	4.3	18.3	8	16.7	7.0	34.3	2	3.2	0.4	14.2
Esophagus	8	7.4	2.9	15.8	6	12.4	4.2	28.6	2	3.9	0.4	15.7
Stomach	2	1.5	0.2	6.9	1	1.8	0.0	12.2	1	1.7	0.0	12.2
Colon and Rectum	62	59.1	44.5	77.2	36	70.6	48.8	99.4	26	50.2	31.4	76.5
Liver	7	6.2	2.5	13.6	4	7.5	2.0	20.8	3	5.4	1.1	17.7
Pancreas	16	12.5	7.1	21.2	10	17.4	8.3	33.6	6	8.4	3.0	21.0
Lung and Bronchus	93	83.0	66.5	102.6	53	98.4	73.3	130.1	40	68.5	47.8	95.8
Bones and Joints	0				0				0			
Melanoma of the Skin	20	18.6	11.2	29.6	14	26.6	14.5	45.8	6	12.7	4.3	29.1
Breast (invasive)	67	64.4	49.2	83.0	0				67	124.2	94.7	160.6
Cervix									4	9.1	2.3	24.3
Corpus and Uterus, NOS									15	29.1	15.6	50.2
Ovary									1	1.5	0.0	11.8
Prostate					70	120.5	93.7	153.6				
Testis					2	5.0	0.6	18.2				
Urinary Bladder (includes in situ)	22	16.1	10.0	25.4	21	36.5	22.5	57.2	1	0.8	0.0	10.5
Kidney and Renal Pelvis	28	24.8	16.3	36.8	13	22.4	11.8	39.9	15	26.8	14.5	46.2
Brain and Nervous System	4	3.1	0.8	9.1	2	3.2	0.4	14.2	2	2.8	0.3	13.5
Hodgkin Lymphoma	2	2.2	0.2	8.7	2	4.5	0.4	17.5	0			
Non-Hodgkin Lymphoma	21	18.3	11.2	28.9	9	16.1	7.3	32.0	12	21.0	10.4	38.9
Myeloma	6	5.8	2.0	13.4	5	10.5	3.3	25.8	1	1.4	0.0	11.6
Leukemia	20	19.4	11.4	31.0	11	23.8	11.5	43.8	9	14.9	6.1	31.5
All Other Sites	68	66.1	50.5	85.1	30	57.4	38.4	83.2	38	76.9	52.7	108.7
Breast in Situ (not in total)									8	13.2	5.7	28.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,334	453.5	439.6	467.8	2,206	488.3	467.6	509.7	2,128	432.0	412.8	451.9
Oral Cavity and Pharynx	119	12.6	10.3	15.2	80	18.1	14.2	22.7	39	7.8	5.4	10.9
Esophagus	58	5.6	4.2	7.3	52	10.9	8.0	14.4	6	0.9	0.3	2.3
Stomach	51	5.2	3.8	7.0	27	6.4	4.2	9.5	24	4.2	2.6	6.5
Colon and Rectum	324	33.9	30.2	38.0	170	39.9	34.0	46.6	154	28.4	23.9	33.6
Liver	71	6.8	5.2	8.6	58	11.5	8.7	15.0	13	2.4	1.3	4.4
Pancreas	141	14.1	11.8	16.7	77	16.8	13.2	21.2	64	12.0	9.1	15.5
Lung and Bronchus	683	66.9	61.9	72.3	351	75.1	67.3	83.6	332	60.6	54.1	67.7
Bones and Joints	3	0.3	0.1	1.0	3	0.6	0.1	2.1	0			
Melanoma of the Skin	237	26.5	23.1	30.3	127	28.9	24.0	34.6	110	25.8	21.0	31.5
Breast (invasive)	601	65.8	60.4	71.6	4	1.1	0.3	2.8	597	124.9	114.5	136.1
Cervix									31	9.3	6.2	13.3
Corpus and Uterus, NOS									163	31.8	26.9	37.4
Ovary									57	11.7	8.7	15.4
Prostate					513	105.4	96.3	115.2				
Testis					29	9.0	6.0	12.9				
Urinary Bladder (includes in situ)	196	19.5	16.8	22.5	149	33.6	28.3	39.6	47	8.4	6.1	11.4
Kidney and Renal Pelvis	164	17.9	15.1	21.0	102	23.4	18.9	28.6	62	13.3	10.0	17.3
Brain and Nervous System	67	7.7	5.9	9.9	37	8.6	6.0	12.0	30	7.1	4.6	10.3
Hodgkin Lymphoma	28	3.6	2.4	5.2	15	3.9	2.2	6.5	13	3.3	1.7	5.8
Non-Hodgkin Lymphoma	160	17.7	14.9	20.8	87	20.7	16.4	25.7	73	15.1	11.6	19.3
Myeloma	56	5.2	3.9	6.9	36	7.6	5.3	10.7	20	3.5	2.1	5.6
Leukemia	92	10.0	8.0	12.4	55	12.9	9.7	17.0	37	7.9	5.4	11.1
All Other Sites	490	53.2	48.4	58.4	234	54.0	47.1	61.6	256	53.8	46.9	61.3
Breast in Situ (not in total)									132	28.3	23.5	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Saline

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	858	505.3	470.9	541.6	447	574.3	521.1	631.8	411	456.0	410.7	505.2
Oral Cavity and Pharynx	27	17.4	11.3	25.9	16	22.2	12.5	36.8	11	12.5	5.9	23.9
Esophagus	12	6.5	3.3	11.9	10	12.5	5.9	23.9	2	1.8	0.2	8.7
Stomach	16	9.8	5.5	16.4	10	13.3	6.3	25.4	6	6.2	2.1	15.2
Colon and Rectum	86	53.6	42.5	66.9	47	64.3	46.9	86.5	39	44.5	31.0	62.4
Liver	11	6.1	3.1	11.5	10	13.1	6.3	24.8	1	0.7	0.0	7.2
Pancreas	21	11.7	7.2	18.4	13	15.8	8.3	28.0	8	7.8	3.3	16.8
Lung and Bronchus	130	72.3	60.2	86.4	70	87.1	67.6	111.0	60	61.4	46.6	80.2
Bones and Joints	0				0				0			
Melanoma of the Skin	51	30.7	22.6	41.1	31	40.3	27.0	58.3	20	23.4	13.9	37.7
Breast (invasive)	107	64.9	52.7	79.4	0				107	120.5	97.5	147.8
Cervix									7	11.2	4.2	23.7
Corpus and Uterus, NOS									29	31.5	20.8	46.5
Ovary									3	3.2	0.7	10.8
Prostate					94	111.1	89.4	137.1				
Testis					1	1.7	0.0	9.6				
Urinary Bladder (includes in situ)	41	22.4	16.0	30.8	24	30.7	19.5	46.5	17	16.5	9.5	27.8
Kidney and Renal Pelvis	42	23.3	16.7	32.0	26	31.5	20.4	47.1	16	17.3	9.6	29.5
Brain and Nervous System	8	5.5	2.2	11.4	5	7.6	2.2	18.6	3	3.4	0.7	11.4
Hodgkin Lymphoma	4	3.1	0.8	8.2	2	3.2	0.3	11.9	2	3.1	0.3	11.7
Non-Hodgkin Lymphoma	26	16.2	10.4	24.3	12	17.2	8.8	30.6	14	14.8	7.7	26.4
Myeloma	12	7.4	3.7	13.6	7	10.3	4.2	21.7	5	5.8	1.6	15.4
Leukemia	24	15.1	9.4	23.1	15	21.3	11.5	36.3	9	8.6	3.9	17.9
All Other Sites	106	63.8	51.9	77.8	54	71.0	53.0	93.5	52	61.9	45.4	82.7
Breast in Situ (not in total)									14	13.9	7.6	24.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,863	548.8	535.5	562.4	3,398	602.9	582.2	624.3	3,465	514.2	496.5	532.5
Oral Cavity and Pharynx	184	14.7	12.6	17.1	138	24.1	20.1	28.7	46	6.9	5.0	9.4
Esophagus	47	3.5	2.5	4.7	36	5.9	4.1	8.3	11	1.5	0.7	2.8
Stomach	84	6.8	5.4	8.5	43	7.5	5.4	10.3	41	6.0	4.3	8.3
Colon and Rectum	559	45.3	41.5	49.4	276	50.6	44.7	57.2	283	41.0	36.2	46.4
Liver	113	8.7	7.1	10.5	87	14.7	11.7	18.4	26	3.8	2.4	5.7
Pancreas	185	14.7	12.6	17.1	98	17.7	14.3	21.7	87	12.4	9.8	15.4
Lung and Bronchus	1,067	82.3	77.4	87.6	538	95.9	87.8	104.7	529	73.3	67.0	80.1
Bones and Joints	16	1.5	0.9	2.5	9	1.7	0.8	3.4	7	1.3	0.5	2.8
Melanoma of the Skin	346	29.2	26.1	32.6	177	32.6	27.8	38.0	169	28.1	23.8	32.9
Breast (invasive)	1,026	84.3	79.1	89.9	10	1.4	0.7	2.8	1,016	154.2	144.5	164.5
Cervix									39	7.9	5.5	10.9
Corpus and Uterus, NOS									192	27.0	23.1	31.3
Ovary									94	13.5	10.8	16.8
Prostate					799	129.8	120.7	139.5				
Testis					43	10.0	7.2	13.5				
Urinary Bladder (includes in situ)	283	22.0	19.4	24.8	218	40.1	34.9	46.0	65	8.9	6.8	11.4
Kidney and Renal Pelvis	319	25.5	22.7	28.6	199	35.1	30.2	40.6	120	17.7	14.6	21.4
Brain and Nervous System	78	6.9	5.4	8.7	38	7.2	5.0	10.0	40	6.8	4.8	9.4
Hodgkin Lymphoma	18	1.8	1.0	2.8	15	3.0	1.7	5.1	3	0.6	0.1	1.8
Non-Hodgkin Lymphoma	308	24.7	21.9	27.8	158	29.2	24.7	34.3	150	21.3	17.9	25.3
Myeloma	93	7.2	5.7	8.8	53	9.5	7.1	12.6	40	5.5	3.9	7.7
Leukemia	211	17.8	15.4	20.5	122	22.7	18.7	27.3	89	13.5	10.8	16.8
All Other Sites	759	62.7	58.2	67.5	341	63.9	57.1	71.3	418	62.9	56.8	69.6
Breast in Situ (not in total)									244	38.0	33.1	43.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Schuyler

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	275	509.0	448.2	576.7	158	580.3	490.6	683.9	117	438.5	357.6	534.7
Oral Cavity and Pharynx	8	13.9	5.9	30.2	7	24.9	9.9	56.3	1	3.1	0.1	28.4
Esophagus	2	3.2	0.4	15.7	2	6.1	0.7	30.3	0			
Stomach	2	3.1	0.4	15.6	1	3.8	0.1	27.6	1	3.1	0.1	28.4
Colon and Rectum	29	49.1	32.7	72.8	17	58.7	33.9	98.6	12	37.1	19.0	71.5
Liver	4	6.9	1.8	20.9	3	9.2	1.9	34.3	1	3.8	0.1	29.7
Pancreas	7	12.7	5.0	28.9	4	14.9	3.9	43.5	3	11.4	2.2	40.6
Lung and Bronchus	51	91.4	67.4	122.8	29	105.3	69.6	155.8	22	74.8	46.5	118.8
Bones and Joints	0				0				0			
Melanoma of the Skin	14	27.2	14.4	48.1	10	39.5	18.4	77.1	4	13.0	3.5	41.4
Breast (invasive)	29	51.6	34.1	76.7	0				29	106.1	69.4	158.9
Cervix									1	8.2	0.2	41.3
Corpus and Uterus, NOS									6	23.0	7.8	57.0
Ovary									0			
Prostate					35	120.7	83.4	172.4				
Testis					1	6.4	0.2	34.5				
Urinary Bladder (includes in situ)	17	28.2	16.3	47.6	11	38.5	19.0	73.7	6	20.0	7.3	50.6
Kidney and Renal Pelvis	7	11.1	4.4	26.1	6	19.0	6.8	47.8	1	3.1	0.1	28.2
Brain and Nervous System	3	7.1	1.2	23.3	1	7.8	0.2	38.5	2	6.4	0.8	32.5
Hodgkin Lymphoma	1	2.8	0.1	16.5	1	4.8	0.1	30.1	0			
Non-Hodgkin Lymphoma	5	8.7	2.8	23.4	3	11.4	2.3	38.7	2	5.7	0.6	31.6
Myeloma	4	6.5	1.8	20.1	3	9.1	1.9	34.1	1	3.6	0.1	29.2
Leukemia	11	25.1	12.1	47.0	6	25.8	9.1	60.1	5	24.1	7.1	61.4
All Other Sites	38	80.5	55.5	113.6	18	74.5	43.0	122.1	20	91.8	52.6	149.9
Breast in Situ (not in total)									9	40.9	17.8	83.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Scott

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	197	549.0	472.3	635.8	93	556.2	445.6	688.3	104	543.7	439.0	668.7
Oral Cavity and Pharynx	3	7.8	1.6	26.7	3	15.9	3.2	54.7	0			
Esophagus	3	7.8	1.6	26.8	2	11.2	1.3	48.6	1	4.9	0.1	37.8
Stomach	5	13.1	4.2	34.0	3	15.6	3.2	54.1	2	10.3	1.2	45.9
Colon and Rectum	20	61.0	36.1	97.6	13	86.9	44.5	154.3	7	34.5	13.0	79.5
Liver	2	4.9	0.6	22.5	0				2	8.3	1.0	41.8
Pancreas	4	10.3	2.8	30.1	1	6.8	0.2	43.0	3	12.7	2.6	47.8
Lung and Bronchus	25	65.5	42.3	99.2	14	81.9	44.4	142.5	11	51.4	25.5	98.9
Bones and Joints	0				0				0			
Melanoma of the Skin	10	34.2	15.5	65.8	4	23.0	6.1	65.7	6	46.7	15.7	105.4
Breast (invasive)	38	102.6	71.8	143.9	1	5.7	0.1	40.3	37	188.5	130.8	266.9
Cervix									0			
Corpus and Uterus, NOS									6	27.1	9.8	67.4
Ovary									1	4.4	0.1	36.9
Prostate					24	138.4	87.9	211.2				
Testis					1	10.8	0.3	54.2				
Urinary Bladder (includes in situ)	4	10.2	2.8	30.0	2	11.3	1.4	48.6	2	8.3	1.0	41.8
Kidney and Renal Pelvis	7	23.3	8.8	50.7	5	36.5	10.5	90.7	2	10.8	1.3	46.7
Brain and Nervous System	2	10.0	1.2	34.3	0				2	20.0	2.4	68.5
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	14.6	5.3	35.4	3	16.1	3.3	54.8	3	12.7	2.6	47.8
Myeloma	1	3.0	0.1	20.2	1	6.8	0.2	43.0	0			
Leukemia	5	12.4	4.0	32.7	3	16.1	3.3	54.8	2	9.3	1.1	43.7
All Other Sites	30	81.5	54.1	119.6	13	73.2	38.5	130.8	17	93.8	52.7	157.6
Breast in Situ (not in total)									4	31.1	8.0	81.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Shelby

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	830	507.9	472.0	546.1	457	575.2	521.6	633.3	373	449.5	401.4	502.3
Oral Cavity and Pharynx	21	13.5	8.0	21.8	19	25.9	14.9	42.4	2	2.0	0.2	9.9
Esophagus	9	5.5	2.4	11.2	8	10.5	4.4	22.0	1	0.9	0.0	8.4
Stomach	6	4.0	1.4	9.5	3	3.9	0.8	12.8	3	4.4	0.8	14.3
Colon and Rectum	100	58.2	46.9	71.9	51	64.7	47.6	86.6	49	51.8	37.4	70.8
Liver	6	3.5	1.3	8.4	6	7.3	2.6	17.3	0			
Pancreas	22	13.0	8.0	20.5	13	16.9	8.8	30.2	9	8.8	3.9	18.7
Lung and Bronchus	132	76.8	64.0	91.8	75	93.4	73.0	118.4	57	62.4	46.9	82.3
Bones and Joints	0				0				0			
Melanoma of the Skin	47	29.3	20.9	40.2	29	34.9	22.9	51.9	18	24.1	13.2	40.8
Breast (invasive)	123	78.8	64.6	95.5	1	1.0	0.0	8.4	122	152.9	124.9	185.8
Cervix									3	4.0	0.6	13.8
Corpus and Uterus, NOS									20	25.4	15.1	40.9
Ovary									4	4.9	1.3	14.3
Prostate					112	131.3	107.8	159.3				
Testis					7	16.4	6.6	33.1				
Urinary Bladder (includes in situ)	33	18.8	12.9	27.1	26	31.1	20.2	46.8	7	7.8	3.1	17.7
Kidney and Renal Pelvis	29	18.5	11.9	27.7	20	29.2	17.2	46.8	9	8.8	4.0	18.6
Brain and Nervous System	9	5.8	2.4	12.1	5	6.4	1.8	16.8	4	5.5	1.1	16.4
Hodgkin Lymphoma	2	1.6	0.1	6.3	1	1.0	0.0	8.4	1	2.2	0.1	11.6
Non-Hodgkin Lymphoma	28	16.6	10.8	24.7	19	23.9	14.2	38.5	9	10.0	4.3	21.1
Myeloma	15	8.8	4.7	15.5	5	5.4	1.8	14.5	10	11.9	5.2	24.2
Leukemia	23	15.4	9.4	24.2	10	12.7	5.9	24.7	13	17.8	8.6	32.8
All Other Sites	79	50.9	39.4	64.8	47	59.4	42.8	81.0	32	44.0	28.8	64.7
Breast in Situ (not in total)									20	22.2	13.4	35.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,345	473.4	462.3	484.6	3,613	517.6	500.3	535.4	3,732	445.0	430.4	460.0
Oral Cavity and Pharynx	212	13.5	11.7	15.5	147	20.6	17.3	24.3	65	7.7	5.9	10.0
Esophagus	84	5.1	4.0	6.3	71	9.5	7.3	12.0	13	1.5	0.8	2.6
Stomach	77	5.0	3.9	6.3	50	7.4	5.5	9.9	27	3.1	2.0	4.6
Colon and Rectum	630	40.5	37.4	43.9	346	50.2	44.8	55.9	284	32.4	28.6	36.6
Liver	128	7.7	6.4	9.3	90	11.8	9.4	14.6	38	4.3	3.0	6.0
Pancreas	201	12.7	10.9	14.6	108	15.1	12.3	18.3	93	10.3	8.3	12.8
Lung and Bronchus	1,211	76.4	72.1	81.0	607	87.7	80.6	95.2	604	68.8	63.3	74.6
Bones and Joints	9	0.7	0.3	1.3	3	0.4	0.1	1.3	6	0.9	0.3	1.9
Melanoma of the Skin	297	20.0	17.7	22.5	178	26.4	22.6	30.8	119	15.4	12.6	18.5
Breast (invasive)	1,105	72.3	68.0	76.9	6	0.7	0.3	1.7	1,099	132.5	124.5	140.8
Cervix									69	9.5	7.3	12.1
Corpus and Uterus, NOS									274	31.8	28.0	35.9
Ovary									94	11.1	8.9	13.7
Prostate					783	103.8	96.4	111.6				
Testis					34	5.5	3.8	7.7				
Urinary Bladder (includes in situ)	322	21.1	18.9	23.6	248	38.8	34.0	44.0	74	8.4	6.5	10.6
Kidney and Renal Pelvis	373	24.3	21.8	26.9	237	33.0	28.8	37.7	136	16.9	14.1	20.1
Brain and Nervous System	87	6.0	4.7	7.4	47	6.7	4.9	9.0	40	5.4	3.8	7.4
Hodgkin Lymphoma	35	2.8	1.9	3.9	15	2.5	1.4	4.1	20	3.1	1.9	4.8
Non-Hodgkin Lymphoma	260	17.3	15.2	19.6	132	20.0	16.7	23.9	128	15.3	12.7	18.3
Myeloma	134	8.7	7.3	10.4	70	10.5	8.1	13.4	64	7.5	5.7	9.7
Leukemia	170	11.7	9.9	13.6	99	15.2	12.3	18.6	71	8.7	6.7	11.0
All Other Sites	756	50.3	46.7	54.1	342	51.9	46.4	57.9	414	50.6	45.6	55.9
Breast in Situ (not in total)									292	36.3	32.1	40.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Stark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	198	484.4	415.9	562.1	109	539.9	439.8	658.8	89	439.6	346.2	552.5
Oral Cavity and Pharynx	6	15.3	4.8	37.5	5	31.0	9.0	78.0	1	4.7	0.1	35.2
Esophagus	8	17.0	7.3	36.9	7	29.6	11.8	68.5	1	5.1	0.1	36.1
Stomach	2	4.8	0.6	21.1	2	9.4	1.1	42.3	0			
Colon and Rectum	23	54.6	34.0	85.0	13	61.1	32.4	110.2	10	51.4	23.1	101.6
Liver	0				0				0			
Pancreas	7	18.0	6.9	40.1	5	28.8	8.7	72.7	2	8.0	1.0	39.0
Lung and Bronchus	31	66.9	45.3	97.7	20	92.0	55.9	147.7	11	42.8	21.1	84.0
Bones and Joints	2	4.4	0.5	20.5	2	9.0	1.1	41.6	0			
Melanoma of the Skin	8	16.8	7.2	36.6	3	15.0	3.0	50.9	5	21.0	6.8	56.8
Breast (invasive)	23	57.1	35.1	89.3	0				23	112.1	68.3	176.3
Cervix									5	39.0	12.6	90.7
Corpus and Uterus, NOS									2	7.0	0.8	37.4
Ovary									2	9.0	1.1	41.1
Prostate					26	122.2	78.9	184.9				
Testis					2	19.7	2.4	66.4				
Urinary Bladder (includes in situ)	9	21.3	9.3	44.0	6	33.3	11.4	78.6	3	12.1	2.3	45.0
Kidney and Renal Pelvis	6	13.7	5.0	33.0	4	19.3	5.2	56.3	2	9.1	1.1	41.3
Brain and Nervous System	3	8.9	1.5	29.2	0				3	17.0	2.5	57.3
Hodgkin Lymphoma	1	4.5	0.1	23.3	1	9.0	0.2	46.9	0			
Non-Hodgkin Lymphoma	4	8.7	2.4	26.1	3	12.8	2.6	46.3	1	3.9	0.1	33.5
Myeloma	1	1.8	0.0	16.4	0				1	3.4	0.1	32.5
Leukemia	3	6.2	1.3	22.6	3	12.3	2.5	45.4	0			
All Other Sites	24	65.1	40.2	100.8	7	35.3	14.1	78.3	17	94.0	50.8	159.9
Breast in Situ (not in total)									2	9.2	1.1	41.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Stephenson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,394	410.2	387.7	433.8	693	433.0	400.2	468.0	701	395.9	364.7	429.2
Oral Cavity and Pharynx	36	10.6	7.3	15.1	24	15.5	9.7	23.8	12	6.0	3.1	11.3
Esophagus	16	4.4	2.5	7.5	15	9.0	5.0	15.5	1	0.5	0.0	4.0
Stomach	22	6.0	3.7	9.4	15	9.5	5.2	16.3	7	2.5	0.9	6.4
Colon and Rectum	135	38.4	31.9	45.9	75	47.9	37.4	60.8	60	29.9	22.4	39.5
Liver	15	4.4	2.4	7.6	13	8.2	4.3	14.6	2	0.9	0.1	4.5
Pancreas	38	10.2	7.1	14.4	21	12.3	7.6	19.4	17	8.8	4.9	15.0
Lung and Bronchus	199	54.3	46.9	62.8	105	61.3	50.0	74.8	94	49.4	39.5	61.3
Bones and Joints	2	0.9	0.1	3.5	1	0.5	0.0	4.1	1	1.3	0.0	6.4
Melanoma of the Skin	78	25.2	19.5	32.2	39	26.7	18.5	37.5	39	24.6	16.7	34.9
Breast (invasive)	197	60.1	51.5	69.9	2	1.3	0.1	5.5	195	112.3	95.8	131.0
Cervix									11	9.9	4.7	18.3
Corpus and Uterus, NOS									61	34.1	25.5	44.9
Ovary									16	9.6	5.3	16.3
Prostate					146	83.0	70.0	98.2				
Testis					3	3.0	0.5	9.0				
Urinary Bladder (includes in situ)	54	14.8	11.0	19.7	39	24.4	17.2	33.9	15	7.2	3.9	12.9
Kidney and Renal Pelvis	49	15.3	11.1	20.6	33	22.5	15.2	32.3	16	9.2	5.0	15.8
Brain and Nervous System	14	4.6	2.4	8.1	5	3.9	1.2	9.6	9	5.1	2.2	10.6
Hodgkin Lymphoma	3	1.2	0.2	3.9	2	2.0	0.2	7.3	1	0.4	0.0	4.0
Non-Hodgkin Lymphoma	55	16.1	12.0	21.4	30	18.3	12.3	26.7	25	14.4	9.0	22.1
Myeloma	20	5.2	3.2	8.4	10	5.9	2.8	11.6	10	4.4	2.1	9.1
Leukemia	55	16.2	11.9	21.7	32	21.5	14.3	31.2	23	12.5	7.6	19.8
All Other Sites	169	54.3	45.8	64.0	83	56.4	44.3	71.0	86	53.0	41.2	67.2
Breast in Situ (not in total)									41	24.7	17.2	34.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Tazewell

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,439	508.5	493.2	524.2	2,222	541.4	518.6	565.0	2,217	489.2	468.1	511.1
Oral Cavity and Pharynx	137	15.6	13.0	18.6	104	24.9	20.3	30.4	33	7.2	4.9	10.4
Esophagus	55	5.7	4.3	7.5	44	10.4	7.5	14.1	11	2.0	1.0	3.8
Stomach	52	5.9	4.4	7.8	34	8.1	5.6	11.5	18	4.1	2.4	6.6
Colon and Rectum	404	45.8	41.4	50.7	218	54.7	47.5	62.6	186	38.8	33.2	45.2
Liver	56	6.0	4.5	7.9	39	8.8	6.2	12.2	17	3.6	2.0	6.1
Pancreas	115	12.3	10.1	14.9	66	16.2	12.4	20.7	49	9.3	6.8	12.6
Lung and Bronchus	728	79.3	73.5	85.4	364	87.1	78.2	96.7	364	73.3	65.8	81.5
Bones and Joints	10	1.4	0.6	2.6	3	0.9	0.2	2.6	7	2.0	0.8	4.2
Melanoma of the Skin	241	30.2	26.4	34.4	132	34.4	28.7	41.0	109	27.9	22.7	34.0
Breast (invasive)	678	81.0	74.8	87.5	3	0.8	0.2	2.4	675	153.1	141.2	165.7
Cervix									33	9.5	6.5	13.5
Corpus and Uterus, NOS									128	27.3	22.6	32.7
Ovary									43	9.3	6.6	12.8
Prostate					492	111.4	101.6	121.9				
Testis					27	9.0	5.9	13.0				
Urinary Bladder (includes in situ)	236	25.4	22.2	29.0	173	42.9	36.7	50.0	63	11.7	8.9	15.2
Kidney and Renal Pelvis	193	22.1	19.0	25.6	123	30.4	25.1	36.4	70	15.1	11.6	19.3
Brain and Nervous System	54	7.0	5.2	9.3	30	8.1	5.4	11.7	24	6.0	3.7	9.2
Hodgkin Lymphoma	26	3.6	2.3	5.4	16	4.7	2.6	7.6	10	2.7	1.2	5.1
Non-Hodgkin Lymphoma	187	21.8	18.7	25.3	101	25.5	20.7	31.2	86	18.8	14.8	23.5
Myeloma	36	3.9	2.7	5.4	20	4.8	2.9	7.5	16	3.2	1.8	5.3
Leukemia	79	9.5	7.5	11.9	45	11.4	8.2	15.4	34	8.1	5.5	11.5
All Other Sites	429	51.3	46.4	56.6	188	47.1	40.4	54.6	241	56.3	49.0	64.3
Breast in Situ (not in total)									120	27.8	22.8	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Union

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	624	496.0	456.2	538.7	345	560.1	500.7	625.3	279	444.2	390.3	504.1
Oral Cavity and Pharynx	12	10.0	5.0	18.4	7	10.6	4.2	23.7	5	9.9	3.0	24.6
Esophagus	6	4.7	1.7	11.2	6	9.9	3.6	23.3	0			
Stomach	5	3.5	1.1	9.3	3	4.3	0.9	15.2	2	2.8	0.3	13.0
Colon and Rectum	57	44.8	33.5	59.2	34	55.9	38.1	80.1	23	34.4	21.0	54.2
Liver	17	13.4	7.6	22.3	12	19.4	9.7	35.8	5	7.2	2.3	19.0
Pancreas	11	9.3	4.5	17.5	4	7.8	2.0	21.1	7	11.0	4.2	24.8
Lung and Bronchus	121	88.6	73.3	106.8	79	123.3	97.1	155.4	42	59.2	42.5	81.7
Bones and Joints	2	1.4	0.2	6.4	1	1.6	0.0	11.4	1	1.3	0.0	10.8
Melanoma of the Skin	25	22.1	13.9	33.6	17	30.8	17.5	51.0	8	15.5	6.3	32.3
Breast (invasive)	86	70.4	55.5	88.4	2	3.6	0.4	14.8	84	133.8	104.8	169.0
Cervix									3	7.8	1.6	22.7
Corpus and Uterus, NOS									21	29.9	18.5	47.5
Ovary									8	13.5	5.5	28.8
Prostate					68	101.4	78.5	130.1				
Testis				0								
Urinary Bladder (includes in situ)	32	24.3	16.5	35.1	27	43.6	28.5	65.0	5	6.6	2.1	18.0
Kidney and Renal Pelvis	27	20.5	13.3	30.8	15	23.0	12.4	40.1	12	17.6	9.0	32.7
Brain and Nervous System	6	5.7	1.8	13.3	6	11.4	3.7	26.6	0			
Hodgkin Lymphoma	4	5.4	1.4	13.8	1	1.6	0.0	11.4	3	9.8	2.0	26.9
Non-Hodgkin Lymphoma	22	16.9	10.4	26.6	10	17.9	8.3	34.5	12	16.3	8.3	30.6
Myeloma	4	3.2	0.8	9.2	3	5.4	1.1	17.4	1	1.3	0.0	10.8
Leukemia	10	8.4	3.8	16.5	8	13.3	5.3	28.4	2	3.5	0.4	14.6
All Other Sites	77	69.0	53.6	87.7	42	75.1	53.3	103.6	35	62.8	42.1	90.3
Breast in Situ (not in total)									16	28.3	15.6	48.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,683	513.9	494.0	534.5	1,378	560.1	530.2	591.4	1,305	483.9	456.5	512.6
Oral Cavity and Pharynx	65	12.9	9.9	16.7	42	17.3	12.3	23.7	23	8.8	5.4	13.6
Esophagus	31	5.6	3.8	8.1	22	9.0	5.6	13.9	9	3.2	1.4	6.4
Stomach	36	6.2	4.4	8.8	23	8.7	5.5	13.4	13	4.3	2.3	7.7
Colon and Rectum	252	50.0	43.8	56.9	123	51.6	42.7	61.9	129	48.9	40.3	58.8
Liver	38	6.6	4.7	9.3	26	9.5	6.2	14.2	12	3.9	2.0	7.3
Pancreas	77	14.3	11.2	18.1	41	16.4	11.7	22.6	36	12.3	8.4	17.5
Lung and Bronchus	504	91.9	83.9	100.6	264	105.1	92.6	119.0	240	81.6	71.3	93.1
Bones and Joints	9	2.2	1.0	4.2	5	2.4	0.8	5.8	4	2.0	0.5	5.4
Melanoma of the Skin	160	32.2	27.2	37.9	94	38.2	30.6	47.1	66	28.8	21.8	37.2
Breast (invasive)	313	60.8	54.0	68.2	6	2.4	0.9	5.4	307	114.1	101.0	128.5
Cervix									20	9.5	5.6	15.0
Corpus and Uterus, NOS									78	26.9	21.1	34.1
Ovary									26	9.4	6.0	14.2
Prostate					289	110.7	98.0	124.6				
Testis					4	2.3	0.6	5.9				
Urinary Bladder (includes in situ)	130	24.0	20.0	28.7	102	42.4	34.5	51.8	28	9.4	6.1	14.0
Kidney and Renal Pelvis	96	19.1	15.4	23.6	57	24.6	18.5	32.2	39	14.5	10.1	20.3
Brain and Nervous System	29	6.6	4.3	9.6	16	7.8	4.4	12.8	13	5.5	2.8	9.7
Hodgkin Lymphoma	4	1.0	0.2	2.5	1	0.6	0.0	3.2	3	1.3	0.2	4.0
Non-Hodgkin Lymphoma	108	20.4	16.6	24.9	71	29.1	22.6	37.0	37	13.2	9.0	18.7
Myeloma	28	5.0	3.3	7.4	14	5.2	2.8	9.0	14	5.0	2.6	8.8
Leukemia	78	16.0	12.5	20.1	54	24.0	17.9	31.6	24	8.6	5.3	13.2
All Other Sites	308	62.4	55.4	70.2	124	52.7	43.6	63.2	184	72.8	62.0	85.0
Breast in Situ (not in total)									61	26.5	19.9	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Wabash

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	374	454.4	407.1	506.0	197	511.6	439.8	592.6	177	399.7	338.9	469.5
Oral Cavity and Pharynx	7	7.4	2.9	17.0	5	11.1	3.5	29.0	2	3.1	0.3	17.4
Esophagus	5	5.0	1.6	13.3	5	10.1	3.3	27.0	0			
Stomach	4	4.2	1.1	12.5	2	3.9	0.5	18.4	2	4.4	0.5	19.8
Colon and Rectum	48	61.3	44.2	83.2	27	74.4	47.6	111.5	21	50.1	29.6	80.6
Liver	7	7.6	3.0	17.3	6	14.0	5.0	33.3	1	1.2	0.0	14.9
Pancreas	12	14.1	7.0	26.2	5	11.6	3.7	29.8	7	15.2	5.4	35.5
Lung and Bronchus	61	70.2	53.4	91.5	33	80.4	54.9	114.9	28	61.7	40.3	92.2
Bones and Joints	1	1.9	0.0	10.4	1	3.4	0.1	19.4	0			
Melanoma of the Skin	9	10.4	4.7	21.0	8	19.4	8.2	40.6	1	2.7	0.1	17.8
Breast (invasive)	46	56.2	40.4	76.5	2	4.6	0.5	20.0	44	103.3	73.3	142.7
Cervix									4	16.0	3.8	41.9
Corpus and Uterus, NOS									12	28.1	13.4	53.1
Ovary									4	7.9	2.1	24.2
Prostate					39	88.1	62.3	122.7				
Testis					2	8.9	1.0	30.3				
Urinary Bladder (includes in situ)	9	9.9	4.4	20.2	5	13.5	4.3	33.3	4	6.2	1.6	21.3
Kidney and Renal Pelvis	15	19.5	10.4	33.6	11	32.9	15.9	60.7	4	7.1	1.7	23.1
Brain and Nervous System	5	6.9	2.1	17.3	4	12.6	3.1	33.8	1	1.9	0.0	16.0
Hodgkin Lymphoma	1	1.8	0.0	10.1	1	3.6	0.1	19.9	0			
Non-Hodgkin Lymphoma	15	20.2	11.0	34.4	7	22.8	8.8	48.0	8	18.9	8.0	40.0
Myeloma	7	8.7	3.5	19.1	4	10.4	2.8	28.8	3	7.7	1.6	25.0
Leukemia	14	16.9	8.7	30.1	7	19.7	7.5	42.6	7	14.5	5.2	34.4
All Other Sites	47	58.1	41.9	79.0	23	66.1	40.8	101.7	24	50.1	31.2	78.3
Breast in Situ (not in total)									14	33.5	17.8	59.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Warren

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	542	488.2	446.0	533.5	274	493.8	435.2	558.7	268	495.3	433.4	563.6
Oral Cavity and Pharynx	13	11.4	5.8	20.3	9	16.8	7.3	33.5	4	5.6	1.5	16.6
Esophagus	8	6.4	2.8	13.4	5	9.7	3.1	23.7	3	4.2	0.8	14.8
Stomach	14	15.5	8.1	26.7	6	11.2	4.0	25.7	8	19.7	7.9	39.8
Colon and Rectum	62	54.8	41.5	71.2	33	59.5	40.5	84.9	29	54.0	35.1	79.8
Liver	8	6.2	2.7	13.0	5	7.5	2.4	19.5	3	4.8	1.0	15.8
Pancreas	16	13.7	7.6	23.1	6	10.0	3.6	23.4	10	16.5	7.3	32.8
Lung and Bronchus	87	69.8	55.7	86.9	54	100.0	74.5	132.0	33	47.5	32.5	68.3
Bones and Joints	1	0.6	0.0	5.3	1	1.3	0.0	10.7	0			
Melanoma of the Skin	28	27.0	17.5	39.9	13	25.2	12.9	44.8	15	29.6	15.9	50.6
Breast (invasive)	72	73.1	56.3	93.4	0				72	142.3	109.1	182.3
Cervix									7	20.6	8.1	41.8
Corpus and Uterus, NOS									18	32.2	18.4	52.8
Ovary									6	11.2	3.6	26.3
Prostate					42	66.8	47.8	91.8				
Testis					4	10.1	2.6	25.8				
Urinary Bladder (includes in situ)	26	20.5	13.3	30.7	24	42.8	27.1	64.9	2	2.0	0.2	11.3
Kidney and Renal Pelvis	28	27.5	17.7	40.7	16	27.2	15.1	46.1	12	28.3	14.0	50.5
Brain and Nervous System	14	13.8	7.3	23.7	8	15.3	6.5	31.3	6	12.7	4.3	28.9
Hodgkin Lymphoma	2	2.4	0.3	8.6	2	4.9	0.6	17.7	0			
Non-Hodgkin Lymphoma	18	15.2	8.8	24.7	11	19.0	9.2	35.6	7	11.5	4.5	25.2
Myeloma	5	4.5	1.4	11.2	2	4.1	0.5	15.8	3	4.8	1.0	15.8
Leukemia	12	11.9	5.9	21.4	5	12.0	3.8	28.3	7	10.4	3.8	23.9
All Other Sites	51	44.0	32.3	58.9	28	50.6	33.0	74.9	23	37.4	22.8	58.5
Breast in Situ (not in total)									14	26.1	13.5	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Washington

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	486	492.2	447.7	540.3	272	556.6	489.8	630.6	214	428.7	370.7	494.1
Oral Cavity and Pharynx	16	18.3	10.1	30.8	11	24.3	11.6	45.7	5	12.5	3.8	30.8
Esophagus	6	5.6	2.0	13.3	5	9.4	3.0	24.4	1	1.9	0.0	13.8
Stomach	3	3.3	0.7	10.4	1	2.4	0.1	14.8	2	3.7	0.5	16.3
Colon and Rectum	50	51.2	37.6	68.7	27	56.8	36.8	84.9	23	44.3	27.5	68.8
Liver	4	3.7	1.0	10.7	2	3.1	0.4	15.0	2	3.8	0.5	16.4
Pancreas	19	17.4	10.4	28.1	10	19.1	9.0	37.2	9	15.5	7.0	31.8
Lung and Bronchus	64	60.7	46.6	78.3	35	71.6	49.6	101.1	29	51.5	34.4	75.8
Bones and Joints	1	1.9	0.0	9.3	0				1	3.7	0.1	18.7
Melanoma of the Skin	26	26.5	16.9	40.1	13	23.9	12.6	43.0	13	29.6	15.0	53.1
Breast (invasive)	60	62.3	47.0	81.4	1	1.9	0.0	13.8	59	122.3	92.1	160.2
Cervix									1	2.4	0.1	14.9
Corpus and Uterus, NOS									13	24.9	12.9	44.9
Ovary									6	10.4	3.7	25.2
Prostate					81	155.1	122.2	195.2				
Testis					3	8.8	1.6	26.3				
Urinary Bladder (includes in situ)	13	12.3	6.4	22.1	12	23.7	11.9	43.5	1	1.7	0.0	13.3
Kidney and Renal Pelvis	28	27.9	18.1	41.6	23	47.4	29.2	73.6	5	9.4	3.0	24.3
Brain and Nervous System	12	15.6	7.7	28.0	7	18.5	7.0	39.5	5	12.5	3.7	30.8
Hodgkin Lymphoma	2	3.6	0.4	12.4	2	7.0	0.8	24.0	0			
Non-Hodgkin Lymphoma	13	13.4	6.9	24.1	8	16.1	6.7	34.0	5	10.3	3.0	26.6
Myeloma	2	1.6	0.2	7.7	2	3.1	0.4	15.0	0			
Leukemia	11	12.0	5.7	22.6	9	21.6	9.5	42.7	2	3.5	0.4	15.8
All Other Sites	52	54.2	39.8	72.4	20	42.9	25.5	68.4	32	64.8	43.1	94.5
Breast in Situ (not in total)									13	28.6	14.6	51.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Wayne

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	566	461.7	422.9	503.4	286	479.6	424.4	540.8	280	451.5	396.8	512.2
Oral Cavity and Pharynx	13	10.1	5.3	18.2	9	14.7	6.6	29.7	4	5.8	1.6	17.3
Esophagus	8	6.5	2.7	13.7	4	7.9	2.1	21.6	4	5.2	1.4	16.2
Stomach	7	5.2	2.1	11.7	7	10.9	4.4	24.5	0			
Colon and Rectum	54	41.6	31.1	55.1	30	48.5	32.6	70.8	24	35.0	22.0	54.2
Liver	8	6.0	2.6	12.7	6	9.0	3.3	21.8	2	2.6	0.3	12.7
Pancreas	16	12.5	6.9	21.3	12	20.9	10.4	38.5	4	5.2	1.4	16.2
Lung and Bronchus	80	62.6	49.4	78.8	41	68.8	49.2	94.7	39	58.5	40.9	82.1
Bones and Joints	0				0				0			
Melanoma of the Skin	25	19.0	12.2	28.9	17	28.1	16.3	46.5	8	11.7	4.9	25.2
Breast (invasive)	84	73.3	57.6	92.3	0				84	141.5	110.9	178.6
Cervix									6	13.0	4.3	29.8
Corpus and Uterus, NOS									17	27.5	15.3	46.6
Ovary									6	9.7	3.3	23.5
Prostate					68	108.2	83.7	138.6				
Testis					3	9.4	1.9	26.3				
Urinary Bladder (includes in situ)	23	17.2	10.9	26.6	20	33.3	20.2	52.9	3	3.9	0.8	14.5
Kidney and Renal Pelvis	31	26.5	17.6	38.8	12	18.5	9.5	34.1	19	34.8	19.9	56.8
Brain and Nervous System	6	7.3	2.4	16.5	2	4.9	0.4	18.5	4	9.8	2.3	25.9
Hodgkin Lymphoma	2	1.4	0.2	6.6	1	1.4	0.0	11.2	1	1.4	0.0	11.2
Non-Hodgkin Lymphoma	26	20.0	12.9	30.1	11	20.2	9.9	37.6	15	20.0	11.1	35.1
Myeloma	7	5.2	2.1	11.7	4	6.2	1.7	18.2	3	3.8	0.8	14.2
Leukemia	12	10.2	5.1	18.8	8	14.7	6.2	30.5	4	6.5	1.6	19.1
All Other Sites	64	54.7	41.7	71.0	31	53.9	36.1	78.3	33	55.5	37.3	80.3
Breast in Situ (not in total)									12	22.0	10.9	40.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

White

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	527	507.1	462.6	555.1	269	549.0	483.4	621.9	258	481.2	420.0	549.7
Oral Cavity and Pharynx	13	16.1	8.3	28.3	10	25.1	11.7	47.6	3	6.6	1.2	21.8
Esophagus	4	3.2	0.9	9.8	4	7.0	1.9	20.9	0			
Stomach	5	4.1	1.3	11.0	3	5.7	1.2	19.4	2	3.3	0.4	15.6
Colon and Rectum	44	40.9	29.3	56.2	27	56.0	36.5	83.4	17	28.5	15.9	48.9
Liver	9	8.5	3.7	17.4	7	12.8	5.1	28.8	2	5.0	0.5	19.7
Pancreas	20	19.5	11.5	31.6	8	19.3	7.8	40.0	12	19.3	9.6	36.7
Lung and Bronchus	99	87.0	70.5	106.9	55	107.2	80.4	141.4	44	69.6	50.3	95.7
Bones and Joints	1	0.9	0.0	6.9	1	2.1	0.1	14.4	0			
Melanoma of the Skin	20	20.7	12.3	33.1	12	27.8	13.9	50.5	8	14.4	6.1	30.8
Breast (invasive)	68	69.1	52.7	89.4	0				68	133.0	101.1	172.6
Cervix									2	3.2	0.4	15.5
Corpus and Uterus, NOS									17	40.7	22.5	68.1
Ovary									3	6.4	1.1	21.4
Prostate					58	109.3	82.8	142.9				
Testis				0								
Urinary Bladder (includes in situ)	36	32.8	22.7	46.6	29	58.8	39.0	86.4	7	11.1	4.4	25.9
Kidney and Renal Pelvis	27	28.2	18.0	42.4	12	23.7	12.0	43.6	15	32.4	16.9	56.7
Brain and Nervous System	8	9.3	3.6	19.6	5	13.8	4.0	33.7	3	4.8	1.0	17.5
Hodgkin Lymphoma	1	0.8	0.0	6.6	0				1	1.5	0.0	13.1
Non-Hodgkin Lymphoma	23	21.6	13.4	33.6	5	10.4	3.3	26.3	18	30.8	17.5	51.8
Myeloma	1	0.8	0.0	6.6	1	1.6	0.0	13.4	0			
Leukemia	13	13.6	6.7	24.9	7	17.7	6.6	38.5	6	10.4	3.3	26.3
All Other Sites	55	53.7	39.7	71.5	25	50.7	32.2	77.1	30	60.1	39.1	89.1
Breast in Situ (not in total)									8	21.0	8.3	43.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Whiteside

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,863	459.7	438.2	482.1	967	507.0	474.7	541.2	896	424.8	395.8	455.6
Oral Cavity and Pharynx	49	10.8	7.9	14.5	40	19.0	13.5	26.3	9	3.6	1.6	7.5
Esophagus	22	4.7	3.0	7.4	20	9.1	5.5	14.6	2	0.7	0.1	3.5
Stomach	22	5.3	3.3	8.3	16	8.2	4.6	13.7	6	3.0	1.1	7.1
Colon and Rectum	149	36.8	30.9	43.5	86	46.6	37.1	58.0	63	28.0	21.2	36.6
Liver	26	6.5	4.2	9.7	18	9.7	5.7	15.7	8	3.7	1.6	7.8
Pancreas	50	11.4	8.4	15.3	26	13.1	8.5	19.7	24	9.9	6.2	15.3
Lung and Bronchus	271	63.3	55.9	71.6	149	76.2	64.3	90.0	122	51.9	43.0	62.6
Bones and Joints	0				0				0			
Melanoma of the Skin	98	25.8	20.7	32.0	49	27.0	19.7	36.3	49	25.5	18.3	34.7
Breast (invasive)	257	67.8	59.3	77.1	0				257	130.6	114.2	148.9
Cervix									14	8.7	4.5	15.3
Corpus and Uterus, NOS									62	27.7	21.1	36.1
Ovary									29	12.6	8.3	18.7
Prostate					209	101.0	87.6	116.2				
Testis					16	13.4	7.6	21.6				
Urinary Bladder (includes in situ)	98	22.6	18.3	27.8	74	38.5	30.1	48.6	24	10.0	6.2	15.7
Kidney and Renal Pelvis	86	21.9	17.3	27.4	56	31.0	23.0	40.9	30	13.8	9.1	20.3
Brain and Nervous System	21	5.4	3.2	8.6	15	8.9	4.8	15.1	6	2.6	0.9	6.3
Hodgkin Lymphoma	6	1.7	0.6	4.0	3	1.4	0.3	4.8	3	2.1	0.4	6.4
Non-Hodgkin Lymphoma	85	21.4	16.9	26.9	38	21.0	14.7	29.4	47	21.9	15.8	30.0
Myeloma	28	6.0	4.0	9.0	14	6.9	3.7	11.9	14	5.8	3.1	10.3
Leukemia	50	12.7	9.3	17.0	28	14.3	9.4	21.2	22	11.7	7.1	18.4
All Other Sites	215	55.8	48.2	64.3	110	61.7	50.4	75.0	105	50.9	40.9	62.9
Breast in Situ (not in total)									47	25.3	18.3	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,535	491.5	484.1	499.0	8,829	538.6	526.9	550.5	8,706	459.9	450.1	469.8
Oral Cavity and Pharynx	442	11.9	10.8	13.1	314	17.5	15.5	19.6	128	6.8	5.6	8.1
Esophagus	179	5.1	4.3	5.9	143	8.5	7.1	10.1	36	2.1	1.4	2.9
Stomach	256	7.4	6.5	8.4	162	10.5	8.9	12.4	94	5.0	4.0	6.1
Colon and Rectum	1,510	43.2	41.0	45.5	832	51.3	47.7	55.1	678	36.2	33.4	39.0
Liver	212	5.7	4.9	6.5	152	8.5	7.1	10.0	60	3.2	2.4	4.1
Pancreas	475	13.9	12.6	15.2	272	17.6	15.5	19.9	203	11.0	9.5	12.6
Lung and Bronchus	2,122	61.8	59.1	64.5	1,055	68.8	64.6	73.3	1,067	56.8	53.4	60.4
Bones and Joints	26	0.7	0.5	1.0	16	0.9	0.5	1.5	10	0.5	0.2	1.0
Melanoma of the Skin	750	21.0	19.5	22.6	412	25.1	22.6	27.7	338	18.2	16.3	20.3
Breast (invasive)	2,711	74.2	71.4	77.2	20	1.3	0.8	2.0	2,691	140.1	134.8	145.6
Cervix									135	7.5	6.2	8.9
Corpus and Uterus, NOS									621	30.4	28.0	32.9
Ovary									181	9.3	7.9	10.7
Prostate					2,255	125.9	120.6	131.5				
Testis					101	6.1	4.9	7.4				
Urinary Bladder (includes in situ)	776	23.1	21.5	24.8	596	40.8	37.4	44.3	180	9.6	8.2	11.1
Kidney and Renal Pelvis	685	18.7	17.2	20.1	461	26.5	24.0	29.1	224	11.6	10.1	13.3
Brain and Nervous System	233	6.8	5.9	7.7	136	8.2	6.9	9.8	97	5.5	4.4	6.7
Hodgkin Lymphoma	137	4.1	3.4	4.8	77	4.6	3.6	5.8	60	3.6	2.7	4.6
Non-Hodgkin Lymphoma	745	21.6	20.1	23.3	416	26.8	24.2	29.6	329	17.6	15.8	19.7
Myeloma	229	6.4	5.6	7.3	124	7.7	6.4	9.3	105	5.5	4.5	6.7
Leukemia	562	16.3	14.9	17.7	318	20.2	17.9	22.6	244	13.0	11.4	14.8
All Other Sites	2,192	63.6	60.9	66.4	967	61.8	57.8	66.0	1,225	66.6	62.9	70.5
Breast in Situ (not in total)									768	39.2	36.4	42.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Williamson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,289	514.8	493.4	537.0	1,211	580.0	547.1	614.5	1,078	465.0	436.5	495.0
Oral Cavity and Pharynx	70	15.9	12.3	20.3	57	27.8	20.9	36.4	13	4.9	2.6	8.9
Esophagus	34	7.2	5.0	10.2	27	12.6	8.2	18.5	7	2.6	1.1	5.9
Stomach	24	5.6	3.6	8.5	16	8.1	4.6	13.4	8	3.7	1.5	7.6
Colon and Rectum	227	51.1	44.5	58.4	125	60.5	50.1	72.4	102	41.8	33.9	51.2
Liver	35	7.0	4.8	9.9	28	11.4	7.5	16.8	7	3.1	1.2	6.9
Pancreas	73	16.0	12.5	20.3	31	15.0	10.1	21.7	42	16.2	11.6	22.3
Lung and Bronchus	386	82.6	74.5	91.5	206	98.1	84.9	112.8	180	70.7	60.6	82.2
Bones and Joints	1	0.4	0.0	1.9	0				1	0.8	0.0	4.0
Melanoma of the Skin	127	30.5	25.3	36.6	80	39.5	31.1	49.6	47	22.9	16.5	31.0
Breast (invasive)	269	63.1	55.5	71.4	1	0.6	0.0	3.3	268	120.7	106.1	137.0
Cervix									13	7.6	3.9	13.3
Corpus and Uterus, NOS									60	25.5	19.3	33.3
Ovary									24	10.2	6.4	15.7
Prostate					226	102.0	88.9	116.6				
Testis					9	5.7	2.6	10.8				
Urinary Bladder (includes in situ)	103	22.0	17.9	26.8	84	39.2	31.1	48.9	19	7.7	4.6	12.5
Kidney and Renal Pelvis	117	28.7	23.6	34.7	76	38.9	30.4	49.1	41	18.9	13.2	26.2
Brain and Nervous System	26	6.9	4.4	10.3	13	7.2	3.8	12.6	13	6.4	3.3	11.4
Hodgkin Lymphoma	2	0.6	0.1	2.2	0				2	1.3	0.2	4.5
Non-Hodgkin Lymphoma	93	21.1	16.9	26.0	47	23.8	17.4	31.9	46	18.6	13.5	25.3
Myeloma	36	7.7	5.4	10.8	20	9.7	5.9	15.3	16	6.2	3.5	10.5
Leukemia	63	14.7	11.2	19.1	37	18.5	12.9	25.8	26	12.2	7.7	18.4
All Other Sites	271	61.3	54.0	69.3	128	61.4	51.0	73.4	143	62.9	52.6	74.8
Breast in Situ (not in total)									36	16.1	11.1	22.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,189	459.4	449.2	469.8	3,967	475.9	460.8	491.4	4,222	453.5	439.4	468.0
Oral Cavity and Pharynx	227	12.2	10.6	14.0	172	19.2	16.3	22.4	55	5.8	4.4	7.7
Esophagus	99	5.3	4.3	6.5	71	8.3	6.4	10.6	28	2.8	1.8	4.1
Stomach	129	7.1	5.9	8.5	84	9.9	7.9	12.4	45	4.8	3.4	6.5
Colon and Rectum	634	36.2	33.3	39.2	339	42.0	37.6	46.9	295	31.2	27.6	35.2
Liver	130	6.7	5.6	8.0	97	10.7	8.6	13.1	33	3.2	2.2	4.5
Pancreas	235	12.5	10.9	14.2	104	11.9	9.7	14.5	131	12.9	10.7	15.4
Lung and Bronchus	1,240	66.5	62.8	70.4	606	72.0	66.2	78.1	634	63.0	58.1	68.2
Bones and Joints	11	0.8	0.4	1.4	6	0.9	0.3	2.0	5	0.7	0.2	1.6
Melanoma of the Skin	409	23.9	21.6	26.4	219	27.3	23.7	31.3	190	22.3	19.1	25.9
Breast (invasive)	1,217	70.1	66.1	74.3	14	1.7	0.9	3.0	1,203	130.6	123.0	138.5
Cervix									57	8.0	6.0	10.5
Corpus and Uterus, NOS									295	31.3	27.6	35.2
Ovary									107	12.2	9.9	14.9
Prostate					783	87.2	81.0	93.7				
Testis					42	7.0	5.0	9.4				
Urinary Bladder (includes in situ)	370	20.4	18.3	22.6	272	33.8	29.8	38.2	98	9.8	7.9	12.1
Kidney and Renal Pelvis	319	18.2	16.2	20.4	195	23.9	20.6	27.7	124	13.2	10.9	15.9
Brain and Nervous System	100	6.0	4.9	7.4	59	7.7	5.8	10.0	41	4.6	3.2	6.3
Hodgkin Lymphoma	39	2.8	2.0	3.9	25	3.7	2.4	5.6	14	1.9	1.0	3.3
Non-Hodgkin Lymphoma	318	18.1	16.1	20.2	181	22.0	18.8	25.6	137	14.7	12.3	17.6
Myeloma	136	7.3	6.1	8.7	83	9.8	7.8	12.3	53	5.1	3.8	6.8
Leukemia	245	14.1	12.4	16.1	141	18.0	15.1	21.3	104	11.0	8.9	13.4
All Other Sites	1,047	60.8	57.1	64.7	474	58.8	53.5	64.6	573	64.4	59.0	70.2
Breast in Situ (not in total)									258	29.2	25.6	33.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Woodford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,205	486.4	458.4	515.8	639	530.2	488.7	574.5	566	450.4	412.3	491.3
Oral Cavity and Pharynx	39	16.0	11.2	22.1	30	26.0	17.3	37.6	9	6.8	3.0	13.6
Esophagus	21	8.1	4.9	12.8	16	12.8	7.2	21.3	5	4.1	1.1	10.4
Stomach	10	3.8	1.8	7.3	6	5.0	1.8	11.4	4	2.3	0.6	7.1
Colon and Rectum	97	39.1	31.5	48.2	56	48.7	36.5	63.8	41	29.5	20.7	41.1
Liver	13	5.5	2.9	9.7	10	8.8	4.1	16.6	3	2.4	0.5	7.7
Pancreas	41	15.6	11.0	21.5	21	16.9	10.3	26.5	20	14.8	8.7	23.7
Lung and Bronchus	153	60.8	51.3	71.6	79	68.0	53.5	85.3	74	56.0	43.6	71.1
Bones and Joints	1	0.7	0.0	3.4	1	1.3	0.0	6.7	0			
Melanoma of the Skin	87	37.6	29.8	46.8	51	44.0	32.4	58.4	36	32.7	22.3	46.2
Breast (invasive)	165	67.8	57.5	79.5	1	0.8	0.0	5.3	164	130.7	110.7	153.4
Cervix									9	10.9	4.9	20.7
Corpus and Uterus, NOS									41	31.9	22.7	44.0
Ovary									17	14.0	8.0	23.0
Prostate					171	128.3	109.3	149.8				
Testis					2	2.3	0.3	8.1				
Urinary Bladder (includes in situ)	58	21.6	16.3	28.3	43	34.4	24.7	47.0	15	10.4	5.6	18.0
Kidney and Renal Pelvis	41	16.6	11.7	22.9	27	23.1	14.9	34.4	14	10.3	5.5	18.1
Brain and Nervous System	14	6.7	3.6	11.5	13	12.5	6.5	21.8	1	0.8	0.0	5.3
Hodgkin Lymphoma	7	3.9	1.5	8.2	3	3.6	0.7	10.3	4	4.4	1.1	11.3
Non-Hodgkin Lymphoma	52	22.8	16.9	30.3	26	23.8	15.4	35.4	26	22.3	14.3	33.3
Myeloma	8	2.9	1.2	6.1	7	5.6	2.2	12.2	1	0.7	0.0	4.9
Leukemia	26	10.6	6.8	15.8	16	14.5	8.2	24.0	10	7.8	3.6	15.0
All Other Sites	132	53.8	44.7	64.4	60	49.9	37.8	65.0	72	57.8	44.4	74.1
Breast in Situ (not in total)									47	39.3	28.5	53.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

SECTION IV
County-specific Cancer Incidence Rates by Race
Illinois, 2014-2018

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	286,558	470.6	468.8	472.4	142,355	502.8	500.2	505.5	144,203	452.3	449.9	454.7
Oral Cavity and Pharynx	7,818	12.6	12.3	12.8	5,534	18.7	18.2	19.3	2,284	7.0	6.7	7.3
Esophagus	3,107	4.9	4.7	5.1	2,482	8.5	8.2	8.8	625	1.8	1.7	2.0
Stomach	3,965	6.5	6.3	6.7	2,471	8.9	8.5	9.3	1,494	4.5	4.3	4.8
Colon and Rectum	25,033	41.1	40.6	41.6	13,227	47.5	46.6	48.3	11,806	35.7	35.0	36.3
Liver	3,804	5.9	5.7	6.1	2,771	9.2	8.9	9.6	1,033	3.0	2.9	3.2
Pancreas	8,526	13.6	13.3	13.9	4,476	15.9	15.5	16.4	4,050	11.7	11.4	12.1
Lung and Bronchus	39,690	63.6	62.9	64.2	20,031	71.4	70.4	72.5	19,659	57.9	57.1	58.7
Bones and Joints	492	0.9	0.8	1.0	263	1.0	0.9	1.1	229	0.8	0.7	1.0
Melanoma of the Skin	14,676	25.0	24.6	25.4	8,310	30.1	29.4	30.7	6,366	21.6	21.1	22.2
Breast (invasive)	42,423	71.3	70.6	72.0	361	1.3	1.1	1.4	42,062	134.8	133.5	136.2
Cervix									1,996	7.5	7.2	7.9
Corpus and Uterus, NOS									10,060	30.5	29.9	31.2
Ovary									3,551	11.3	10.9	11.7
Prostate					31,486	103.2	102.1	104.4				
Testis					1,777	7.4	7.1	7.8				
Urinary Bladder (includes in situ)	13,843	22.2	21.9	22.6	10,449	38.4	37.6	39.1	3,394	9.8	9.4	10.1
Kidney and Renal Pelvis	11,140	18.5	18.1	18.8	7,086	25.0	24.4	25.6	4,054	12.7	12.3	13.1
Brain and Nervous System	3,879	6.9	6.7	7.1	2,152	8.0	7.7	8.4	1,727	5.9	5.6	6.2
Hodgkin Lymphoma	1,483	2.9	2.8	3.1	833	3.3	3.0	3.5	650	2.6	2.4	2.8
Non-Hodgkin Lymphoma	12,273	20.3	20.0	20.7	6,680	24.3	23.7	24.9	5,593	17.1	16.7	17.6
Myeloma	3,660	5.9	5.7	6.0	2,035	7.2	6.9	7.6	1,625	4.7	4.5	5.0
Leukemia	8,272	14.1	13.8	14.4	4,811	18.0	17.5	18.5	3,461	11.0	10.6	11.4
All Other Sites	33,604	57.0	56.4	57.6	15,120	55.4	54.5	56.3	18,484	60.1	59.2	61.0
Breast in situ (not in total)									9,482	31.6	30.9	32.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,815	454.7	439.9	469.9	1,940	497.5	474.9	520.9	1,875	425.8	405.8	446.4
Oral Cavity and Pharynx	102	12.4	10.0	15.1	78	20.7	16.3	26.0	24	5.0	3.2	7.6
Esophagus	43	4.7	3.4	6.5	33	7.8	5.3	11.1	10	2.1	1.0	4.0
Stomach	46	5.6	4.0	7.5	27	7.3	4.8	10.8	19	4.1	2.4	6.5
Colon and Rectum	311	38.0	33.7	42.6	180	47.7	40.8	55.5	131	29.1	24.1	34.8
Liver	49	5.6	4.1	7.5	34	8.6	5.9	12.1	15	3.1	1.7	5.2
Pancreas	103	12.1	9.8	14.8	59	15.6	11.8	20.3	44	9.2	6.6	12.5
Lung and Bronchus	452	52.1	47.2	57.3	215	55.7	48.3	63.9	237	49.9	43.6	57.0
Bones and Joints	7	1.0	0.4	2.0	4	1.2	0.3	3.2	3	0.8	0.1	2.4
Melanoma of the Skin	254	31.1	27.2	35.3	151	38.5	32.4	45.4	103	26.0	21.0	31.9
Breast (invasive)	591	71.8	66.0	78.1	10	2.6	1.2	4.9	581	133.4	122.3	145.3
Cervix									16	4.9	2.8	8.0
Corpus and Uterus, NOS									121	26.7	22.0	32.1
Ovary									55	13.5	10.0	17.9
Prostate					497	120.0	109.3	131.4				
Testis					30	7.5	4.9	11.0				
Urinary Bladder (includes in situ)	156	17.7	15.0	20.8	114	29.5	24.3	35.6	42	8.8	6.3	12.1
Kidney and Renal Pelvis	126	15.6	12.9	18.7	82	22.0	17.4	27.6	44	10.0	7.2	13.7
Brain and Nervous System	59	7.8	5.9	10.1	36	9.7	6.7	13.6	23	6.3	3.9	9.5
Hodgkin Lymphoma	19	2.6	1.5	4.1	13	3.8	2.0	6.7	6	1.3	0.5	2.9
Non-Hodgkin Lymphoma	167	19.7	16.7	23.0	94	23.8	19.1	29.4	73	16.4	12.7	20.8
Myeloma	61	7.2	5.5	9.4	35	9.5	6.6	13.4	26	5.4	3.5	8.1
Leukemia	103	12.2	9.9	14.9	55	14.1	10.5	18.5	48	10.6	7.6	14.3
All Other Sites	447	54.9	49.7	60.4	193	51.7	44.4	59.8	254	59.4	52.0	67.6
Breast in situ (not in total)									114	27.7	22.6	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	87,755	446.2	443.2	449.2	42,483	472.6	468.0	477.2	45,272	434.1	430.0	438.2
Oral Cavity and Pharynx	2,310	11.6	11.1	12.0	1,576	16.9	16.0	17.8	734	6.9	6.4	7.4
Esophagus	832	4.1	3.8	4.4	633	6.8	6.3	7.4	199	1.7	1.5	2.0
Stomach	1,598	8.1	7.7	8.6	944	10.7	10.1	11.5	654	6.1	5.6	6.6
Colon and Rectum	7,818	39.6	38.7	40.5	4,104	45.9	44.5	47.4	3,714	34.4	33.3	35.6
Liver	1,365	6.7	6.3	7.0	968	10.3	9.6	11.0	397	3.6	3.2	4.0
Pancreas	2,796	14.0	13.5	14.5	1,419	16.1	15.2	16.9	1,377	12.4	11.7	13.0
Lung and Bronchus	10,695	54.3	53.2	55.3	5,159	59.6	58.0	61.3	5,536	50.6	49.2	52.0
Bones and Joints	171	1.0	0.8	1.1	87	1.0	0.8	1.3	84	0.9	0.7	1.1
Melanoma of the Skin	3,939	20.3	19.7	21.0	2,285	25.8	24.7	26.9	1,654	16.5	15.7	17.4
Breast (invasive)	13,455	69.7	68.5	70.9	107	1.2	1.0	1.4	13,348	131.7	129.4	134.0
Cervix									697	7.5	6.9	8.1
Corpus and Uterus, NOS									3,375	31.9	30.8	33.0
Ovary									1,205	11.8	11.1	12.5
Prostate					9,635	100.9	98.8	102.9				
Testis					662	7.3	6.7	7.8				
Urinary Bladder (includes in situ)	4,196	21.1	20.4	21.7	3,077	36.0	34.7	37.3	1,119	10.0	9.4	10.6
Kidney and Renal Pelvis	3,082	15.8	15.2	16.3	1,970	21.7	20.7	22.7	1,112	10.6	10.0	11.3
Brain and Nervous System	1,225	6.5	6.1	6.9	680	7.6	7.0	8.2	545	5.5	5.1	6.0
Hodgkin Lymphoma	539	3.0	2.8	3.3	298	3.4	3.0	3.8	241	2.7	2.3	3.0
Non-Hodgkin Lymphoma	4,028	20.7	20.0	21.3	2,130	24.3	23.3	25.4	1,898	17.8	17.0	18.6
Myeloma	1,144	5.8	5.4	6.1	615	6.9	6.4	7.5	529	4.8	4.4	5.3
Leukemia	2,617	13.7	13.2	14.3	1,517	17.8	16.8	18.7	1,100	10.6	10.0	11.3
All Other Sites	10,371	53.6	52.6	54.7	4,617	52.5	50.9	54.0	5,754	56.1	54.6	57.6
Breast in situ (not in total)									3,090	32.0	30.8	33.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	22,240	478.8	472.4	485.4	10,788	507.4	497.5	517.4	11,452	465.9	457.0	474.9
Oral Cavity and Pharynx	571	11.8	10.8	12.8	411	17.9	16.1	19.8	160	6.4	5.4	7.6
Esophagus	221	4.7	4.1	5.4	166	7.8	6.6	9.2	55	2.1	1.6	2.8
Stomach	288	6.2	5.4	6.9	183	8.8	7.5	10.2	105	4.0	3.3	4.9
Colon and Rectum	1,832	39.5	37.6	41.4	963	46.1	43.1	49.2	869	34.2	31.8	36.6
Liver	238	4.9	4.3	5.6	162	7.4	6.3	8.7	76	2.9	2.3	3.7
Pancreas	614	12.9	11.8	13.9	322	15.5	13.8	17.4	292	10.8	9.6	12.2
Lung and Bronchus	2,488	53.3	51.2	55.5	1,159	56.2	52.8	59.6	1,329	51.7	48.9	54.7
Bones and Joints	45	1.1	0.8	1.5	25	1.2	0.8	1.8	20	1.0	0.6	1.6
Melanoma of the Skin	1,255	27.9	26.3	29.5	732	34.2	31.7	36.9	523	23.4	21.4	25.6
Breast (invasive)	3,627	78.4	75.8	81.1	28	1.5	1.0	2.1	3,599	146.9	141.9	151.9
Cervix									124	5.8	4.8	7.0
Corpus and Uterus, NOS									871	32.8	30.5	35.1
Ovary									282	11.7	10.3	13.2
Prostate					2,601	111.7	107.3	116.3				
Testis					156	9.0	7.6	10.5				
Urinary Bladder (includes in situ)	1,077	23.2	21.8	24.7	829	41.5	38.6	44.5	248	9.4	8.2	10.7
Kidney and Renal Pelvis	801	17.2	16.0	18.5	531	24.4	22.2	26.6	270	11.0	9.7	12.5
Brain and Nervous System	322	7.4	6.6	8.3	176	8.6	7.3	10.0	146	6.5	5.4	7.6
Hodgkin Lymphoma	127	3.4	2.8	4.0	67	3.5	2.7	4.5	60	3.2	2.4	4.2
Non-Hodgkin Lymphoma	993	21.7	20.3	23.2	568	27.7	25.4	30.2	425	17.0	15.3	18.8
Myeloma	323	6.9	6.2	7.7	172	8.6	7.3	10.0	151	5.7	4.8	6.8
Leukemia	685	15.4	14.3	16.7	398	20.0	18.0	22.2	287	12.0	10.6	13.5
All Other Sites	2,699	60.8	58.4	63.2	1,139	55.8	52.5	59.3	1,560	67.3	63.9	70.9
Breast in situ (not in total)									1,027	43.2	40.5	46.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,150	441.3	432.9	449.7	5,530	473.2	460.3	486.3	5,620	423.3	412.0	434.7
Oral Cavity and Pharynx	304	11.3	10.0	12.7	212	16.4	14.2	18.8	92	6.7	5.4	8.2
Esophagus	95	3.7	3.0	4.5	80	6.7	5.3	8.5	15	1.0	0.6	1.7
Stomach	154	6.3	5.3	7.4	101	8.8	7.1	10.8	53	4.1	3.1	5.4
Colon and Rectum	912	36.5	34.2	39.0	467	40.4	36.7	44.4	445	33.2	30.2	36.6
Liver	148	5.6	4.7	6.6	107	8.8	7.1	10.7	41	3.0	2.1	4.0
Pancreas	328	13.2	11.7	14.7	164	14.5	12.3	17.0	164	12.1	10.3	14.2
Lung and Bronchus	1,221	49.4	46.6	52.3	606	55.2	50.7	60.0	615	45.3	41.7	49.1
Bones and Joints	32	1.4	0.9	1.9	19	1.7	1.0	2.6	13	1.0	0.5	1.8
Melanoma of the Skin	616	24.6	22.7	26.7	329	28.5	25.4	31.9	287	22.4	19.8	25.2
Breast (invasive)	1,676	65.8	62.7	69.1	15	1.3	0.7	2.1	1,661	124.5	118.4	130.8
Cervix									63	5.2	3.9	6.6
Corpus and Uterus, NOS									373	26.7	24.0	29.6
Ovary									136	10.1	8.5	12.1
Prostate					1,312	102.5	96.8	108.4				
Testis					86	8.0	6.4	9.9				
Urinary Bladder (includes in situ)	600	24.5	22.5	26.6	462	43.2	39.2	47.5	138	10.1	8.4	11.9
Kidney and Renal Pelvis	443	17.6	15.9	19.3	282	23.8	21.0	26.8	161	12.1	10.3	14.2
Brain and Nervous System	180	7.3	6.2	8.4	95	8.0	6.4	9.9	85	6.5	5.2	8.1
Hodgkin Lymphoma	54	2.3	1.7	3.0	29	2.3	1.5	3.3	25	2.3	1.5	3.3
Non-Hodgkin Lymphoma	487	19.9	18.1	21.7	263	23.2	20.3	26.2	224	17.0	14.8	19.4
Myeloma	168	6.6	5.6	7.7	100	8.6	6.9	10.5	68	4.9	3.8	6.2
Leukemia	327	13.2	11.8	14.8	188	16.7	14.3	19.3	139	10.5	8.8	12.4
All Other Sites	1,435	58.8	55.7	62.0	613	54.7	50.3	59.3	822	64.6	60.2	69.3
Breast in situ (not in total)									413	30.9	27.9	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,903	499.8	481.2	519.0	1,443	518.8	491.7	547.1	1,460	488.2	462.5	515.0
Oral Cavity and Pharynx	73	12.7	9.9	16.2	55	20.0	14.9	26.4	18	5.9	3.5	9.6
Esophagus	29	4.6	3.0	6.7	26	8.9	5.8	13.3	3	0.9	0.2	2.9
Stomach	28	4.8	3.1	7.0	20	6.9	4.2	11.0	8	2.6	1.1	5.4
Colon and Rectum	239	40.4	35.3	46.1	126	46.0	38.1	55.1	113	34.9	28.6	42.3
Liver	36	5.8	4.0	8.1	30	10.0	6.6	14.5	6	1.8	0.7	4.2
Pancreas	91	15.1	12.1	18.7	44	15.7	11.3	21.3	47	14.6	10.6	19.8
Lung and Bronchus	465	76.8	69.9	84.3	243	85.4	74.8	97.2	222	69.6	60.6	79.8
Bones and Joints	1	0.2	0.0	1.2	1	0.4	0.0	2.4	0			
Melanoma of the Skin	144	26.4	22.1	31.3	84	32.2	25.5	40.1	60	21.8	16.4	28.5
Breast (invasive)	448	80.6	73.0	88.7	4	1.6	0.4	4.2	444	153.2	138.7	168.9
Cervix									24	11.3	7.1	17.0
Corpus and Uterus, NOS									102	32.3	26.2	39.6
Ovary									35	11.5	8.0	16.3
Prostate					276	92.0	81.2	103.8				
Testis					25	12.7	8.2	18.7				
Urinary Bladder (includes in situ)	155	25.0	21.2	29.4	119	42.3	34.9	50.9	36	10.6	7.4	14.9
Kidney and Renal Pelvis	132	23.3	19.4	27.8	70	26.4	20.4	33.6	62	20.6	15.7	26.7
Brain and Nervous System	30	6.1	4.0	8.7	18	7.8	4.6	12.5	12	4.5	2.3	8.1
Hodgkin Lymphoma	18	3.6	2.1	5.7	11	4.4	2.1	8.1	7	2.7	1.0	5.8
Non-Hodgkin Lymphoma	119	20.5	16.9	24.7	71	26.3	20.4	33.4	48	15.9	11.6	21.4
Myeloma	32	5.5	3.7	7.9	17	6.1	3.5	10.0	15	5.0	2.8	8.4
Leukemia	85	14.5	11.5	18.1	47	17.2	12.6	23.2	38	12.2	8.5	17.0
All Other Sites	316	55.7	49.5	62.5	156	56.5	47.8	66.4	160	56.2	47.5	66.2
Breast in situ (not in total)									59	21.0	15.7	27.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,732	466.7	459.2	474.2	7,666	482.3	471.1	493.6	8,066	460.4	450.1	471.0
Oral Cavity and Pharynx	370	10.3	9.2	11.4	256	14.9	13.1	16.9	114	6.0	5.0	7.3
Esophagus	174	5.0	4.3	5.9	132	8.2	6.8	9.8	42	2.3	1.7	3.2
Stomach	222	6.9	6.0	7.9	146	9.5	8.0	11.3	76	4.6	3.6	5.7
Colon and Rectum	1,188	35.3	33.2	37.4	628	39.6	36.4	42.9	560	31.3	28.7	34.1
Liver	179	5.2	4.4	6.0	129	7.7	6.4	9.3	50	2.9	2.1	3.8
Pancreas	497	14.8	13.5	16.2	270	17.2	15.1	19.4	227	12.6	11.0	14.4
Lung and Bronchus	1,839	54.9	52.3	57.5	861	56.5	52.7	60.6	978	53.9	50.5	57.5
Bones and Joints	29	0.9	0.6	1.3	18	1.1	0.6	1.8	11	0.7	0.4	1.3
Melanoma of the Skin	938	28.2	26.4	30.2	520	33.2	30.3	36.3	418	25.0	22.6	27.7
Breast (invasive)	2,597	77.0	74.0	80.1	24	1.5	0.9	2.2	2,573	146.1	140.3	152.0
Cervix									84	5.7	4.5	7.2
Corpus and Uterus, NOS									581	30.7	28.2	33.4
Ovary									201	11.3	9.7	13.0
Prostate					1,802	103.2	98.3	108.2				
Testis					81	6.0	4.8	7.5				
Urinary Bladder (includes in situ)	777	23.6	21.9	25.4	594	40.3	37.0	43.8	183	10.2	8.8	11.9
Kidney and Renal Pelvis	595	17.3	15.9	18.8	414	25.3	22.8	28.0	181	10.1	8.7	11.8
Brain and Nervous System	225	7.2	6.2	8.2	116	7.6	6.2	9.1	109	7.0	5.7	8.5
Hodgkin Lymphoma	66	2.3	1.8	2.9	36	2.3	1.6	3.3	30	2.3	1.5	3.3
Non-Hodgkin Lymphoma	752	22.7	21.1	24.4	447	29.2	26.5	32.2	305	17.4	15.4	19.5
Myeloma	205	6.0	5.2	6.9	111	6.9	5.6	8.4	94	5.2	4.2	6.4
Leukemia	503	15.8	14.4	17.3	277	18.7	16.5	21.2	226	13.5	11.7	15.4
All Other Sites	1,827	56.9	54.3	59.7	804	53.3	49.6	57.3	1,023	61.6	57.7	65.6
Breast in situ (not in total)									611	34.7	31.9	37.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,424	547.0	527.7	566.8	1,733	587.3	559.0	616.9	1,691	521.0	494.4	548.7
Oral Cavity and Pharynx	110	17.4	14.2	21.2	67	22.6	17.3	29.2	43	12.5	8.9	17.3
Esophagus	38	5.4	3.8	7.5	33	10.5	7.2	15.1	5	1.2	0.4	3.4
Stomach	32	5.9	3.9	8.6	22	8.1	4.9	12.7	10	4.2	1.9	8.1
Colon and Rectum	312	49.4	43.8	55.7	168	57.6	48.9	67.5	144	42.8	35.5	51.3
Liver	54	7.9	5.9	10.5	43	13.5	9.7	18.5	11	2.9	1.4	5.6
Pancreas	91	13.7	11.0	17.1	47	15.7	11.4	21.3	44	12.0	8.6	16.6
Lung and Bronchus	628	94.0	86.6	102.0	304	99.5	88.4	111.7	324	91.1	81.1	102.3
Bones and Joints	2	0.6	0.1	2.1	1	0.6	0.0	3.1	1	0.6	0.0	3.2
Melanoma of the Skin	177	31.2	26.4	36.6	102	36.6	29.6	45.0	75	27.6	21.1	35.4
Breast (invasive)	388	64.2	57.5	71.4	1	0.4	0.0	2.5	387	120.2	107.6	134.0
Cervix									28	13.2	8.5	19.4
Corpus and Uterus, NOS									108	31.9	25.8	39.1
Ovary									31	10.8	7.0	15.9
Prostate					345	109.3	97.7	121.9				
Testis					10	5.3	2.5	9.7				
Urinary Bladder (includes in situ)	173	24.9	21.2	29.1	134	44.2	36.9	52.7	39	10.1	7.1	14.2
Kidney and Renal Pelvis	147	25.1	20.9	29.9	86	31.8	25.0	39.8	61	19.3	14.4	25.6
Brain and Nervous System	45	8.7	6.2	12.0	23	10.0	6.1	15.4	22	7.5	4.5	11.9
Hodgkin Lymphoma	14	3.4	1.8	5.7	8	3.7	1.5	7.5	6	3.0	1.1	6.7
Non-Hodgkin Lymphoma	131	19.8	16.4	23.8	64	21.8	16.6	28.2	67	18.0	13.7	23.4
Myeloma	50	6.9	5.1	9.3	25	7.4	4.8	11.3	25	6.5	4.1	10.1
Leukemia	71	11.6	8.9	14.9	49	17.7	12.9	23.8	22	6.3	3.7	10.2
All Other Sites	439	74.8	67.4	82.8	201	71.4	61.4	82.6	238	79.2	68.4	91.2
Breast in situ (not in total)									99	31.5	25.2	39.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,656	489.8	478.6	501.3	3,675	513.3	496.4	530.7	3,981	480.2	464.7	496.1
Oral Cavity and Pharynx	223	14.3	12.4	16.4	156	20.9	17.6	24.6	67	8.5	6.5	11.0
Esophagus	97	6.1	4.9	7.5	86	11.4	9.1	14.3	11	1.4	0.7	2.6
Stomach	86	5.2	4.2	6.5	53	7.4	5.5	9.8	33	3.4	2.3	4.9
Colon and Rectum	653	41.2	38.0	44.5	331	46.9	41.9	52.4	322	36.8	32.8	41.3
Liver	115	6.7	5.5	8.1	79	9.7	7.7	12.2	36	3.9	2.7	5.4
Pancreas	217	13.3	11.5	15.2	107	15.0	12.2	18.2	110	12.0	9.8	14.5
Lung and Bronchus	1,337	82.0	77.5	86.6	664	91.9	84.9	99.4	673	75.4	69.7	81.5
Bones and Joints	12	1.0	0.5	1.8	10	1.8	0.8	3.3	2	0.3	0.0	1.1
Melanoma of the Skin	340	23.5	20.9	26.2	183	26.7	22.9	31.0	157	21.9	18.5	25.9
Breast (invasive)	1,092	72.5	68.1	77.1	12	1.8	0.9	3.3	1,080	135.0	126.7	143.7
Cervix									46	7.0	5.0	9.5
Corpus and Uterus, NOS									264	30.0	26.4	34.1
Ovary									82	10.4	8.2	13.1
Prostate					655	86.0	79.4	93.0				
Testis					31	6.0	4.0	8.5				
Urinary Bladder (includes in situ)	383	23.5	21.2	26.1	267	38.3	33.8	43.4	116	13.0	10.7	15.8
Kidney and Renal Pelvis	366	24.3	21.8	27.1	215	30.6	26.5	35.2	151	18.8	15.8	22.3
Brain and Nervous System	113	8.2	6.7	9.9	55	8.4	6.3	11.1	58	8.1	6.0	10.6
Hodgkin Lymphoma	34	2.5	1.7	3.6	21	3.2	1.9	4.9	13	2.0	1.0	3.5
Non-Hodgkin Lymphoma	323	20.2	18.0	22.6	166	22.6	19.2	26.4	157	18.2	15.4	21.5
Myeloma	81	4.9	3.9	6.1	49	6.7	4.9	8.9	32	3.5	2.4	5.0
Leukemia	245	16.2	14.2	18.5	139	20.8	17.4	24.7	106	13.0	10.5	15.9
All Other Sites	861	56.9	53.0	61.0	396	57.3	51.7	63.4	465	57.6	52.2	63.4
Breast in situ (not in total)									237	31.1	27.1	35.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,614	489.4	474.8	504.3	2,330	532.9	510.9	555.7	2,284	460.6	440.8	481.1
Oral Cavity and Pharynx	122	13.1	10.8	15.8	82	19.0	15.0	23.9	40	8.2	5.8	11.4
Esophagus	59	6.1	4.6	8.0	46	10.3	7.5	13.9	13	2.6	1.3	4.7
Stomach	49	4.7	3.5	6.4	28	6.1	4.0	9.0	21	3.6	2.2	5.7
Colon and Rectum	399	43.0	38.7	47.7	218	52.6	45.6	60.3	181	34.4	29.3	40.3
Liver	54	5.1	3.8	6.8	47	9.6	7.0	13.0	7	1.3	0.5	2.9
Pancreas	135	13.7	11.5	16.4	72	17.6	13.7	22.3	63	10.6	8.0	13.8
Lung and Bronchus	824	83.2	77.5	89.2	461	103.2	93.8	113.4	363	67.8	60.8	75.4
Bones and Joints	5	0.7	0.2	1.7	1	0.4	0.0	1.9	4	1.0	0.2	2.7
Melanoma of the Skin	284	31.4	27.7	35.4	165	39.7	33.7	46.5	119	25.5	20.9	30.9
Breast (invasive)	691	77.6	71.6	83.9	3	0.7	0.1	2.2	688	145.7	134.4	157.8
Cervix									43	11.7	8.3	16.1
Corpus and Uterus, NOS									129	24.7	20.4	29.6
Ovary									48	9.4	6.8	12.7
Prostate					506	105.3	96.2	115.2				
Testis					21	6.7	4.1	10.3				
Urinary Bladder (includes in situ)	212	21.2	18.4	24.4	154	35.9	30.3	42.2	58	9.9	7.5	13.1
Kidney and Renal Pelvis	197	21.9	18.8	25.3	137	32.7	27.3	38.9	60	12.6	9.5	16.5
Brain and Nervous System	53	6.0	4.4	7.9	23	5.4	3.3	8.3	30	6.6	4.3	9.7
Hodgkin Lymphoma	20	2.7	1.6	4.2	13	3.4	1.8	5.9	7	2.0	0.8	4.2
Non-Hodgkin Lymphoma	176	18.5	15.7	21.6	85	19.2	15.3	24.0	91	18.1	14.4	22.6
Myeloma	41	4.2	3.0	5.8	20	4.9	2.9	7.7	21	3.5	2.1	5.6
Leukemia	98	11.0	8.8	13.6	65	15.9	12.2	20.5	33	6.9	4.6	10.0
All Other Sites	448	49.4	44.8	54.5	183	44.4	38.0	51.5	265	54.5	47.7	62.0
Breast in situ (not in total)									155	33.8	28.4	40.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,956	454.1	439.3	469.2	1,990	482.7	461.0	505.3	1,966	437.3	416.8	458.6
Oral Cavity and Pharynx	105	12.5	10.1	15.4	70	17.9	13.7	22.9	35	7.8	5.3	11.3
Esophagus	54	5.5	4.1	7.4	48	10.7	7.8	14.5	6	1.0	0.3	2.5
Stomach	46	5.1	3.7	7.0	25	6.5	4.2	9.9	21	4.0	2.4	6.5
Colon and Rectum	300	34.3	30.4	38.7	156	40.3	34.0	47.6	144	29.0	24.2	34.6
Liver	62	6.3	4.8	8.2	52	11.3	8.3	15.0	10	1.8	0.9	3.7
Pancreas	127	13.6	11.3	16.4	70	16.3	12.6	20.9	57	11.5	8.6	15.2
Lung and Bronchus	617	65.4	60.2	70.9	318	73.9	65.8	82.7	299	58.8	52.2	66.2
Bones and Joints	2	0.3	0.0	1.1	2	0.6	0.1	2.3	0			
Melanoma of the Skin	231	28.9	25.1	33.2	123	31.0	25.6	37.3	108	28.4	23.0	34.8
Breast (invasive)	557	67.2	61.4	73.4	4	1.2	0.3	3.2	553	126.6	115.5	138.5
Cervix									29	9.9	6.5	14.4
Corpus and Uterus, NOS									155	33.0	27.8	39.1
Ovary									56	12.7	9.4	17.0
Prostate					446	99.2	90.0	109.2				
Testis					26	10.1	6.5	14.7				
Urinary Bladder (includes in situ)	182	19.3	16.5	22.4	137	33.0	27.6	39.2	45	8.7	6.2	12.0
Kidney and Renal Pelvis	146	17.3	14.5	20.6	93	23.4	18.7	29.0	53	12.3	9.0	16.5
Brain and Nervous System	64	8.2	6.2	10.7	36	9.3	6.4	13.2	28	7.3	4.7	10.9
Hodgkin Lymphoma	25	3.8	2.4	5.7	14	4.3	2.3	7.3	11	3.3	1.5	6.1
Non-Hodgkin Lymphoma	148	17.8	14.9	21.2	78	20.3	15.9	25.7	70	15.8	12.0	20.4
Myeloma	48	4.8	3.5	6.5	31	7.0	4.7	10.2	17	3.1	1.8	5.2
Leukemia	89	10.8	8.6	13.5	52	13.5	10.0	18.0	37	9.0	6.1	12.8
All Other Sites	441	52.6	47.5	58.1	209	52.9	45.7	61.0	232	53.3	46.1	61.3
Breast in situ (not in total)									122	29.0	23.8	35.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,234	552.3	538.2	566.8	3,110	607.7	585.8	630.2	3,124	517.3	498.3	536.9
Oral Cavity and Pharynx	170	15.1	12.8	17.7	127	24.5	20.2	29.4	43	7.0	5.0	9.7
Esophagus	42	3.4	2.5	4.7	34	6.1	4.2	8.7	8	1.2	0.5	2.6
Stomach	74	6.5	5.0	8.2	40	7.6	5.4	10.6	34	5.4	3.6	7.7
Colon and Rectum	495	44.0	40.0	48.2	246	49.4	43.2	56.2	249	39.7	34.7	45.3
Liver	92	7.9	6.3	9.8	73	13.6	10.6	17.4	19	3.2	1.9	5.2
Pancreas	168	14.7	12.5	17.2	89	17.6	14.1	21.8	79	12.4	9.7	15.7
Lung and Bronchus	971	82.0	76.8	87.5	492	95.9	87.4	105.1	479	72.8	66.2	79.9
Bones and Joints	12	1.3	0.7	2.4	8	1.8	0.7	3.6	4	0.9	0.2	2.4
Melanoma of the Skin	343	32.7	29.1	36.5	177	35.8	30.6	41.8	166	32.0	27.1	37.6
Breast (invasive)	936	85.7	80.1	91.7	7	1.1	0.4	2.6	929	157.9	147.3	169.1
Cervix									27	6.6	4.3	9.7
Corpus and Uterus, NOS									173	26.9	22.8	31.5
Ovary									88	14.0	11.1	17.5
Prostate					715	127.3	117.9	137.3				
Testis					40	11.2	8.0	15.3				
Urinary Bladder (includes in situ)	268	22.6	19.9	25.6	208	41.5	35.9	47.8	60	8.8	6.7	11.6
Kidney and Renal Pelvis	286	25.4	22.4	28.7	179	34.8	29.7	40.5	107	17.8	14.4	21.8
Brain and Nervous System	73	7.5	5.8	9.6	36	7.8	5.3	10.9	37	7.5	5.1	10.7
Hodgkin Lymphoma	17	2.0	1.1	3.2	14	3.3	1.8	5.6	3	0.8	0.2	2.2
Non-Hodgkin Lymphoma	278	24.3	21.4	27.5	146	29.4	24.7	34.8	132	20.3	16.8	24.3
Myeloma	75	6.3	4.9	8.0	45	8.7	6.3	11.9	30	4.7	3.1	6.9
Leukemia	201	19.1	16.4	22.1	116	24.2	19.9	29.3	85	14.5	11.4	18.2
All Other Sites	690	63.7	58.8	68.8	318	65.9	58.7	73.9	372	62.9	56.3	70.2
Breast in situ (not in total)									204	36.1	31.1	41.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,334	473.8	460.7	487.1	2,663	511.3	491.4	531.7	2,671	452.5	434.8	470.9
Oral Cavity and Pharynx	169	14.7	12.5	17.1	120	22.0	18.2	26.6	49	8.2	6.0	11.1
Esophagus	65	5.4	4.2	7.0	56	10.1	7.5	13.3	9	1.5	0.7	3.0
Stomach	37	3.1	2.2	4.4	26	5.3	3.4	7.8	11	1.5	0.7	2.9
Colon and Rectum	412	36.8	33.2	40.7	229	45.5	39.6	52.0	183	28.7	24.5	33.5
Liver	86	7.3	5.8	9.1	60	10.9	8.2	14.2	26	4.2	2.7	6.4
Pancreas	138	11.8	9.8	14.0	75	13.9	10.8	17.6	63	9.6	7.3	12.4
Lung and Bronchus	885	75.4	70.4	80.6	449	85.4	77.5	94.0	436	68.5	62.1	75.5
Bones and Joints	5	0.5	0.2	1.3	2	0.3	0.0	1.4	3	0.7	0.1	2.1
Melanoma of the Skin	280	26.2	23.1	29.6	172	33.7	28.7	39.4	108	20.6	16.7	25.2
Breast (invasive)	818	74.1	68.9	79.5	5	0.8	0.3	2.1	813	139.9	130.0	150.4
Cervix									43	9.2	6.6	12.5
Corpus and Uterus, NOS									181	30.5	26.1	35.5
Ovary									72	12.0	9.3	15.3
Prostate					516	91.0	83.1	99.5				
Testis					30	7.3	4.9	10.5				
Urinary Bladder (includes in situ)	271	23.7	20.9	26.8	215	43.2	37.5	49.6	56	8.7	6.5	11.6
Kidney and Renal Pelvis	253	22.9	20.1	26.1	160	29.9	25.3	35.2	93	16.6	13.3	20.6
Brain and Nervous System	67	6.5	5.0	8.4	35	6.9	4.7	9.8	32	6.3	4.2	9.1
Hodgkin Lymphoma	24	3.0	1.9	4.4	11	2.8	1.4	5.0	13	3.1	1.6	5.4
Non-Hodgkin Lymphoma	212	19.2	16.7	22.1	111	22.3	18.3	27.1	101	16.8	13.5	20.6
Myeloma	88	7.7	6.1	9.6	52	10.6	7.9	14.1	36	5.6	3.9	8.0
Leukemia	129	12.0	10.0	14.4	75	15.5	12.1	19.6	54	9.0	6.6	11.9
All Other Sites	553	51.1	46.8	55.8	264	53.8	47.4	61.0	289	51.2	45.2	57.9
Breast in situ (not in total)									189	34.5	29.6	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,445	518.4	497.1	540.4	1,240	553.5	522.2	586.3	1,205	497.9	468.2	529.1
Oral Cavity and Pharynx	61	13.4	10.1	17.6	39	17.8	12.5	24.8	22	9.2	5.6	14.6
Esophagus	28	5.5	3.6	8.1	21	9.2	5.7	14.5	7	2.6	1.0	6.0
Stomach	31	5.9	4.0	8.6	21	8.7	5.3	13.7	10	3.6	1.7	7.2
Colon and Rectum	228	50.5	43.8	57.9	112	52.0	42.6	63.1	116	49.2	40.0	60.1
Liver	28	5.4	3.6	8.1	19	7.6	4.5	12.3	9	3.5	1.5	7.2
Pancreas	69	13.9	10.7	17.8	37	16.1	11.2	22.7	32	11.8	7.9	17.3
Lung and Bronchus	455	90.8	82.4	99.9	235	102.0	89.1	116.5	220	82.4	71.5	94.7
Bones and Joints	7	2.0	0.8	4.2	4	2.0	0.5	5.5	3	2.1	0.4	6.0
Melanoma of the Skin	145	32.8	27.4	39.1	85	38.2	30.2	47.8	60	29.7	22.1	39.1
Breast (invasive)	295	63.7	56.3	71.9	6	2.6	0.9	6.0	289	119.7	105.4	135.5
Cervix									18	9.9	5.6	16.2
Corpus and Uterus, NOS									77	29.6	23.1	37.7
Ovary									23	9.0	5.6	14.1
Prostate					254	107.1	94.1	121.7				
Testis					4	2.8	0.7	7.2				
Urinary Bladder (includes in situ)	125	25.1	20.8	30.2	98	44.3	35.8	54.4	27	9.9	6.4	15.0
Kidney and Renal Pelvis	83	18.1	14.3	22.8	48	23.0	16.7	31.0	35	13.7	9.3	19.8
Brain and Nervous System	26	6.7	4.2	10.0	14	7.5	4.0	12.9	12	6.0	3.0	11.0
Hodgkin Lymphoma	4	1.1	0.3	3.0	1	0.7	0.0	3.8	3	1.5	0.3	4.8
Non-Hodgkin Lymphoma	102	21.5	17.3	26.4	67	30.3	23.3	39.0	35	14.0	9.4	20.3
Myeloma	27	5.3	3.4	8.1	14	5.7	3.0	10.0	13	5.2	2.6	9.5
Leukemia	68	15.3	11.7	19.7	45	21.9	15.8	29.8	23	9.3	5.7	14.6
All Other Sites	287	64.7	57.1	73.2	116	53.8	44.2	65.1	171	75.8	64.0	89.3
Breast in situ (not in total)									51	25.6	18.7	34.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,052	499.5	491.4	507.8	7,542	541.7	529.0	554.6	7,510	473.0	462.1	484.0
Oral Cavity and Pharynx	393	12.5	11.3	13.8	279	18.2	16.0	20.5	114	7.2	5.9	8.7
Esophagus	171	5.7	4.8	6.6	135	9.4	7.8	11.2	36	2.4	1.7	3.3
Stomach	212	7.3	6.3	8.3	131	10.0	8.3	12.0	81	5.0	4.0	6.3
Colon and Rectum	1,287	43.4	41.0	45.9	721	52.1	48.2	56.2	566	35.7	32.8	38.8
Liver	173	5.5	4.7	6.4	126	8.4	6.9	10.1	47	3.0	2.2	4.0
Pancreas	424	14.4	13.1	15.9	253	19.0	16.6	21.6	171	10.8	9.2	12.5
Lung and Bronchus	1,872	63.6	60.7	66.7	919	69.9	65.3	74.8	953	59.5	55.7	63.4
Bones and Joints	22	0.7	0.4	1.1	14	1.0	0.5	1.7	8	0.5	0.2	1.0
Melanoma of the Skin	716	23.9	22.1	25.7	395	28.2	25.4	31.2	321	21.1	18.8	23.6
Breast (invasive)	2,304	75.3	72.2	78.5	18	1.4	0.8	2.2	2,286	143.0	137.1	149.1
Cervix									108	7.3	6.0	8.8
Corpus and Uterus, NOS									526	31.0	28.3	33.8
Ovary									162	9.8	8.3	11.5
Prostate					1,775	116.2	110.7	122.0				
Testis					95	7.1	5.7	8.7				
Urinary Bladder (includes in situ)	710	24.5	22.7	26.4	543	42.9	39.2	46.8	167	10.3	8.8	12.0
Kidney and Renal Pelvis	577	18.7	17.2	20.4	382	26.2	23.5	29.0	195	12.1	10.4	13.9
Brain and Nervous System	202	7.1	6.2	8.2	118	8.6	7.1	10.4	84	5.8	4.6	7.2
Hodgkin Lymphoma	107	3.9	3.2	4.8	59	4.4	3.3	5.7	48	3.5	2.6	4.7
Non-Hodgkin Lymphoma	652	22.3	20.5	24.1	367	27.7	24.9	30.9	285	18.0	15.9	20.3
Myeloma	189	6.3	5.4	7.3	106	7.8	6.4	9.5	83	5.2	4.1	6.4
Leukemia	484	16.6	15.2	18.2	272	20.5	18.0	23.1	212	13.4	11.7	15.4
All Other Sites	1,891	64.9	62.0	68.0	834	62.8	58.4	67.4	1,057	68.6	64.5	73.0
Breast in situ (not in total)									622	38.5	35.4	41.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,314	465.9	454.9	477.1	3,525	476.0	460.0	492.5	3,789	466.8	451.3	482.7
Oral Cavity and Pharynx	206	12.7	11.0	14.6	156	19.8	16.7	23.4	50	6.1	4.5	8.1
Esophagus	92	5.5	4.4	6.8	65	8.3	6.4	10.7	27	3.0	2.0	4.5
Stomach	112	6.9	5.6	8.3	75	9.8	7.7	12.5	37	4.4	3.0	6.2
Colon and Rectum	549	35.4	32.4	38.6	291	40.7	36.0	45.8	258	30.9	27.0	35.1
Liver	102	6.0	4.9	7.3	82	10.2	8.1	12.8	20	2.2	1.3	3.5
Pancreas	208	12.4	10.7	14.3	93	12.0	9.6	14.8	115	12.7	10.5	15.4
Lung and Bronchus	1,115	66.7	62.7	70.8	543	71.5	65.5	77.9	572	63.8	58.5	69.4
Bones and Joints	9	0.8	0.4	1.5	4	0.7	0.2	1.9	5	0.8	0.3	2.0
Melanoma of the Skin	403	27.1	24.4	30.1	218	30.5	26.4	35.0	185	25.7	21.9	30.0
Breast (invasive)	1,090	71.2	66.9	75.8	13	1.8	1.0	3.2	1,077	133.5	125.3	142.2
Cervix									48	8.3	6.0	11.2
Corpus and Uterus, NOS									266	32.9	28.9	37.4
Ovary									101	13.3	10.7	16.3
Prostate					664	82.7	76.4	89.4				
Testis					40	8.1	5.8	11.1				
Urinary Bladder (includes in situ)	345	21.2	19.0	23.6	254	35.0	30.7	39.7	91	10.3	8.2	12.8
Kidney and Renal Pelvis	274	18.0	15.9	20.4	167	23.5	19.9	27.5	107	13.4	10.8	16.4
Brain and Nervous System	96	6.7	5.4	8.3	57	8.5	6.4	11.2	39	5.1	3.6	7.2
Hodgkin Lymphoma	38	3.4	2.4	4.6	24	4.4	2.8	6.5	14	2.4	1.3	4.0
Non-Hodgkin Lymphoma	294	18.9	16.7	21.3	168	23.0	19.5	26.9	126	15.5	12.7	18.7
Myeloma	110	6.7	5.4	8.1	65	8.7	6.6	11.1	45	4.9	3.6	6.7
Leukemia	209	13.5	11.7	15.6	121	17.3	14.3	20.8	88	10.4	8.3	13.0
All Other Sites	943	62.3	58.2	66.6	425	59.5	53.8	65.6	518	67.2	61.2	73.6
Breast in situ (not in total)									236	30.7	26.7	35.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	46,862	483.3	478.8	487.8	22,603	552.9	545.4	560.5	24,259	439.1	433.5	444.8
Oral Cavity and Pharynx	998	9.9	9.3	10.6	675	15.9	14.7	17.2	323	5.7	5.1	6.4
Esophagus	425	4.3	3.8	4.7	286	6.9	6.1	7.8	139	2.4	2.0	2.8
Stomach	1,006	10.8	10.1	11.5	534	14.1	12.9	15.5	472	8.6	7.9	9.5
Colon and Rectum	4,795	50.5	49.0	52.0	2,352	60.3	57.8	62.9	2,443	44.2	42.4	46.0
Liver	912	8.5	8.0	9.1	648	14.2	13.1	15.4	264	4.4	3.9	5.0
Pancreas	1,631	17.3	16.4	18.1	739	18.8	17.4	20.2	892	16.1	15.0	17.2
Lung and Bronchus	6,914	72.3	70.6	74.1	3,427	88.6	85.5	91.8	3,487	61.8	59.7	63.9
Bones and Joints	71	0.7	0.6	0.9	40	0.9	0.6	1.3	31	0.6	0.4	0.9
Melanoma of the Skin	70	0.8	0.6	1.0	27	0.7	0.5	1.1	43	0.8	0.6	1.1
Breast (invasive)	7,493	78.4	76.6	80.2	73	1.9	1.5	2.4	7,420	135.2	132.1	138.4
Cervix									535	10.2	9.3	11.1
Corpus and Uterus, NOS									1,767	30.5	29.1	32.0
Ovary									508	9.3	8.5	10.2
Prostate					7,489	172.5	168.5	176.6				
Testis					73	1.7	1.3	2.2				
Urinary Bladder (includes in situ)	1,079	11.7	11.0	12.4	741	20.1	18.6	21.6	338	6.2	5.5	6.9
Kidney and Renal Pelvis	1,966	20.2	19.3	21.2	1,205	29.0	27.3	30.7	761	13.7	12.8	14.8
Brain and Nervous System	397	4.1	3.7	4.6	218	5.1	4.4	5.9	179	3.4	2.9	3.9
Hodgkin Lymphoma	263	2.7	2.4	3.1	152	3.4	2.8	4.0	111	2.2	1.8	2.6
Non-Hodgkin Lymphoma	1,353	14.4	13.7	15.3	685	17.3	16.0	18.7	668	12.5	11.5	13.5
Myeloma	1,242	13.1	12.4	13.9	572	14.8	13.6	16.1	670	12.1	11.2	13.1
Leukemia	1,001	10.6	9.9	11.3	531	13.4	12.2	14.6	470	8.7	7.9	9.5
All Other Sites	4,874	51.5	50.0	53.0	2,136	53.3	51.0	55.7	2,738	50.7	48.8	52.7
Breast in situ (not in total)									1,950	34.8	33.3	36.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	443	446.1	403.1	492.1	226	511.2	441.2	588.5	217	393.1	340.4	451.3
Oral Cavity and Pharynx	5	4.2	1.4	10.1	3	5.8	1.2	17.9	2	2.9	0.3	11.0
Esophagus	3	3.1	0.5	9.3	1	1.5	0.0	11.1	2	4.2	0.4	14.6
Stomach	5	4.9	1.5	11.5	2	5.4	0.6	18.8	3	4.6	0.9	13.9
Colon and Rectum	37	36.3	25.0	50.6	20	41.0	24.3	64.7	17	31.3	17.8	50.5
Liver	13	10.8	5.6	18.7	10	19.2	9.0	36.3	3	4.1	0.9	12.7
Pancreas	16	16.5	9.0	27.2	5	12.9	3.8	30.5	11	18.3	8.9	33.2
Lung and Bronchus	48	54.0	39.2	72.2	24	57.5	35.7	86.9	24	50.8	32.0	75.8
Bones and Joints	1	0.6	0.0	4.4	1	1.2	0.0	10.5	0			
Melanoma of the Skin	1	1.6	0.0	7.3	0				1	2.2	0.1	10.9
Breast (invasive)	81	84.2	66.0	105.6	3	8.8	1.6	25.4	78	139.8	109.5	175.5
Cervix									3	5.2	1.0	15.0
Corpus and Uterus, NOS									6	9.0	3.3	20.0
Ovary									9	17.8	7.9	33.6
Prostate					85	189.5	148.4	238.0				
Testis					1	2.0	0.1	12.3				
Urinary Bladder (includes in situ)	13	12.6	6.2	22.3	8	19.1	6.7	40.7	5	8.3	2.3	20.3
Kidney and Renal Pelvis	30	26.9	17.7	39.0	20	41.2	23.2	67.0	10	16.8	7.8	31.1
Brain and Nervous System	3	2.3	0.5	7.3	3	5.0	0.9	16.6	0			
Hodgkin Lymphoma	2	2.3	0.3	7.9	2	5.2	0.6	18.4	0			
Non-Hodgkin Lymphoma	9	11.1	4.9	20.9	6	19.8	6.5	43.2	3	6.2	1.2	17.5
Myeloma	10	11.6	5.3	21.5	5	14.1	4.1	33.1	5	10.1	3.0	23.5
Leukemia	8	9.4	3.7	18.7	3	7.5	1.2	22.7	5	10.8	3.2	24.9
All Other Sites	54	53.6	39.4	70.9	24	54.4	33.8	82.4	30	50.6	33.2	73.5
Breast in situ (not in total)									17	29.4	16.8	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	34,784	488.0	482.8	493.3	16,398	558.6	549.8	567.5	18,386	444.6	438.1	451.3
Oral Cavity and Pharynx	768	10.5	9.8	11.3	515	17.0	15.5	18.6	253	6.0	5.3	6.8
Esophagus	331	4.5	4.0	5.0	219	7.3	6.3	8.4	112	2.5	2.1	3.0
Stomach	776	11.1	10.3	11.9	402	14.6	13.2	16.2	374	9.0	8.1	10.0
Colon and Rectum	3,574	50.8	49.1	52.6	1,711	60.8	57.9	63.9	1,863	44.6	42.5	46.7
Liver	654	8.4	7.8	9.1	455	14.1	12.8	15.5	199	4.4	3.8	5.1
Pancreas	1,262	17.8	16.8	18.8	575	19.9	18.3	21.7	687	16.2	15.0	17.5
Lung and Bronchus	5,161	71.9	69.9	73.9	2,508	88.3	84.8	92.0	2,653	61.6	59.2	64.0
Bones and Joints	45	0.7	0.5	0.9	26	0.9	0.6	1.3	19	0.6	0.3	0.9
Melanoma of the Skin	52	0.8	0.6	1.0	19	0.7	0.4	1.1	33	0.8	0.6	1.2
Breast (invasive)	5,702	82.1	79.9	84.3	57	2.1	1.5	2.7	5,645	138.8	135.1	142.5
Cervix									408	10.9	9.8	12.0
Corpus and Uterus, NOS									1,379	31.8	30.1	33.6
Ovary									394	9.7	8.7	10.7
Prostate					5,421	174.0	169.3	178.9				
Testis					47	1.8	1.3	2.4				
Urinary Bladder (includes in situ)	793	11.3	10.5	12.1	537	19.7	18.0	21.5	256	6.0	5.3	6.8
Kidney and Renal Pelvis	1,353	19.2	18.1	20.2	793	27.2	25.3	29.2	560	13.5	12.4	14.7
Brain and Nervous System	264	4.0	3.5	4.5	135	4.7	3.9	5.6	129	3.4	2.8	4.1
Hodgkin Lymphoma	183	2.8	2.4	3.3	109	3.8	3.1	4.6	74	2.1	1.6	2.6
Non-Hodgkin Lymphoma	1,000	14.8	13.9	15.8	492	17.6	16.1	19.3	508	12.9	11.8	14.1
Myeloma	942	13.3	12.5	14.2	430	15.2	13.8	16.8	512	12.1	11.1	13.3
Leukemia	720	10.4	9.7	11.3	383	13.7	12.3	15.1	337	8.5	7.6	9.4
All Other Sites	3,555	51.4	49.7	53.1	1,564	55.1	52.3	57.9	1,991	49.3	47.1	51.6
Breast in situ (not in total)									1,422	34.1	32.3	36.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	806	454.6	419.5	491.5	360	485.2	427.6	547.7	446	433.2	389.3	480.4
Oral Cavity and Pharynx	9	5.7	2.2	11.4	7	11.7	3.8	26.0	2	1.5	0.2	6.1
Esophagus	2	0.7	0.1	3.3	0				2	1.3	0.2	5.6
Stomach	15	11.5	5.9	19.6	7	12.2	4.3	26.0	8	10.4	4.0	21.1
Colon and Rectum	85	48.0	37.1	60.9	39	54.6	36.4	78.0	46	42.8	30.1	58.6
Liver	9	5.2	2.0	10.5	9	14.3	4.8	30.9	0			
Pancreas	22	16.2	9.5	25.2	7	9.0	3.4	19.6	15	20.0	10.5	33.7
Lung and Bronchus	68	46.4	34.9	60.2	32	58.2	37.1	85.5	36	39.6	26.5	56.3
Bones and Joints	1	0.3	0.0	2.7	1	0.6	0.0	7.0	0			
Melanoma of the Skin	6	5.5	1.8	12.0	4	13.0	3.0	32.0	2	2.1	0.2	7.7
Breast (invasive)	159	85.1	70.8	101.3	1	0.9	0.0	7.4	158	145.0	120.9	172.2
Cervix									13	8.8	4.7	15.6
Corpus and Uterus, NOS									25	23.5	14.3	36.2
Ovary									9	8.6	3.5	17.4
Prostate					146	171.7	141.4	206.4				
Testis					4	3.0	0.8	10.0				
Urinary Bladder (includes in situ)	17	12.2	6.6	20.0	12	18.7	8.9	33.9	5	6.7	1.9	15.6
Kidney and Renal Pelvis	42	24.0	16.6	33.5	28	37.8	23.1	57.8	14	15.1	7.5	26.5
Brain and Nervous System	9	3.8	1.7	7.5	5	4.7	1.5	12.7	4	3.1	0.8	8.4
Hodgkin Lymphoma	5	1.8	0.6	4.7	2	1.6	0.2	8.4	3	2.0	0.4	6.7
Non-Hodgkin Lymphoma	30	17.3	10.8	25.8	11	14.9	6.5	28.7	19	18.9	10.4	31.0
Myeloma	21	11.4	6.5	18.2	8	11.1	3.9	23.9	13	11.8	5.8	21.2
Leukemia	16	10.3	5.4	17.5	6	8.9	2.7	20.7	10	11.1	4.7	21.3
All Other Sites	93	52.2	40.9	65.5	31	38.3	24.1	57.6	62	60.8	45.3	79.7
Breast in situ (not in total)									57	45.9	34.1	60.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	581	435.9	398.8	475.3	307	505.7	445.5	571.4	274	380.0	334.3	429.9
Oral Cavity and Pharynx	14	11.3	5.9	19.3	10	17.8	7.9	33.7	4	6.0	1.5	15.6
Esophagus	5	3.4	1.1	8.1	5	7.3	2.3	17.8	0			
Stomach	17	14.3	8.0	23.3	10	20.3	8.3	39.4	7	10.7	4.2	22.0
Colon and Rectum	53	41.5	30.5	55.0	31	57.9	37.8	84.0	22	29.5	18.1	45.3
Liver	15	10.5	5.6	17.8	12	19.8	9.5	35.9	3	3.0	0.6	9.5
Pancreas	24	22.0	13.6	33.3	13	25.6	12.6	44.9	11	18.8	8.9	33.8
Lung and Bronchus	62	48.7	36.6	63.3	35	62.3	41.9	88.5	27	37.6	24.1	55.7
Bones and Joints	2	1.0	0.1	4.3	2	2.0	0.2	9.4	0			
Melanoma of the Skin	1	0.7	0.0	4.0	1	1.4	0.0	8.9	0			
Breast (invasive)	97	70.2	56.2	86.4	0				97	129.1	103.9	158.5
Cervix									6	7.1	2.6	15.9
Corpus and Uterus, NOS									13	16.8	8.6	29.3
Ovary									7	9.8	3.8	20.3
Prostate					120	179.4	146.8	217.1				
Testis					0							
Urinary Bladder (includes in situ)	15	13.6	7.2	22.9	12	22.2	10.2	40.6	3	6.3	1.3	17.1
Kidney and Renal Pelvis	21	13.3	8.0	20.8	15	18.9	10.4	32.1	6	8.0	2.7	18.0
Brain and Nervous System	5	3.2	1.0	7.8	3	4.2	0.9	13.2	2	2.3	0.3	9.0
Hodgkin Lymphoma	5	3.0	1.0	7.4	2	2.2	0.3	9.9	3	3.6	0.7	10.9
Non-Hodgkin Lymphoma	13	11.0	5.6	19.2	6	12.9	4.2	28.5	7	10.1	3.8	21.1
Myeloma	16	13.0	7.1	21.6	9	18.0	7.3	35.3	7	9.6	3.6	20.1
Leukemia	9	7.4	3.0	14.6	1	0.9	0.0	7.8	8	12.0	4.8	24.2
All Other Sites	61	47.9	35.9	62.4	20	32.8	19.0	52.3	41	59.7	42.1	81.8
Breast in situ (not in total)									24	31.2	19.8	46.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	465	585.6	531.5	643.6	246	667.1	581.6	761.2	219	519.6	451.3	595.1
Oral Cavity and Pharynx	7	6.4	2.6	13.9	5	9.8	3.2	24.6	2	3.4	0.4	14.0
Esophagus	5	6.0	1.8	14.4	3	5.9	1.2	19.2	2	5.4	0.7	18.7
Stomach	12	16.1	8.2	28.3	8	25.3	10.5	50.0	4	9.7	2.6	24.7
Colon and Rectum	52	64.9	47.9	86.0	26	69.7	44.1	104.2	26	61.0	39.3	90.1
Liver	9	8.4	3.8	16.5	7	13.7	5.5	29.8	2	3.8	0.5	14.8
Pancreas	18	23.7	13.7	37.8	8	24.4	10.0	48.7	10	23.0	10.7	42.7
Lung and Bronchus	74	94.2	73.1	119.4	40	120.1	83.7	166.1	34	75.4	51.5	106.4
Bones and Joints	1	0.9	0.0	6.2	0				1	2.0	0.0	12.0
Melanoma of the Skin	0				0				0			
Breast (invasive)	65	86.5	66.2	110.9	0				65	158.1	121.2	202.4
Cervix									0			
Corpus and Uterus, NOS									9	20.4	9.1	39.3
Ovary									7	16.4	6.5	34.1
Prostate					82	207.9	163.4	260.7				
Testis					0							
Urinary Bladder (includes in situ)	13	16.3	8.4	28.2	9	24.9	10.8	48.3	4	8.9	2.3	23.3
Kidney and Renal Pelvis	15	19.7	10.7	33.0	9	25.0	10.6	49.0	6	15.4	5.5	33.4
Brain and Nervous System	6	6.9	2.4	15.4	2	5.2	0.5	19.7	4	8.6	2.2	22.6
Hodgkin Lymphoma	4	4.2	1.1	11.4	4	8.5	2.2	23.5	0			
Non-Hodgkin Lymphoma	14	19.8	10.6	33.2	9	26.3	11.6	50.5	5	14.0	4.5	31.9
Myeloma	8	11.8	4.9	23.1	4	14.0	3.6	34.9	4	10.0	2.6	25.6
Leukemia	7	8.3	3.1	17.6	3	8.8	1.4	26.6	4	8.3	2.2	22.1
All Other Sites	57	76.9	57.5	100.3	27	77.6	50.0	114.4	30	75.8	50.5	108.8
Breast in situ (not in total)									17	40.8	23.4	65.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,019	445.7	417.1	475.6	516	504.6	457.5	555.1	503	404.2	368.3	442.5
Oral Cavity and Pharynx	14	6.1	3.2	10.4	6	5.3	1.9	12.1	8	6.3	2.6	12.5
Esophagus	3	1.5	0.3	4.3	2	2.0	0.2	7.6	1	1.1	0.0	5.3
Stomach	25	12.7	8.0	19.0	11	12.7	5.9	23.2	14	12.4	6.6	21.1
Colon and Rectum	102	48.7	39.1	59.7	55	61.4	44.8	81.7	47	39.9	28.8	53.5
Liver	17	6.2	3.5	10.3	14	12.3	6.1	21.9	3	1.8	0.4	5.6
Pancreas	40	19.7	13.8	27.1	15	16.6	8.6	28.3	25	22.4	14.3	33.3
Lung and Bronchus	151	70.0	58.6	82.9	82	91.3	70.7	115.5	69	55.3	42.6	70.6
Bones and Joints	2	1.0	0.1	3.4	1	1.1	0.0	6.1	1	0.8	0.0	4.6
Melanoma of the Skin	2	1.2	0.1	3.9	1	0.9	0.0	5.7	1	1.0	0.0	5.0
Breast (invasive)	146	61.5	51.5	72.8	1	0.9	0.0	5.5	145	112.4	94.3	132.9
Cervix									14	10.7	5.7	18.2
Corpus and Uterus, NOS									42	31.8	22.5	43.5
Ovary									11	8.6	4.2	15.4
Prostate					181	156.2	132.6	182.9				
Testis					3	2.1	0.4	7.3				
Urinary Bladder (includes in situ)	18	9.3	5.4	14.9	14	17.3	8.8	30.0	4	4.0	1.0	9.9
Kidney and Renal Pelvis	39	16.6	11.5	23.1	31	29.7	19.3	43.6	8	6.2	2.5	12.4
Brain and Nervous System	11	4.1	2.0	7.5	8	5.6	2.4	11.9	3	2.6	0.5	7.6
Hodgkin Lymphoma	4	1.2	0.3	3.5	1	0.6	0.0	4.9	3	1.9	0.4	5.9
Non-Hodgkin Lymphoma	21	10.0	6.0	15.5	14	15.7	7.8	27.7	7	6.3	2.4	13.1
Myeloma	35	16.8	11.5	23.7	14	18.4	9.5	31.5	21	16.6	10.0	25.6
Leukemia	27	10.5	6.8	15.5	16	12.2	6.8	20.5	11	8.6	4.1	15.7
All Other Sites	111	48.7	39.6	59.3	46	42.2	29.6	58.2	65	53.8	41.1	69.0
Breast in situ (not in total)									34	26.6	18.2	37.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	480	537.2	488.4	589.6	269	693.6	606.6	789.1	211	420.4	364.2	482.6
Oral Cavity and Pharynx	16	19.5	10.7	32.2	11	34.4	15.4	64.3	5	10.2	3.1	24.2
Esophagus	5	4.8	1.5	11.7	3	7.0	1.3	21.9	2	3.1	0.4	12.5
Stomach	8	10.1	4.2	20.0	5	12.8	4.1	30.6	3	6.6	1.3	19.1
Colon and Rectum	58	66.9	50.1	87.3	29	76.9	50.1	112.6	29	58.3	38.5	84.5
Liver	14	12.6	6.8	21.7	10	20.3	9.6	39.0	4	5.9	1.6	16.4
Pancreas	12	13.9	7.0	24.5	5	12.4	3.8	30.3	7	14.1	5.6	29.1
Lung and Bronchus	90	100.8	80.3	124.9	56	147.3	107.9	195.8	34	67.0	45.8	94.4
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	51	55.1	40.6	73.0	1	3.8	0.1	18.8	50	96.5	71.1	128.0
Cervix									2	4.7	0.6	16.3
Corpus and Uterus, NOS									12	23.4	11.9	41.3
Ovary									5	9.2	2.9	22.0
Prostate					85	199.1	157.4	248.6				
Testis					1	3.1	0.1	16.9				
Urinary Bladder (includes in situ)	11	13.8	6.7	25.0	5	18.8	5.1	44.7	6	13.2	4.7	28.7
Kidney and Renal Pelvis	18	20.2	11.6	32.4	12	30.3	14.6	55.3	6	13.0	4.6	28.3
Brain and Nervous System	3	2.6	0.5	8.3	3	5.5	1.1	18.6	0			
Hodgkin Lymphoma	1	1.4	0.0	7.2	1	3.1	0.1	16.9	0			
Non-Hodgkin Lymphoma	14	17.1	9.1	29.0	8	29.2	11.6	58.2	6	10.4	3.7	23.3
Myeloma	14	16.4	8.6	28.1	8	18.7	7.7	38.4	6	12.6	4.4	27.6
Leukemia	9	10.2	4.5	19.6	4	10.2	2.5	27.4	5	10.1	3.1	24.0
All Other Sites	51	60.5	44.5	80.2	22	60.7	35.9	95.1	29	62.0	41.2	89.3
Breast in situ (not in total)									19	36.2	21.5	57.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	494	518.2	471.4	568.1	235	568.8	493.2	652.2	259	480.9	422.2	545.2
Oral Cavity and Pharynx	10	9.3	4.3	17.6	4	7.3	2.0	20.2	6	10.8	3.7	23.9
Esophagus	6	8.4	2.9	17.8	6	21.2	7.3	45.4	0			
Stomach	6	6.5	2.2	14.4	3	5.8	1.2	18.2	3	6.6	1.2	18.7
Colon and Rectum	47	51.5	37.3	69.2	25	67.4	41.7	101.9	22	41.7	25.6	63.6
Liver	6	5.8	2.1	12.8	5	10.8	3.4	26.0	1	2.0	0.0	10.4
Pancreas	13	13.6	7.0	23.5	6	14.4	5.2	31.7	7	12.6	4.8	26.4
Lung and Bronchus	83	92.7	73.0	115.8	31	95.3	63.1	136.5	52	92.2	68.1	121.8
Bones and Joints	1	0.7	0.0	4.8	0				1	1.4	0.0	8.9
Melanoma of the Skin	0				0				0			
Breast (invasive)	78	82.1	64.2	103.3	0				78	143.7	112.6	180.5
Cervix									5	9.0	2.8	21.2
Corpus and Uterus, NOS									17	31.3	17.9	50.5
Ovary									6	11.5	4.0	25.3
Prostate					79	167.7	130.9	211.6				
Testis					2	4.6	0.5	17.1				
Urinary Bladder (includes in situ)	8	8.7	3.5	17.3	5	12.2	3.5	29.5	3	6.2	1.2	17.7
Kidney and Renal Pelvis	25	26.6	16.8	39.6	20	50.3	29.7	79.1	5	9.2	2.9	21.6
Brain and Nervous System	6	7.1	2.5	15.4	3	7.8	1.3	23.5	3	6.4	1.3	18.0
Hodgkin Lymphoma	3	2.7	0.6	8.2	2	4.4	0.5	16.5	1	1.5	0.0	9.1
Non-Hodgkin Lymphoma	18	18.2	10.4	29.2	9	18.5	8.0	36.5	9	17.8	7.9	33.9
Myeloma	9	9.2	4.1	17.5	2	3.7	0.4	15.0	7	13.3	5.2	27.3
Leukemia	15	15.1	8.2	25.3	6	12.9	4.6	29.1	9	16.3	7.3	31.2
All Other Sites	51	54.9	40.2	72.8	27	64.5	40.7	96.5	24	47.4	29.9	71.0
Breast in situ (not in total)									24	41.5	26.4	62.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	767	542.2	502.5	584.0	404	653.0	586.5	724.6	363	460.5	412.4	512.5
Oral Cavity and Pharynx	11	7.8	3.7	14.3	11	17.6	8.4	32.2	0			
Esophagus	7	5.7	2.2	11.8	5	8.7	2.6	20.6	2	3.4	0.4	11.4
Stomach	16	11.3	6.3	18.7	9	16.8	7.2	32.4	7	7.8	3.1	16.5
Colon and Rectum	68	50.5	38.7	64.6	33	61.9	41.5	88.1	35	42.4	29.1	59.6
Liver	11	6.8	3.2	12.6	9	11.1	4.9	22.0	2	3.0	0.3	10.5
Pancreas	23	16.5	10.2	25.0	11	19.7	9.2	36.0	12	14.4	7.2	25.5
Lung and Bronchus	143	103.6	86.5	122.9	76	132.7	102.7	168.2	67	82.9	63.4	106.2
Bones and Joints	2	1.0	0.1	4.1	1	1.2	0.0	8.2	1	0.9	0.0	6.0
Melanoma of the Skin	1	0.5	0.0	3.5	0				1	1.0	0.0	6.2
Breast (invasive)	113	86.1	70.3	104.2	2	6.3	0.8	19.6	111	147.5	120.4	178.6
Cervix									8	9.1	3.8	18.3
Corpus and Uterus, NOS									19	21.1	12.5	33.5
Ovary									3	4.6	0.9	13.1
Prostate					129	189.4	156.6	227.1				
Testis					1	1.7	0.0	9.5				
Urinary Bladder (includes in situ)	21	15.5	9.4	24.1	16	27.7	15.2	45.8	5	6.6	2.0	15.7
Kidney and Renal Pelvis	43	29.7	21.1	40.6	27	39.4	25.2	58.5	16	22.4	12.4	36.7
Brain and Nervous System	9	5.5	2.4	11.0	5	8.6	2.4	20.9	4	3.7	0.9	10.4
Hodgkin Lymphoma	7	3.3	1.3	7.3	4	4.0	1.1	12.0	3	2.6	0.5	8.6
Non-Hodgkin Lymphoma	27	19.0	12.2	27.9	17	27.2	15.2	44.6	10	12.9	6.0	24.1
Myeloma	14	11.7	6.2	19.9	8	13.4	5.1	27.7	6	10.4	3.8	21.9
Leukemia	21	13.7	8.2	21.3	7	9.8	3.4	21.9	14	16.9	9.0	28.7
All Other Sites	70	50.8	39.0	64.8	33	55.7	37.2	79.7	37	46.8	32.5	65.2
Breast in situ (not in total)									20	26.4	15.7	41.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	274	417.3	367.7	471.4	151	492.5	412.4	582.7	123	362.0	299.5	433.4
Oral Cavity and Pharynx	9	13.1	5.8	25.3	8	26.2	10.5	52.8	1	2.1	0.1	13.9
Esophagus	2	3.0	0.4	10.7	2	6.1	0.7	22.3	0			
Stomach	4	6.2	1.6	16.0	2	5.3	0.6	20.6	2	6.1	0.7	21.7
Colon and Rectum	18	28.9	16.8	46.0	10	30.7	14.3	57.2	8	22.8	9.5	45.3
Liver	6	8.1	2.9	17.8	5	13.7	4.4	32.8	1	3.3	0.1	17.2
Pancreas	10	15.3	7.1	28.4	5	19.0	5.6	44.4	5	14.1	4.4	33.2
Lung and Bronchus	59	94.9	71.5	123.0	29	99.2	64.5	144.8	30	91.9	61.3	131.7
Bones and Joints	1	1.4	0.0	7.9	1	3.2	0.1	17.8	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	35	50.4	35.0	70.4	0				35	103.3	71.3	144.4
Cervix									1	3.0	0.1	16.4
Corpus and Uterus, NOS									6	15.0	5.5	33.4
Ovary									1	3.4	0.1	17.5
Prostate					44	150.8	107.6	204.6				
Testis					1	1.9	0.0	14.6				
Urinary Bladder (includes in situ)	5	6.3	2.0	15.2	5	13.5	4.3	32.7	0			
Kidney and Renal Pelvis	16	25.7	14.4	41.8	7	20.0	8.0	41.7	9	30.0	13.5	56.3
Brain and Nervous System	2	2.4	0.2	9.4	0				2	5.4	0.5	20.4
Hodgkin Lymphoma	3	3.5	0.7	10.8	1	1.9	0.0	14.6	2	5.4	0.7	19.8
Non-Hodgkin Lymphoma	10	12.9	6.1	24.2	9	23.1	10.4	45.2	1	2.0	0.0	13.6
Myeloma	6	11.4	4.1	24.4	4	20.0	5.0	49.0	2	6.6	0.8	22.8
Leukemia	2	1.8	0.2	8.0	2	3.4	0.4	16.5	0			
All Other Sites	33	50.8	34.3	72.0	16	54.7	29.4	91.2	17	47.6	27.3	76.8
Breast in situ (not in total)									9	27.5	12.2	52.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	542	549.6	501.7	600.5	251	579.6	502.7	664.4	291	526.4	465.4	592.8
Oral Cavity and Pharynx	11	10.9	5.2	19.7	9	23.3	9.3	46.6	2	3.1	0.4	11.5
Esophagus	5	5.0	1.4	12.1	2	3.8	0.5	15.3	3	5.4	0.9	16.2
Stomach	9	10.9	4.8	20.6	3	7.8	1.6	22.7	6	12.6	4.4	27.1
Colon and Rectum	53	53.0	39.1	70.1	25	56.6	34.8	86.5	28	50.9	33.2	74.1
Liver	18	16.8	9.6	27.1	12	26.4	12.7	48.1	6	9.1	3.3	20.3
Pancreas	17	17.2	9.6	27.9	9	20.3	8.7	39.9	8	13.7	5.7	27.5
Lung and Bronchus	86	92.4	72.8	115.3	39	93.0	63.0	131.4	47	90.8	65.8	121.5
Bones and Joints	3	1.6	0.3	5.9	1	1.1	0.0	10.7	2	2.2	0.3	9.5
Melanoma of the Skin	1	0.8	0.0	5.1	0				1	1.5	0.0	8.9
Breast (invasive)	74	76.8	59.4	97.4	3	5.2	1.1	17.0	71	129.9	100.4	164.9
Cervix									8	13.4	5.7	26.5
Corpus and Uterus, NOS									18	32.7	19.0	52.0
Ovary									5	9.2	2.7	21.8
Prostate					78	172.1	132.9	218.8				
Testis					2	3.9	0.4	15.8				
Urinary Bladder (includes in situ)	13	12.3	6.4	21.3	9	20.0	8.9	38.8	4	6.0	1.6	16.0
Kidney and Renal Pelvis	31	33.0	21.9	47.3	18	50.3	27.6	82.4	13	22.8	11.9	39.3
Brain and Nervous System	5	4.7	1.4	11.2	2	3.2	0.4	14.1	3	5.7	1.1	16.5
Hodgkin Lymphoma	1	0.9	0.0	5.3	1	2.0	0.1	12.8	0			
Non-Hodgkin Lymphoma	23	22.4	13.6	34.4	8	16.5	6.0	35.2	15	26.5	14.4	44.3
Myeloma	16	16.4	9.0	27.1	7	16.3	6.1	34.8	9	15.7	6.9	30.3
Leukemia	8	8.8	3.5	17.6	4	7.7	2.1	20.9	4	8.5	2.1	21.5
All Other Sites	57	58.2	43.4	76.2	19	49.9	27.5	81.6	38	66.6	46.7	92.0
Breast in situ (not in total)									34	52.8	36.3	74.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,887	478.0	456.1	500.8	904	538.1	501.8	576.3	983	437.0	409.5	465.9
Oral Cavity and Pharynx	39	9.6	6.8	13.2	23	13.6	8.5	20.7	16	6.8	3.8	11.2
Esophagus	19	4.2	2.5	6.7	15	7.8	4.2	13.1	4	1.6	0.4	4.2
Stomach	37	9.6	6.7	13.4	22	13.1	8.1	20.2	15	7.0	3.9	11.6
Colon and Rectum	210	53.5	46.3	61.5	114	69.2	56.4	83.9	96	43.1	34.8	52.9
Liver	40	8.9	6.3	12.3	30	15.1	10.0	21.8	10	4.1	1.9	7.8
Pancreas	62	16.5	12.5	21.3	33	20.4	13.8	29.1	29	13.4	8.9	19.4
Lung and Bronchus	317	82.2	73.1	92.0	157	99.4	83.6	117.1	160	71.0	60.1	83.2
Bones and Joints	4	1.1	0.3	2.8	1	0.5	0.0	3.3	3	1.4	0.3	4.2
Melanoma of the Skin	3	0.6	0.1	1.9	1	0.4	0.0	3.0	2	0.7	0.1	2.8
Breast (invasive)	270	69.1	60.9	78.1	1	0.4	0.0	2.9	269	118.6	104.6	134.0
Cervix									26	11.6	7.5	17.2
Corpus and Uterus, NOS									81	34.5	27.3	43.2
Ovary									21	9.7	5.9	14.9
Prostate					250	140.9	123.2	160.6				
Testis					3	1.4	0.3	4.4				
Urinary Bladder (includes in situ)	47	13.7	10.0	18.2	31	23.7	15.8	33.8	16	7.5	4.2	12.2
Kidney and Renal Pelvis	116	29.5	24.3	35.6	76	46.0	35.8	58.0	40	18.1	12.8	24.8
Brain and Nervous System	17	3.8	2.2	6.1	11	5.3	2.6	9.8	6	2.5	0.9	5.5
Hodgkin Lymphoma	9	2.1	1.0	4.1	3	1.5	0.3	4.7	6	2.7	1.0	5.9
Non-Hodgkin Lymphoma	45	12.0	8.7	16.2	21	13.3	8.0	20.6	24	11.2	7.1	16.8
Myeloma	45	11.9	8.6	16.0	17	9.8	5.5	16.0	28	13.1	8.6	19.1
Leukemia	39	10.4	7.3	14.3	23	14.3	8.8	21.8	16	7.6	4.3	12.4
All Other Sites	187	47.5	40.8	55.0	72	42.1	32.5	53.5	115	50.8	41.8	61.2
Breast in situ (not in total)									93	39.4	31.7	48.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	197	468.3	402.4	541.5	115	609.5	494.5	741.2	82	366.2	289.0	456.9
Oral Cavity and Pharynx	4	11.8	3.1	29.2	3	21.6	4.0	60.3	1	5.6	0.1	27.7
Esophagus	3	7.6	1.4	22.0	1	8.9	0.2	39.8	2	8.0	0.9	29.6
Stomach	5	10.9	3.4	25.8	2	11.0	1.3	38.5	3	11.7	2.3	35.4
Colon and Rectum	17	46.4	26.4	74.3	7	47.3	17.2	98.1	10	47.6	22.6	87.0
Liver	10	21.6	10.0	40.4	7	29.4	11.3	63.0	3	13.5	2.6	39.4
Pancreas	8	19.3	7.9	38.6	4	15.6	4.2	42.4	4	20.5	5.3	51.4
Lung and Bronchus	45	115.9	83.3	156.2	26	155.4	98.3	230.8	19	87.8	51.8	138.1
Bones and Joints	2	3.5	0.4	13.8	1	3.0	0.1	23.1	1	3.5	0.1	21.8
Melanoma of the Skin	0				0				0			
Breast (invasive)	14	33.7	18.0	56.7	0				14	64.2	34.5	108.0
Cervix									2	8.0	0.9	29.6
Corpus and Uterus, NOS									0			
Ovary									3	12.2	2.4	36.5
Prostate					32	145.9	97.7	209.2				
Testis					0							
Urinary Bladder (includes in situ)	4	10.2	2.5	26.1	3	13.3	2.6	40.4	1	6.7	0.2	31.1
Kidney and Renal Pelvis	13	30.2	15.1	53.1	9	54.3	22.2	106.2	4	13.8	3.4	38.1
Brain and Nervous System	3	6.3	1.3	18.8	2	7.9	0.9	31.3	1	3.1	0.1	20.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	11.5	4.1	25.9	4	17.1	4.1	46.7	2	6.6	0.8	26.4
Myeloma	1	2.3	0.1	12.6	0				1	3.9	0.1	22.9
Leukemia	8	21.3	8.7	42.2	7	41.6	14.5	88.5	1	6.1	0.2	29.1
All Other Sites	17	40.0	22.6	64.8	7	37.2	13.9	78.1	10	43.4	20.2	80.6
Breast in situ (not in total)									9	44.6	20.0	84.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,726	483.8	459.2	509.2	912	580.5	538.1	625.3	814	414.1	384.5	445.3
Oral Cavity and Pharynx	24	6.8	4.2	10.4	16	11.2	5.8	19.1	8	3.8	1.6	7.6
Esophagus	7	1.9	0.7	4.2	7	4.5	1.5	10.0	0			
Stomach	34	10.7	7.1	15.3	25	19.4	11.3	30.4	9	5.4	2.4	10.2
Colon and Rectum	177	53.4	45.1	62.7	86	60.8	46.7	77.3	91	48.2	38.3	59.9
Liver	21	4.7	2.8	7.4	15	7.9	4.0	13.8	6	2.3	0.8	5.3
Pancreas	36	11.9	8.0	16.8	13	10.5	4.9	19.0	23	13.5	8.3	20.5
Lung and Bronchus	204	64.4	55.1	74.7	107	78.6	62.7	96.9	97	53.5	42.8	66.0
Bones and Joints	4	0.9	0.2	2.5	2	0.8	0.1	3.8	2	1.0	0.1	3.8
Melanoma of the Skin	1	0.2	0.0	1.4	1	0.4	0.0	3.3	0			
Breast (invasive)	274	73.6	64.5	83.6	1	0.5	0.0	3.6	273	132.1	116.1	149.7
Cervix									17	8.0	4.6	13.0
Corpus and Uterus, NOS									60	27.9	20.9	36.4
Ovary									11	5.4	2.6	9.9
Prostate					368	217.6	193.0	244.4				
Testis					2	0.8	0.1	3.9				
Urinary Bladder (includes in situ)	44	14.7	10.4	20.1	36	28.9	19.0	41.7	8	5.0	2.1	10.0
Kidney and Renal Pelvis	80	22.0	17.1	27.8	57	32.7	24.2	43.3	23	12.8	7.8	19.5
Brain and Nervous System	19	5.2	3.0	8.3	12	7.4	3.5	13.5	7	3.4	1.3	7.3
Hodgkin Lymphoma	23	5.3	3.3	8.0	13	5.7	3.0	10.3	10	4.9	2.3	9.1
Non-Hodgkin Lymphoma	61	17.0	12.7	22.2	31	18.7	12.0	27.8	30	15.5	10.2	22.6
Myeloma	37	9.5	6.5	13.5	17	8.9	5.0	14.8	20	9.6	5.7	15.1
Leukemia	44	12.1	8.5	16.6	25	15.4	9.4	23.8	19	9.3	5.4	14.9
All Other Sites	178	51.6	43.7	60.5	78	50.1	38.3	64.1	100	52.6	42.3	64.7
Breast in situ (not in total)									97	43.9	35.2	54.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	742	467.5	432.9	504.0	372	531.8	474.4	593.8	370	422.2	379.1	468.6
Oral Cavity and Pharynx	14	7.6	4.1	13.0	11	13.3	6.5	24.4	3	2.9	0.6	8.8
Esophagus	4	2.6	0.7	6.8	3	5.4	0.9	15.5	1	0.9	0.0	5.5
Stomach	14	9.6	5.1	16.2	7	10.4	3.6	22.6	7	9.3	3.7	18.8
Colon and Rectum	72	45.9	35.4	58.3	39	60.5	41.3	84.7	33	36.8	25.0	52.0
Liver	23	12.3	7.7	18.8	13	15.6	7.9	27.7	10	9.9	4.6	18.5
Pancreas	24	17.7	11.0	26.6	9	13.2	5.4	26.2	15	20.0	11.0	33.0
Lung and Bronchus	109	74.4	60.4	90.4	54	89.7	65.4	119.2	55	64.6	48.2	84.5
Bones and Joints	2	1.8	0.2	5.8	2	4.8	0.4	16.0	0			
Melanoma of the Skin	1	0.7	0.0	3.8	0				1	1.3	0.0	6.7
Breast (invasive)	110	69.3	56.6	84.0	1	1.1	0.0	7.3	109	123.0	100.5	148.9
Cervix									8	8.9	3.8	17.7
Corpus and Uterus, NOS									26	26.6	17.1	39.3
Ovary									3	3.3	0.7	9.7
Prostate					108	148.6	120.0	181.8				
Testis					2	2.3	0.2	9.2				
Urinary Bladder (includes in situ)	19	12.7	7.4	20.0	14	20.6	10.7	35.4	5	6.4	2.0	14.7
Kidney and Renal Pelvis	42	23.8	16.9	32.5	25	30.0	19.0	45.2	17	18.1	10.3	29.4
Brain and Nervous System	3	1.2	0.3	4.1	2	1.5	0.2	7.4	1	0.9	0.0	5.5
Hodgkin Lymphoma	1	0.4	0.0	2.9	1	0.8	0.0	6.5	0			
Non-Hodgkin Lymphoma	20	11.2	6.7	17.5	11	13.6	6.5	25.2	9	9.2	4.1	17.7
Myeloma	26	18.2	11.6	26.8	18	31.4	17.6	50.7	8	9.5	4.0	18.8
Leukemia	27	16.6	10.7	24.5	15	20.6	10.9	34.9	12	13.5	6.8	23.7
All Other Sites	84	54.4	42.9	68.0	37	48.5	33.3	68.2	47	57.0	41.5	76.1
Breast in situ (not in total)									14	15.0	8.2	25.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

SECTION V
County-specific Cancer Incidence Rates by Hispanic Ethnicity
Illinois, 2014-2018

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	323,343	478.2	476.5	479.9	160,439	517.3	514.7	519.9	162,904	453.7	451.5	456.0
Oral Cavity and Pharynx	8,771	12.8	12.5	13.1	6,192	19.4	18.9	19.9	2,579	7.1	6.8	7.3
Esophagus	3,475	4.9	4.7	5.1	2,716	8.5	8.2	8.8	759	1.9	1.8	2.1
Stomach	4,539	6.7	6.5	6.9	2,794	9.2	8.8	9.5	1,745	4.7	4.4	4.9
Colon and Rectum	28,933	42.8	42.3	43.3	15,101	49.7	48.9	50.6	13,832	37.2	36.5	37.8
Liver	4,360	6.1	5.9	6.2	3,167	9.5	9.2	9.9	1,193	3.1	2.9	3.3
Pancreas	9,712	13.9	13.6	14.2	4,983	16.1	15.7	16.6	4,729	12.1	11.8	12.5
Lung and Bronchus	46,143	66.0	65.4	66.6	23,287	75.3	74.3	76.3	22,856	59.3	58.5	60.1
Bones and Joints	517	0.9	0.8	1.0	277	1.0	0.9	1.1	240	0.8	0.7	0.9
Melanoma of the Skin	15,096	23.4	23.1	23.8	8,549	28.5	27.9	29.2	6,547	20.0	19.5	20.5
Breast (invasive)	48,592	74.0	73.4	74.7	433	1.4	1.3	1.5	48,159	137.5	136.2	138.7
Cervix									2,255	7.6	7.2	7.9
Corpus and Uterus, NOS									11,330	30.2	29.6	30.8
Ovary									3,895	11.0	10.7	11.4
Prostate					38,277	114.1	112.9	115.3				
Testis					1,529	6.2	5.8	6.5				
Urinary Bladder (includes in situ)	14,792	21.3	21.0	21.7	11,113	37.2	36.5	37.9	3,679	9.4	9.1	9.7
Kidney and Renal Pelvis	12,253	18.3	18.0	18.6	7,752	25.1	24.6	25.7	4,501	12.5	12.1	12.9
Brain and Nervous System	3,987	6.6	6.4	6.8	2,183	7.7	7.4	8.0	1,804	5.6	5.4	5.9
Hodgkin Lymphoma	1,614	3.0	2.8	3.1	908	3.4	3.2	3.6	706	2.6	2.4	2.8
Non-Hodgkin Lymphoma	13,015	19.6	19.2	19.9	7,053	23.7	23.1	24.2	5,962	16.4	15.9	16.8
Myeloma	4,668	6.7	6.5	6.9	2,494	8.1	7.8	8.4	2,174	5.7	5.4	5.9
Leukemia	8,768	13.5	13.2	13.8	5,064	17.3	16.9	17.8	3,704	10.5	10.1	10.8
All Other Sites	36,822	56.7	56.1	57.3	16,567	55.8	54.9	56.7	20,255	58.7	57.9	59.6
Breast in situ (not in total)									11,258	33.2	32.6	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	114,653	467.1	464.3	469.9	55,124	506.2	501.8	510.5	59,529	444.0	440.3	447.7
Oral Cavity and Pharynx	2,983	12.0	11.6	12.5	2,038	18.3	17.5	19.2	945	7.0	6.5	7.4
Esophagus	1,126	4.3	4.1	4.6	820	7.3	6.8	7.8	306	2.0	1.8	2.3
Stomach	2,064	8.4	8.0	8.7	1,215	11.4	10.8	12.1	849	6.1	5.6	6.5
Colon and Rectum	10,727	43.6	42.7	44.4	5,450	51.0	49.6	52.4	5,277	38.1	37.0	39.1
Liver	1,748	6.7	6.4	7.0	1,234	10.7	10.1	11.3	514	3.5	3.2	3.9
Pancreas	3,726	14.7	14.2	15.2	1,820	16.8	16.0	17.6	1,906	13.1	12.5	13.7
Lung and Bronchus	15,545	61.7	60.7	62.7	7,533	70.0	68.4	71.7	8,012	55.8	54.6	57.1
Bones and Joints	188	0.9	0.8	1.1	100	1.1	0.9	1.3	88	0.8	0.6	1.0
Melanoma of the Skin	4,010	17.0	16.4	17.5	2,319	22.0	21.1	23.0	1,691	13.5	12.9	14.2
Breast (invasive)	18,136	76.5	75.4	77.7	161	1.5	1.2	1.7	17,975	138.8	136.7	141.0
Cervix									898	7.7	7.1	8.2
Corpus and Uterus, NOS									4,373	31.4	30.5	32.4
Ovary									1,478	11.4	10.8	12.0
Prostate					14,250	122.1	120.1	124.2				
Testis					508	5.2	4.8	5.7				
Urinary Bladder (includes in situ)	4,832	19.1	18.6	19.7	3,504	33.4	32.3	34.6	1,328	9.1	8.6	9.6
Kidney and Renal Pelvis	3,855	15.8	15.3	16.3	2,393	22.1	21.2	23.0	1,462	10.7	10.2	11.3
Brain and Nervous System	1,305	5.9	5.6	6.2	698	6.9	6.3	7.4	607	5.1	4.6	5.5
Hodgkin Lymphoma	632	3.1	2.9	3.4	359	3.7	3.4	4.2	273	2.6	2.3	2.9
Non-Hodgkin Lymphoma	4,587	19.1	18.6	19.7	2,397	23.1	22.1	24.1	2,190	16.2	15.5	16.9
Myeloma	1,930	7.7	7.4	8.1	968	9.0	8.4	9.6	962	6.8	6.4	7.3
Leukemia	2,980	12.6	12.1	13.0	1,700	16.5	15.7	17.3	1,280	9.7	9.1	10.3
All Other Sites	12,772	53.7	52.8	54.7	5,657	54.0	52.6	55.5	7,115	54.6	53.3	55.9
Breast in situ (not in total)									4,310	34.5	33.4	35.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	23,491	466.1	459.9	472.3	11,422	494.1	484.8	503.7	12,069	451.3	442.9	459.7
Oral Cavity and Pharynx	614	11.7	10.8	12.7	444	18.1	16.4	19.9	170	6.2	5.3	7.3
Esophagus	227	4.4	3.8	5.1	167	7.2	6.1	8.5	60	2.1	1.6	2.7
Stomach	311	6.1	5.4	6.8	189	8.4	7.2	9.7	122	4.2	3.5	5.1
Colon and Rectum	1,948	38.7	36.9	40.5	1,031	45.3	42.5	48.3	917	33.3	31.1	35.7
Liver	259	4.9	4.3	5.5	187	7.7	6.6	9.0	72	2.5	1.9	3.2
Pancreas	643	12.5	11.5	13.5	335	14.8	13.2	16.5	308	10.7	9.5	12.0
Lung and Bronchus	2,622	51.5	49.5	53.5	1,239	55.0	51.9	58.3	1,383	49.2	46.6	52.0
Bones and Joints	44	1.0	0.7	1.4	27	1.3	0.8	1.9	17	0.8	0.5	1.3
Melanoma of the Skin	1,266	26.0	24.5	27.5	741	32.1	29.7	34.6	525	21.6	19.7	23.6
Breast (invasive)	3,940	78.7	76.2	81.3	31	1.5	1.0	2.1	3,909	146.5	141.7	151.4
Cervix									136	5.6	4.6	6.7
Corpus and Uterus, NOS									912	31.6	29.5	33.9
Ovary									304	11.5	10.2	12.9
Prostate					2,825	110.5	106.3	114.8				
Testis					141	7.8	6.6	9.2				
Urinary Bladder (includes in situ)	1,123	22.3	21.0	23.7	868	39.8	37.1	42.6	255	8.9	7.8	10.2
Kidney and Renal Pelvis	840	16.7	15.6	17.9	557	23.8	21.8	26.0	283	10.7	9.4	12.1
Brain and Nervous System	319	6.9	6.2	7.8	173	8.1	6.9	9.5	146	6.0	5.0	7.1
Hodgkin Lymphoma	127	3.2	2.7	3.8	63	3.1	2.4	4.1	64	3.3	2.5	4.2
Non-Hodgkin Lymphoma	1,037	21.0	19.7	22.4	597	27.0	24.8	29.4	440	16.2	14.7	17.9
Myeloma	347	6.8	6.1	7.6	185	8.5	7.3	9.9	162	5.7	4.9	6.7
Leukemia	690	14.3	13.2	15.4	405	18.7	16.9	20.7	285	10.8	9.6	12.3
All Other Sites	2,816	58.9	56.7	61.2	1,217	55.4	52.2	58.7	1,599	63.7	60.5	67.1
Breast in situ (not in total)									1,161	44.7	42.1	47.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	10,694	461.3	452.4	470.5	5,317	494.4	480.7	508.4	5,377	441.9	429.7	454.4
Oral Cavity and Pharynx	306	12.6	11.2	14.1	215	18.5	16.0	21.2	91	7.3	5.8	9.0
Esophagus	90	3.7	2.9	4.6	75	6.7	5.2	8.5	15	1.1	0.6	1.8
Stomach	135	5.8	4.8	6.9	99	9.3	7.5	11.4	36	2.9	2.0	4.1
Colon and Rectum	888	38.5	35.9	41.2	452	42.8	38.8	47.2	436	34.7	31.4	38.3
Liver	135	5.6	4.6	6.7	99	8.9	7.2	11.0	36	2.8	1.9	4.0
Pancreas	315	13.4	11.9	15.0	160	15.0	12.7	17.6	155	12.2	10.3	14.3
Lung and Bronchus	1,232	52.2	49.2	55.3	614	58.9	54.1	63.9	618	47.5	43.7	51.5
Bones and Joints	26	1.4	0.9	2.1	13	1.5	0.8	2.6	13	1.3	0.7	2.2
Melanoma of the Skin	609	27.4	25.2	29.8	332	31.7	28.3	35.5	277	24.8	21.8	28.1
Breast (invasive)	1,628	71.0	67.4	74.6	13	1.2	0.6	2.1	1,615	132.8	126.1	139.7
Cervix									55	5.2	3.9	6.9
Corpus and Uterus, NOS									351	26.7	23.9	29.8
Ovary									133	10.7	8.9	12.8
Prostate					1,318	109.9	103.9	116.3				
Testis					58	7.4	5.6	9.6				
Urinary Bladder (includes in situ)	595	25.6	23.5	27.7	461	45.6	41.4	50.1	134	10.3	8.6	12.3
Kidney and Renal Pelvis	396	16.9	15.3	18.8	252	23.2	20.3	26.4	144	11.6	9.7	13.8
Brain and Nervous System	157	7.6	6.4	8.9	78	8.2	6.4	10.3	79	6.9	5.4	8.7
Hodgkin Lymphoma	51	2.8	2.0	3.7	28	3.0	1.9	4.3	23	2.6	1.6	3.9
Non-Hodgkin Lymphoma	438	19.3	17.5	21.3	232	22.5	19.6	25.7	206	16.7	14.4	19.2
Myeloma	158	6.5	5.5	7.6	93	8.5	6.8	10.6	65	4.8	3.7	6.2
Leukemia	301	13.6	12.0	15.3	165	16.3	13.9	19.1	136	11.4	9.5	13.6
All Other Sites	1,319	60.8	57.4	64.3	560	55.3	50.7	60.3	759	67.7	62.7	73.0
Breast in situ (not in total)									401	33.0	29.8	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,327	470.6	463.1	478.1	7,978	489.7	478.5	501.0	8,349	461.0	450.8	471.4
Oral Cavity and Pharynx	393	10.5	9.5	11.7	269	15.3	13.5	17.4	124	6.2	5.1	7.5
Esophagus	172	4.8	4.1	5.6	130	7.8	6.5	9.4	42	2.2	1.6	3.0
Stomach	218	6.5	5.6	7.4	130	8.2	6.8	9.9	88	5.0	4.0	6.2
Colon and Rectum	1,256	36.7	34.6	38.9	670	42.3	39.0	45.8	586	31.8	29.2	34.6
Liver	180	5.1	4.3	5.9	136	8.1	6.7	9.7	44	2.4	1.7	3.3
Pancreas	519	14.8	13.5	16.2	276	17.0	15.0	19.2	243	12.8	11.2	14.5
Lung and Bronchus	1,987	56.5	54.0	59.1	947	59.6	55.7	63.7	1,040	54.3	51.0	57.8
Bones and Joints	27	0.9	0.6	1.3	15	1.0	0.5	1.6	12	0.8	0.4	1.4
Melanoma of the Skin	966	28.6	26.8	30.6	539	33.9	31.0	37.0	427	25.2	22.8	27.9
Breast (invasive)	2,740	79.8	76.7	83.0	27	1.6	1.0	2.4	2,713	149.7	143.9	155.7
Cervix									81	5.4	4.3	6.8
Corpus and Uterus, NOS									594	30.0	27.5	32.6
Ovary									207	11.5	9.9	13.3
Prostate					1,969	109.1	104.1	114.2				
Testis					68	5.6	4.3	7.1				
Urinary Bladder (includes in situ)	799	23.3	21.7	25.1	614	40.3	37.1	43.8	185	9.9	8.5	11.5
Kidney and Renal Pelvis	587	16.6	15.2	18.1	410	24.6	22.2	27.3	177	9.6	8.1	11.1
Brain and Nervous System	216	7.0	6.0	8.0	116	7.7	6.3	9.3	100	6.6	5.3	8.1
Hodgkin Lymphoma	65	2.4	1.8	3.0	31	2.1	1.4	3.0	34	2.8	1.9	3.9
Non-Hodgkin Lymphoma	733	21.4	19.8	23.0	434	27.6	25.0	30.5	299	16.4	14.6	18.5
Myeloma	228	6.4	5.6	7.3	117	7.2	5.9	8.7	111	5.8	4.7	7.1
Leukemia	484	14.8	13.5	16.3	272	18.0	15.8	20.4	212	12.3	10.6	14.2
All Other Sites	1,838	56.1	53.5	58.9	808	52.7	49.0	56.6	1,030	60.3	56.5	64.3
Breast in situ (not in total)									642	35.3	32.5	38.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, non-Hisp, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,202	499.2	491.4	507.2	8,209	548.9	536.6	561.5	7,993	465.0	454.6	475.5
Oral Cavity and Pharynx	420	12.6	11.3	13.9	297	18.4	16.3	20.7	123	7.2	6.0	8.7
Esophagus	173	5.3	4.5	6.2	138	8.9	7.4	10.6	35	2.2	1.5	3.0
Stomach	227	7.2	6.3	8.2	140	9.9	8.3	11.8	87	5.0	4.0	6.3
Colon and Rectum	1,379	43.2	40.9	45.7	760	51.4	47.7	55.4	619	36.0	33.2	39.0
Liver	182	5.3	4.5	6.1	133	8.0	6.6	9.6	49	2.9	2.1	3.8
Pancreas	439	13.9	12.6	15.3	252	17.8	15.5	20.2	187	10.9	9.3	12.6
Lung and Bronchus	2,031	63.6	60.8	66.5	1,003	70.5	66.0	75.2	1,028	58.8	55.2	62.6
Bones and Joints	23	0.7	0.4	1.1	14	0.9	0.5	1.6	9	0.5	0.2	1.0
Melanoma of the Skin	729	22.8	21.1	24.6	406	27.3	24.6	30.2	323	19.7	17.6	22.1
Breast (invasive)	2,470	75.0	72.0	78.1	19	1.3	0.8	2.1	2,451	140.8	135.2	146.7
Cervix									116	7.3	6.0	8.9
Corpus and Uterus, NOS									565	30.3	27.8	33.0
Ovary									165	9.3	7.9	10.9
Prostate					2,129	129.0	123.3	134.8				
Testis					78	5.7	4.5	7.2				
Urinary Bladder (includes in situ)	749	24.0	22.3	25.8	574	42.4	38.9	46.2	175	10.0	8.5	11.6
Kidney and Renal Pelvis	618	18.6	17.2	20.2	416	26.6	24.0	29.4	202	11.6	10.0	13.3
Brain and Nervous System	205	6.9	6.0	8.0	118	8.4	6.9	10.1	87	5.6	4.5	7.0
Hodgkin Lymphoma	122	4.3	3.6	5.2	69	4.9	3.8	6.2	53	3.8	2.8	5.0
Non-Hodgkin Lymphoma	684	21.9	20.3	23.7	385	27.5	24.7	30.6	299	17.6	15.7	19.8
Myeloma	207	6.3	5.4	7.2	112	7.6	6.2	9.2	95	5.3	4.3	6.5
Leukemia	500	16.2	14.7	17.7	282	20.2	17.8	22.8	218	13.0	11.2	14.9
All Other Sites	1,991	64.1	61.2	67.0	884	62.3	58.1	66.7	1,107	67.0	63.0	71.1
Breast in situ (not in total)									716	40.5	37.6	43.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	24,518	357.9	353.0	362.8	11,568	369.8	362.3	377.5	12,950	355.4	348.9	361.9
Oral Cavity and Pharynx	481	7.1	6.4	7.8	319	9.7	8.5	10.9	162	4.7	4.0	5.5
Esophagus	150	2.5	2.1	2.9	121	4.1	3.4	5.0	29	1.0	0.6	1.4
Stomach	749	12.1	11.2	13.1	391	13.5	12.0	15.0	358	11.0	9.8	12.2
Colon and Rectum	2,284	34.2	32.7	35.8	1,263	39.5	37.1	42.0	1,021	29.7	27.8	31.7
Liver	722	11.5	10.6	12.4	515	16.7	15.1	18.3	207	6.8	5.9	7.8
Pancreas	753	13.1	12.1	14.1	379	13.8	12.3	15.4	374	12.5	11.2	13.9
Lung and Bronchus	1,549	27.9	26.4	29.4	816	32.8	30.3	35.3	733	24.2	22.4	26.1
Bones and Joints	84	0.8	0.6	1.0	50	0.9	0.7	1.2	34	0.7	0.5	1.0
Melanoma of the Skin	333	4.8	4.3	5.4	143	4.9	4.1	5.9	190	5.0	4.3	5.8
Breast (invasive)	3,804	50.8	49.0	52.5	18	0.6	0.3	1.0	3,786	99.4	96.1	102.8
Cervix									402	9.6	8.6	10.6
Corpus and Uterus, NOS									1,075	27.1	25.4	28.8
Ovary									378	10.0	9.0	11.1
Prostate					2,599	87.4	83.8	91.1				
Testis					407	6.6	6.0	7.3				
Urinary Bladder (includes in situ)	578	10.9	10.0	11.9	426	17.9	16.1	19.8	152	5.3	4.4	6.2
Kidney and Renal Pelvis	1,268	17.8	16.7	18.9	819	23.8	22.0	25.6	449	12.3	11.1	13.5
Brain and Nervous System	459	5.5	5.0	6.1	270	6.7	5.8	7.7	189	4.4	3.7	5.1
Hodgkin Lymphoma	242	2.7	2.3	3.1	141	3.1	2.6	3.8	101	2.2	1.8	2.7
Non-Hodgkin Lymphoma	1,246	18.9	17.8	20.1	645	20.1	18.4	21.9	601	17.9	16.4	19.4
Myeloma	411	6.8	6.2	7.6	217	7.4	6.3	8.5	194	6.3	5.4	7.3
Leukemia	930	11.5	10.7	12.4	534	13.5	12.2	14.9	396	9.7	8.7	10.8
All Other Sites	3,614	50.8	49.0	52.7	1,495	47.0	44.3	49.8	2,119	55.8	53.3	58.4
Breast in situ (not in total)									934	23.9	22.3	25.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,707	350.6	344.7	356.5	7,446	365.5	356.3	374.8	8,261	345.8	338.1	353.7
Oral Cavity and Pharynx	327	7.3	6.5	8.2	213	10.1	8.6	11.6	114	4.9	4.0	5.9
Esophagus	93	2.2	1.7	2.7	74	3.6	2.8	4.6	19	0.9	0.5	1.4
Stomach	505	12.3	11.2	13.5	253	13.4	11.7	15.4	252	11.5	10.1	13.1
Colon and Rectum	1,478	33.6	31.8	35.4	812	38.9	36.0	41.9	666	29.2	26.9	31.5
Liver	501	11.9	10.8	13.1	364	17.9	16.0	20.1	137	6.5	5.4	7.8
Pancreas	504	12.9	11.8	14.2	251	13.8	12.0	15.8	253	12.3	10.8	14.0
Lung and Bronchus	988	26.6	24.9	28.4	549	33.1	30.2	36.2	439	21.5	19.5	23.7
Bones and Joints	52	0.9	0.6	1.2	29	0.9	0.6	1.3	23	0.8	0.5	1.3
Melanoma of the Skin	172	3.9	3.3	4.6	86	4.6	3.6	5.8	86	3.5	2.8	4.3
Breast (invasive)	2,426	50.1	48.0	52.3	14	0.7	0.3	1.2	2,412	97.3	93.3	101.4
Cervix									285	10.7	9.4	12.0
Corpus and Uterus, NOS									722	27.8	25.8	30.0
Ovary									248	10.1	8.9	11.5
Prostate					1,688	85.5	81.2	90.1				
Testis					249	6.8	6.0	7.7				
Urinary Bladder (includes in situ)	390	11.0	9.8	12.2	297	18.7	16.5	21.1	93	4.8	3.8	5.9
Kidney and Renal Pelvis	798	17.1	15.8	18.4	508	22.8	20.6	25.0	290	12.0	10.6	13.5
Brain and Nervous System	281	5.3	4.6	6.0	161	6.2	5.1	7.3	120	4.4	3.6	5.3
Hodgkin Lymphoma	156	2.8	2.3	3.3	85	3.0	2.4	3.8	71	2.5	1.9	3.2
Non-Hodgkin Lymphoma	802	18.8	17.4	20.2	405	19.8	17.7	22.1	397	17.9	16.1	19.8
Myeloma	266	6.6	5.7	7.4	143	7.3	6.0	8.7	123	5.9	4.8	7.0
Leukemia	569	11.2	10.2	12.2	321	13.1	11.5	14.9	248	9.5	8.3	10.8
All Other Sites	2,207	48.2	46.0	50.4	944	45.3	42.1	48.6	1,263	51.9	48.9	55.0
Breast in situ (not in total)									587	23.4	21.5	25.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,481	393.4	371.1	416.6	660	403.9	368.4	441.5	821	397.2	368.1	427.9
Oral Cavity and Pharynx	28	8.4	5.3	12.4	20	12.9	7.4	20.6	8	4.4	1.8	8.9
Esophagus	16	4.6	2.4	7.8	13	7.3	3.4	13.2	3	2.1	0.4	5.9
Stomach	33	9.1	6.0	13.2	20	12.5	7.0	20.2	13	6.4	3.2	11.4
Colon and Rectum	135	38.1	31.2	46.0	76	45.6	34.1	59.3	59	32.3	23.9	42.5
Liver	31	10.2	6.6	14.7	17	11.7	6.2	19.4	14	9.1	4.7	15.3
Pancreas	43	15.3	10.7	20.8	18	13.8	7.7	22.4	25	15.8	9.9	23.4
Lung and Bronchus	71	25.2	19.2	32.2	36	28.2	18.9	40.0	35	22.9	15.5	32.3
Bones and Joints	7	1.0	0.4	2.3	3	0.8	0.2	3.3	4	1.1	0.3	3.4
Melanoma of the Skin	24	6.8	4.1	10.5	8	6.6	2.5	13.4	16	7.4	4.0	12.3
Breast (invasive)	240	54.9	47.5	63.2	0				240	106.6	92.6	122.1
Cervix									11	4.6	2.1	8.6
Corpus and Uterus, NOS									62	26.3	19.9	34.0
Ovary									26	11.1	7.1	16.6
Prostate					157	108.1	90.0	128.3				
Testis					29	7.6	5.1	11.4				
Urinary Bladder (includes in situ)	30	11.1	7.2	16.0	19	15.7	8.7	25.4	11	7.9	3.9	14.0
Kidney and Renal Pelvis	76	18.7	14.3	23.8	53	27.0	19.4	36.5	23	11.1	6.8	16.9
Brain and Nervous System	31	5.9	3.8	8.7	20	7.2	4.2	11.8	11	4.5	2.1	8.4
Hodgkin Lymphoma	19	4.7	2.5	7.7	13	6.6	3.0	12.4	6	2.9	0.9	6.7
Non-Hodgkin Lymphoma	77	21.6	16.5	27.7	36	22.5	14.5	32.8	41	21.7	15.0	30.0
Myeloma	23	7.7	4.7	11.7	12	6.0	2.9	10.9	11	8.5	4.1	14.9
Leukemia	64	13.9	10.1	18.5	37	15.2	9.4	23.0	27	13.2	8.2	19.8
All Other Sites	248	61.9	53.4	71.2	73	48.6	36.2	63.3	175	77.3	65.3	90.7
Breast in situ (not in total)									77	32.6	25.3	41.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,451	314.8	296.5	333.9	718	341.0	312.1	371.5	733	296.4	272.9	321.2
Oral Cavity and Pharynx	19	4.1	2.3	6.6	12	5.7	2.5	10.8	7	2.7	1.0	5.7
Esophagus	10	2.7	1.2	5.2	10	5.8	2.4	11.2	0			
Stomach	43	11.5	7.9	16.0	18	9.3	4.9	15.7	25	13.3	8.1	20.1
Colon and Rectum	119	26.1	21.0	31.9	73	35.8	26.8	46.5	46	17.6	12.4	24.0
Liver	40	10.9	7.4	15.2	27	14.4	8.7	21.9	13	7.7	3.9	13.2
Pancreas	41	11.8	8.1	16.3	20	11.7	6.6	18.9	21	11.8	7.0	18.3
Lung and Bronchus	80	22.6	17.4	28.6	41	26.5	18.2	36.8	39	19.4	13.3	27.1
Bones and Joints	9	1.0	0.4	2.1	9	1.9	0.9	4.1	0			
Melanoma of the Skin	26	4.3	2.7	6.5	7	2.3	0.9	4.9	19	6.4	3.6	10.3
Breast (invasive)	211	39.8	34.0	46.2	2	1.3	0.2	4.4	209	78.8	67.6	91.3
Cervix									17	6.3	3.5	10.4
Corpus and Uterus, NOS									54	18.9	13.9	25.0
Ovary									15	5.3	2.6	9.4
Prostate					169	84.3	70.4	99.9				
Testis					30	6.0	4.1	9.0				
Urinary Bladder (includes in situ)	29	8.3	5.2	12.2	20	13.4	7.6	21.4	9	4.1	1.7	8.0
Kidney and Renal Pelvis	82	17.4	13.4	22.1	54	21.6	15.5	29.2	28	12.8	8.1	19.1
Brain and Nervous System	34	6.5	4.2	9.6	22	9.4	5.3	15.2	12	3.8	1.7	7.3
Hodgkin Lymphoma	10	1.2	0.5	2.4	5	1.2	0.4	3.4	5	1.1	0.3	3.0
Non-Hodgkin Lymphoma	84	20.8	16.0	26.4	49	24.5	17.1	33.6	35	17.3	11.5	24.6
Myeloma	30	7.8	5.0	11.4	18	10.3	5.6	16.8	12	5.7	2.7	10.1
Leukemia	51	10.0	7.0	13.8	33	14.3	8.9	21.5	18	6.3	3.4	10.5
All Other Sites	248	49.2	42.3	56.8	99	41.1	32.1	51.7	149	57.2	47.3	68.4
Breast in situ (not in total)									54	18.0	13.3	23.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,440	347.5	326.9	368.9	677	359.7	327.9	393.5	763	342.7	315.8	371.2
Oral Cavity and Pharynx	21	4.9	2.7	7.9	14	6.7	3.0	12.4	7	3.3	1.1	7.4
Esophagus	8	2.6	1.1	5.2	6	4.6	1.6	9.9	2	0.8	0.1	3.2
Stomach	54	14.8	10.6	19.9	35	21.0	13.5	30.6	19	9.3	5.2	15.0
Colon and Rectum	144	36.3	29.8	43.7	78	39.5	29.8	51.1	66	32.9	24.5	43.0
Liver	38	10.3	7.0	14.4	25	12.3	7.6	18.8	13	7.9	3.9	13.7
Pancreas	48	17.1	12.2	23.2	25	18.6	11.0	28.7	23	16.5	10.0	25.0
Lung and Bronchus	67	23.8	17.9	30.7	30	24.7	15.9	36.0	37	23.3	15.9	32.7
Bones and Joints	5	0.7	0.2	1.9	4	1.2	0.3	3.7	1	0.2	0.0	2.0
Melanoma of the Skin	21	5.1	2.9	8.2	11	7.2	3.2	13.4	10	3.4	1.5	6.7
Breast (invasive)	210	42.5	36.3	49.5	0				210	85.1	73.0	98.6
Cervix									26	9.7	6.0	14.7
Corpus and Uterus, NOS									66	28.8	21.7	37.3
Ovary									21	10.8	6.2	17.1
Prostate					128	72.3	58.9	87.6				
Testis					22	4.8	3.0	7.8				
Urinary Bladder (includes in situ)	26	9.9	6.2	14.8	19	17.5	9.7	28.1	7	4.6	1.7	9.5
Kidney and Renal Pelvis	77	19.0	14.4	24.5	58	31.1	22.2	42.1	19	8.2	4.6	13.3
Brain and Nervous System	26	4.6	2.7	7.4	12	5.5	2.2	11.0	14	4.0	2.1	7.2
Hodgkin Lymphoma	11	1.3	0.7	2.7	9	2.1	1.0	4.8	2	0.5	0.1	2.4
Non-Hodgkin Lymphoma	82	18.4	14.1	23.6	54	22.4	15.9	30.6	28	14.0	8.8	20.8
Myeloma	24	7.2	4.3	11.1	14	7.4	3.7	13.2	10	6.5	2.9	12.1
Leukemia	67	12.8	9.4	17.0	35	14.1	8.8	21.4	32	11.6	7.5	17.3
All Other Sites	248	53.9	46.3	62.3	98	46.6	36.1	58.8	150	61.4	50.7	73.6
Breast in situ (not in total)									62	24.1	18.1	31.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2014-2018

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,333	416.0	391.2	441.9	620	438.2	398.8	480.1	713	408.1	375.9	442.2
Oral Cavity and Pharynx	22	7.4	4.4	11.4	17	11.5	6.3	19.1	5	3.4	1.0	7.9
Esophagus	6	2.6	0.9	5.5	5	4.1	1.2	9.8	1	1.1	0.0	4.7
Stomach	29	9.7	6.1	14.3	22	16.7	9.7	26.3	7	3.7	1.4	8.0
Colon and Rectum	131	45.9	37.5	55.5	72	55.5	41.3	72.3	59	38.6	28.6	50.7
Liver	30	11.8	7.7	17.1	19	16.1	9.0	26.0	11	8.1	3.9	14.6
Pancreas	36	13.8	9.3	19.4	20	16.6	9.5	26.2	16	11.2	6.0	18.6
Lung and Bronchus	91	35.3	27.8	43.9	52	46.6	33.6	62.5	39	27.0	18.7	37.3
Bones and Joints	3	0.6	0.1	2.1	2	0.9	0.1	3.8	1	0.4	0.0	2.7
Melanoma of the Skin	21	5.6	3.2	9.0	6	3.5	0.9	8.6	15	7.8	4.1	13.4
Breast (invasive)	241	63.3	54.7	72.9	1	0.4	0.0	3.0	240	125.6	109.0	144.0
Cervix									19	8.4	4.8	13.7
Corpus and Uterus, NOS									56	30.1	22.3	39.5
Ovary									16	9.4	5.1	15.6
Prostate					126	92.7	75.4	112.4				
Testis					23	7.2	4.5	11.4				
Urinary Bladder (includes in situ)	27	12.0	7.7	17.6	22	21.4	12.8	32.8	5	4.3	1.3	9.5
Kidney and Renal Pelvis	67	19.5	14.6	25.4	45	26.5	18.3	36.8	22	12.7	7.6	19.6
Brain and Nervous System	28	6.9	4.3	10.3	18	9.7	5.0	16.6	10	4.5	2.0	8.8
Hodgkin Lymphoma	15	2.9	1.5	5.3	8	3.7	1.1	8.6	7	2.5	1.0	5.7
Non-Hodgkin Lymphoma	61	18.4	13.6	24.1	31	19.4	12.3	28.8	30	17.7	11.6	25.7
Myeloma	22	9.7	5.9	14.8	12	11.1	5.5	19.4	10	8.2	3.7	15.0
Leukemia	62	15.7	11.5	21.0	36	16.2	10.6	23.6	26	14.6	8.9	22.3
All Other Sites	201	62.7	53.1	73.4	83	58.6	44.3	75.4	118	68.8	55.6	83.9
Breast in situ (not in total)									52	23.9	17.6	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

APPENDIX A
Illinois County Population Totals
2014-2018

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Illinois		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	392,933	298,210	71,023	375,853	284,161	68,604
1-4	1,594,982	1,211,246	282,794	1,524,528	1,153,577	274,327
5-9	2,050,931	1,553,098	359,708	1,971,152	1,488,877	348,401
10-14	2,128,789	1,624,856	365,809	2,042,860	1,548,547	357,490
15-19	2,157,485	1,635,541	386,508	2,060,383	1,555,061	374,005
20-24	2,232,687	1,657,353	413,801	2,158,289	1,590,862	409,637
25-29	2,275,511	1,720,118	375,720	2,217,667	1,643,659	388,422
30-34	2,214,525	1,719,527	305,348	2,189,228	1,657,442	338,498
35-39	2,111,473	1,652,947	284,545	2,107,550	1,596,545	326,986
40-44	2,004,409	1,574,264	269,529	2,023,721	1,532,761	321,099
45-49	2,066,134	1,650,418	275,545	2,105,583	1,627,229	326,667
50-54	2,142,538	1,745,062	281,813	2,211,298	1,749,962	332,427
55-59	2,139,456	1,761,277	275,721	2,250,832	1,797,887	335,387
60-64	1,847,151	1,535,515	219,506	2,000,110	1,601,352	288,055
65-69	1,470,348	1,231,522	161,713	1,653,572	1,335,727	226,356
70-74	1,031,967	865,375	111,238	1,233,526	1,008,158	160,922
75-79	701,707	590,311	75,458	915,144	752,184	120,488
80-84	465,185	397,461	47,708	681,861	570,665	85,026
85+	437,082	384,859	37,886	877,382	764,072	87,228
Total	31,465,293	24,808,960	4,601,373	32,600,539	25,258,728	5,170,025
Adams	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,161	1,931	211	1,989	1,785	180
1-4	8,689	7,822	738	7,980	7,130	648
5-9	10,808	9,726	926	10,141	9,233	789
10-14	10,750	9,833	785	10,156	9,171	858
15-19	10,236	9,229	796	9,639	8,810	707
20-24	9,736	8,877	745	9,849	8,974	647
25-29	9,971	9,303	567	10,191	9,495	585
30-34	9,925	9,275	522	10,216	9,605	433
35-39	9,682	9,106	433	9,436	8,908	348
40-44	9,036	8,505	376	8,885	8,380	338
45-49	9,558	9,110	325	9,823	9,393	313
50-54	11,135	10,617	391	11,455	10,965	328
55-59	11,948	11,426	412	12,023	11,547	348
60-64	10,538	10,118	341	11,277	10,843	308
65-69	9,130	8,830	194	9,683	9,362	242
70-74	6,514	6,331	134	7,768	7,555	150
75-79	4,864	4,755	76	6,127	5,983	103
80-84	3,853	3,772	66	5,045	4,874	134
85+	4,546	4,448	96	7,193	7,060	106
Total	163,080	153,014	8,134	168,876	159,073	7,565
Alexander	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	204	115	89	219	111	107
1-4	963	577	384	925	495	426
5-9	1,049	571	476	1,129	548	574
10-14	1,077	601	473	1,051	562	488
15-19	834	453	371	850	491	355
20-24	845	451	390	828	432	396
25-29	822	537	276	890	511	378
30-34	724	458	260	823	526	286
35-39	791	545	239	853	536	295
40-44	712	491	209	967	615	331
45-49	874	585	279	961	588	368
50-54	1,191	834	350	1,214	750	456
55-59	1,273	889	360	1,276	841	413
60-64	1,288	871	392	1,301	858	425
65-69	1,011	747	252	1,108	796	302
70-74	763	625	136	824	638	175
75-79	565	455	108	718	586	130
80-84	318	240	70	483	365	111
85+	320	216	103	579	452	125
Total	15,624	10,261	5,217	16,999	10,701	6,141

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Bond	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	384	355	24	364	347	15
1-4	1,625	1,493	107	1,636	1,534	82
5-9	2,273	2,159	79	2,136	2,027	98
10-14	2,476	2,346	90	2,433	2,323	79
15-19	2,560	2,395	79	2,228	2,082	123
20-24	2,720	2,272	291	2,184	2,043	124
25-29	3,176	2,526	561	2,461	2,263	126
30-34	3,424	2,509	820	2,211	2,075	99
35-39	3,312	2,624	627	2,448	2,255	141
40-44	2,994	2,512	444	2,265	2,123	103
45-49	2,868	2,573	257	2,397	2,283	100
50-54	3,161	2,858	269	2,862	2,750	78
55-59	3,164	2,980	170	3,154	3,032	88
60-64	2,821	2,678	130	2,875	2,788	70
65-69	2,424	2,348	60	2,408	2,308	80
70-74	1,573	1,493	70	1,770	1,719	41
75-79	1,124	1,099	19	1,477	1,446	27
80-84	902	876	22	1,080	1,063	15
85+	671	650	15	1,546	1,526	11
Total	43,652	38,746	4,134	39,935	37,987	1,500
Boone	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,513	1,429	58	1,382	1,296	64
1-4	6,407	5,968	283	5,999	5,570	302
5-9	9,445	8,641	542	8,717	7,979	480
10-14	10,821	10,035	463	10,594	9,791	457
15-19	10,741	9,923	438	10,146	9,448	405
20-24	8,857	8,261	387	8,156	7,648	278
25-29	7,196	6,753	285	6,723	6,257	301
30-34	7,068	6,628	223	7,406	6,934	285
35-39	7,880	7,379	252	8,418	7,866	293
40-44	8,990	8,437	295	8,909	8,364	241
45-49	9,756	9,185	303	10,118	9,420	252
50-54	10,033	9,569	285	9,578	9,178	189
55-59	9,002	8,626	250	8,907	8,563	173
60-64	7,705	7,452	122	7,570	7,267	139
65-69	6,226	6,048	78	6,828	6,582	76
70-74	5,036	4,893	49	5,531	5,399	50
75-79	3,416	3,338	30	3,854	3,779	34
80-84	2,012	1,970	13	2,523	2,458	20
85+	1,536	1,506	12	2,857	2,812	14
Total	133,640	126,041	4,368	134,216	126,611	4,053
Brown	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	162	158	4	129	128	0
1-4	650	638	9	490	483	6
5-9	735	715	20	758	728	22
10-14	761	740	12	765	745	16
15-19	893	673	194	584	569	9
20-24	2,395	1,111	1,102	652	631	12
25-29	2,618	1,305	1,181	715	692	21
30-34	2,250	1,159	1,003	770	765	5
35-39	2,085	1,183	880	676	667	0
40-44	1,749	1,034	699	681	679	1
45-49	1,532	961	556	743	740	3
50-54	1,495	1,118	372	814	804	5
55-59	1,253	1,088	160	829	818	1
60-64	895	831	47	803	794	0
65-69	683	658	20	669	662	0
70-74	444	441	0	605	605	0
75-79	425	420	5	453	452	0
80-84	291	291	0	307	303	0
85+	217	217	0	418	413	5
Total	21,533	14,741	6,264	11,861	11,678	106

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Bureau	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	864	825	30	830	800	24
1-4	3,675	3,519	111	3,438	3,281	120
5-9	4,949	4,771	116	4,799	4,527	165
10-14	5,527	5,297	160	5,424	5,120	170
15-19	5,171	4,931	173	5,052	4,756	154
20-24	4,637	4,441	128	4,457	4,291	85
25-29	4,484	4,331	71	4,339	4,196	69
30-34	4,549	4,384	87	4,367	4,169	58
35-39	4,724	4,570	76	4,673	4,477	107
40-44	4,564	4,439	71	4,668	4,514	90
45-49	5,216	5,091	55	5,323	5,125	50
50-54	5,939	5,794	63	5,769	5,601	29
55-59	6,064	5,972	41	6,466	6,361	32
60-64	5,904	5,846	17	6,088	5,971	27
65-69	5,153	5,080	18	5,209	5,129	18
70-74	3,679	3,631	9	4,272	4,184	17
75-79	2,897	2,859	8	3,442	3,411	5
80-84	1,922	1,911	1	2,634	2,623	4
85+	1,899	1,890	8	3,772	3,760	2
Total	81,817	79,582	1,243	85,022	82,296	1,226
Calhoun	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	123	121	2	117	116	1
1-4	471	462	5	537	531	6
5-9	732	718	12	669	661	3
10-14	761	749	6	703	699	0
15-19	711	690	18	656	645	4
20-24	623	612	8	629	606	11
25-29	641	632	4	484	474	10
30-34	605	602	3	564	558	6
35-39	575	575	0	628	622	6
40-44	722	717	5	658	650	5
45-49	797	797	0	814	798	4
50-54	904	898	4	878	872	3
55-59	1,053	1,048	2	887	874	0
60-64	936	932	4	872	866	0
65-69	809	808	1	792	782	3
70-74	656	652	1	722	716	0
75-79	516	516	0	564	559	0
80-84	322	322	0	456	453	0
85+	237	232	5	510	506	1
Total	12,194	12,083	80	12,140	11,988	63
Carroll	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	352	341	9	351	339	9
1-4	1,452	1,389	34	1,503	1,442	38
5-9	1,819	1,741	43	1,841	1,735	61
10-14	2,152	2,072	63	1,947	1,870	53
15-19	2,244	2,112	79	1,902	1,808	52
20-24	1,877	1,777	66	1,834	1,762	30
25-29	1,900	1,847	39	1,629	1,570	30
30-34	1,946	1,883	50	1,829	1,798	19
35-39	1,855	1,785	45	1,817	1,761	30
40-44	1,959	1,903	39	1,944	1,893	16
45-49	2,110	2,059	31	2,078	2,005	42
50-54	2,466	2,411	32	2,492	2,455	19
55-59	2,827	2,774	35	2,921	2,859	21
60-64	2,994	2,926	31	2,910	2,864	21
65-69	2,767	2,696	48	2,817	2,782	12
70-74	2,168	2,148	6	2,255	2,238	8
75-79	1,614	1,584	14	1,588	1,583	1
80-84	985	979	0	1,159	1,152	7
85+	892	886	5	1,614	1,580	29
Total	36,379	35,313	669	36,431	35,496	498

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Cass	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	455	379	71	401	343	53
1-4	1,712	1,469	208	1,543	1,361	173
5-9	2,294	2,064	170	1,950	1,758	159
10-14	2,337	2,134	156	2,123	1,975	122
15-19	2,179	2,007	129	1,850	1,771	56
20-24	1,849	1,693	110	1,856	1,687	123
25-29	1,870	1,674	157	1,756	1,587	137
30-34	2,114	1,896	201	1,844	1,697	109
35-39	1,917	1,678	198	1,903	1,759	104
40-44	2,024	1,796	204	1,870	1,781	56
45-49	1,949	1,832	97	2,060	1,970	61
50-54	2,219	2,107	76	2,150	2,077	51
55-59	2,246	2,189	46	2,230	2,107	79
60-64	2,001	1,952	41	1,974	1,896	44
65-69	1,629	1,583	30	1,643	1,626	11
70-74	1,089	1,081	2	1,293	1,275	9
75-79	856	847	2	1,125	1,120	2
80-84	595	589	3	859	846	10
85+	542	539	3	1,093	1,078	13
Total	31,877	29,509	1,904	31,523	29,714	1,372
Champaign	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	6,138	4,122	1,449	5,795	3,895	1,342
1-4	23,797	16,072	5,564	22,420	15,227	5,209
5-9	27,695	19,026	6,278	26,792	18,334	6,192
10-14	26,256	18,156	5,969	26,017	17,757	6,150
15-19	53,514	36,682	7,538	50,784	35,162	8,121
20-24	91,420	60,994	10,906	80,382	53,195	11,644
25-29	43,919	30,234	6,253	39,907	27,402	6,403
30-34	35,619	25,654	4,359	34,378	24,849	4,930
35-39	30,463	22,774	3,986	30,154	21,994	4,787
40-44	26,122	19,706	3,433	26,706	19,517	4,263
45-49	25,000	19,614	3,248	25,873	19,836	3,705
50-54	25,359	20,468	3,100	27,489	21,946	3,378
55-59	27,389	23,143	2,783	30,043	24,668	3,486
60-64	25,260	21,627	2,601	28,328	23,791	2,974
65-69	20,309	17,651	1,703	22,127	18,632	2,278
70-74	13,076	11,418	997	15,445	13,469	1,326
75-79	8,914	7,821	678	11,467	10,067	956
80-84	6,483	5,828	429	8,899	7,986	670
85+	6,242	5,839	261	11,884	10,929	696
Total	522,975	386,829	71,535	524,890	388,656	78,510
Christian	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	838	801	25	819	790	23
1-4	3,556	3,406	112	3,338	3,205	69
5-9	4,835	4,688	115	4,757	4,537	113
10-14	5,177	5,017	124	4,772	4,642	83
15-19	5,191	4,976	174	4,466	4,331	85
20-24	5,416	5,099	267	4,416	4,325	46
25-29	5,575	5,185	308	4,613	4,518	44
30-34	5,361	5,069	217	4,472	4,384	40
35-39	5,359	5,092	197	4,600	4,516	40
40-44	5,261	4,976	248	4,530	4,419	32
45-49	5,719	5,367	331	5,144	5,042	47
50-54	6,289	6,053	196	5,822	5,733	23
55-59	6,486	6,308	145	6,033	5,967	16
60-64	5,718	5,595	90	5,734	5,686	22
65-69	4,382	4,339	18	4,916	4,891	6
70-74	3,337	3,314	6	4,041	3,998	6
75-79	2,689	2,656	11	3,271	3,235	11
80-84	1,781	1,761	15	2,495	2,448	29
85+	1,623	1,615	7	3,334	3,296	12
Total	84,593	81,317	2,606	81,573	79,963	747

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Clark						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	488	475	9	426	414	9
1-4	2,073	2,018	34	1,827	1,797	21
5-9	2,578	2,520	48	2,372	2,335	24
10-14	2,596	2,542	44	2,502	2,447	31
15-19	2,447	2,409	28	2,448	2,383	33
20-24	2,210	2,172	29	2,076	2,027	26
25-29	2,168	2,124	17	2,200	2,153	18
30-34	2,289	2,245	20	2,246	2,207	22
35-39	2,262	2,242	10	2,349	2,295	23
40-44	2,301	2,275	15	2,182	2,129	20
45-49	2,583	2,550	15	2,440	2,408	8
50-54	2,859	2,830	15	2,900	2,868	9
55-59	3,014	3,000	8	2,893	2,846	10
60-64	2,758	2,724	20	2,599	2,570	11
65-69	2,130	2,124	3	2,400	2,383	1
70-74	1,668	1,667	1	1,983	1,972	7
75-79	1,335	1,332	3	1,496	1,483	7
80-84	697	695	2	1,156	1,151	3
85+	650	642	3	1,583	1,576	5
Total	39,106	38,586	324	40,078	39,444	288
Clay						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	411	402	5	357	346	7
1-4	1,710	1,672	30	1,519	1,466	40
5-9	2,133	2,088	37	2,097	2,034	39
10-14	2,233	2,196	31	2,069	2,008	32
15-19	1,920	1,891	20	1,890	1,859	12
20-24	1,874	1,821	23	1,821	1,767	19
25-29	1,972	1,918	23	1,868	1,834	23
30-34	1,819	1,786	16	1,844	1,818	9
35-39	1,927	1,887	20	1,863	1,791	15
40-44	1,877	1,844	15	1,832	1,764	3
45-49	2,073	2,006	26	1,916	1,859	16
50-54	2,385	2,354	12	2,348	2,307	12
55-59	2,534	2,505	16	2,483	2,426	12
60-64	2,281	2,254	14	2,412	2,380	6
65-69	2,105	2,096	2	2,034	2,016	8
70-74	1,409	1,405	0	1,711	1,696	5
75-79	981	966	4	1,294	1,288	4
80-84	706	703	1	1,024	1,017	1
85+	671	663	3	1,293	1,288	2
Total	33,021	32,457	298	33,675	32,964	265
Clinton						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,098	1,067	19	989	962	21
1-4	4,495	4,339	109	4,102	3,959	109
5-9	5,733	5,553	103	5,263	5,051	143
10-14	5,965	5,782	106	5,510	5,300	136
15-19	5,750	5,406	242	5,179	4,999	119
20-24	6,205	5,389	753	5,156	4,915	111
25-29	6,927	5,850	1,006	5,376	5,226	60
30-34	7,219	6,232	924	5,617	5,464	67
35-39	6,921	5,932	921	5,431	5,303	50
40-44	6,096	5,404	617	5,090	4,959	81
45-49	6,682	6,047	577	5,835	5,684	89
50-54	7,382	6,964	372	6,911	6,775	62
55-59	7,238	7,005	188	6,955	6,785	77
60-64	6,179	6,019	113	6,068	5,955	53
65-69	4,651	4,535	82	4,833	4,736	53
70-74	3,362	3,309	27	3,852	3,752	37
75-79	2,510	2,483	16	2,855	2,800	19
80-84	1,647	1,634	5	2,421	2,388	11
85+	1,671	1,652	3	3,078	3,017	29
Total	97,731	90,602	6,183	90,521	88,030	1,327

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Coles		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,274	1,146	110	1,245	1,121	109
1-4	5,196	4,724	398	4,778	4,335	385
5-9	6,757	6,210	438	6,349	5,903	360
10-14	6,883	6,483	305	6,311	5,901	324
15-19	9,766	8,866	744	10,620	9,337	1,092
20-24	15,871	13,896	1,434	17,300	15,037	1,728
25-29	9,826	8,921	710	9,883	9,149	595
30-34	8,071	7,453	381	7,611	7,226	261
35-39	7,153	6,848	221	7,048	6,745	208
40-44	6,705	6,399	220	6,465	6,158	154
45-49	6,810	6,529	198	6,868	6,631	126
50-54	7,193	6,921	186	7,861	7,666	108
55-59	8,361	8,110	147	8,822	8,558	172
60-64	7,759	7,566	129	8,413	8,140	149
65-69	6,065	5,930	97	6,868	6,670	87
70-74	4,367	4,288	51	5,108	5,025	36
75-79	3,173	3,125	33	4,132	4,087	23
80-84	2,238	2,201	14	3,159	3,109	32
85+	2,005	1,955	14	4,353	4,308	26
Total	125,473	117,571	5,830	133,194	125,106	5,975
Cook	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	170,898	114,628	42,943	163,703	109,831	41,261
1-4	664,952	441,999	170,582	638,455	422,697	165,867
5-9	813,309	530,517	216,296	786,617	510,988	211,554
10-14	811,790	524,294	222,115	785,528	502,421	219,873
15-19	801,846	509,731	230,114	788,011	497,425	229,416
20-24	869,923	548,719	243,095	883,170	546,722	255,142
25-29	1,086,296	740,378	234,354	1,098,899	721,773	259,809
30-34	1,037,003	733,071	188,554	1,041,926	697,055	229,085
35-39	915,190	642,634	176,655	924,782	603,342	220,434
40-44	829,467	576,798	168,943	848,585	539,929	218,989
45-49	817,452	567,056	177,922	845,643	539,395	228,007
50-54	818,098	566,758	190,778	859,343	553,856	237,293
55-59	811,168	561,548	193,344	880,656	569,952	245,649
60-64	695,264	487,748	155,048	788,264	511,505	213,401
65-69	545,635	384,571	116,564	647,205	423,782	170,450
70-74	375,653	260,941	83,001	479,044	315,950	125,359
75-79	254,980	175,902	58,589	360,216	238,113	96,331
80-84	173,374	123,618	37,760	269,132	184,776	68,333
85+	168,427	128,903	30,349	345,912	258,779	70,375
Total	12,660,725	8,619,814	2,937,006	13,435,091	8,748,291	3,506,628
Crawford	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	524	508	15	521	501	13
1-4	2,011	1,955	46	2,094	2,009	55
5-9	2,629	2,555	62	2,615	2,513	45
10-14	2,641	2,541	80	2,627	2,546	45
15-19	2,777	2,627	117	2,532	2,441	61
20-24	3,231	2,678	496	2,321	2,243	49
25-29	3,870	3,024	776	2,713	2,634	38
30-34	3,663	2,856	781	2,603	2,532	36
35-39	3,580	2,889	659	2,532	2,470	32
40-44	3,281	2,618	610	2,588	2,533	19
45-49	3,415	2,902	482	2,726	2,650	34
50-54	3,579	3,279	264	3,226	3,176	19
55-59	3,693	3,497	168	3,407	3,332	33
60-64	3,249	3,163	68	3,194	3,132	19
65-69	2,580	2,549	18	2,871	2,844	10
70-74	1,862	1,858	3	2,189	2,168	7
75-79	1,378	1,367	7	1,839	1,819	8
80-84	969	958	1	1,355	1,337	5
85+	826	810	7	1,767	1,762	1
Total	49,758	44,634	4,660	45,720	44,642	529

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Cumberland		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	325	316	7	297	291	4
1-4	1,283	1,252	19	1,293	1,259	26
5-9	1,832	1,802	23	1,607	1,573	33
10-14	1,795	1,763	23	1,722	1,648	35
15-19	1,572	1,530	17	1,627	1,537	35
20-24	1,409	1,348	25	1,370	1,341	13
25-29	1,577	1,559	14	1,462	1,442	9
30-34	1,582	1,556	15	1,549	1,503	10
35-39	1,680	1,654	16	1,602	1,586	8
40-44	1,629	1,608	18	1,506	1,495	5
45-49	1,752	1,715	35	1,651	1,642	2
50-54	1,937	1,913	6	1,892	1,843	7
55-59	2,128	2,110	7	2,156	2,100	12
60-64	1,984	1,963	13	1,908	1,900	2
65-69	1,618	1,593	6	1,632	1,617	7
70-74	1,141	1,134	5	1,229	1,219	3
75-79	821	818	0	938	937	1
80-84	577	572	1	739	735	0
85+	505	503	2	1,008	999	7
Total	27,147	26,709	252	27,188	26,667	219
DeKalb		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,982	2,500	413	2,790	2,323	399
1-4	12,631	10,762	1,582	11,991	10,013	1,657
5-9	15,905	13,759	1,773	15,439	13,042	1,888
10-14	16,145	14,400	1,323	15,651	13,683	1,444
15-19	23,126	19,446	2,767	22,745	18,539	3,336
20-24	38,006	30,502	4,389	38,676	29,518	6,228
25-29	19,434	16,362	2,147	18,279	14,907	2,561
30-34	16,471	14,856	1,160	15,861	13,909	1,444
35-39	15,471	14,057	911	14,896	13,329	1,027
40-44	13,774	12,584	731	13,778	12,586	680
45-49	14,382	13,436	561	14,354	13,342	569
50-54	14,908	14,034	463	15,360	14,446	569
55-59	15,181	14,415	437	15,253	14,399	489
60-64	12,809	12,262	337	13,157	12,533	402
65-69	9,956	9,633	185	10,810	10,364	268
70-74	6,962	6,779	84	7,919	7,661	136
75-79	4,620	4,504	51	5,860	5,706	85
80-84	3,080	3,010	34	4,526	4,409	49
85+	2,808	2,755	16	5,497	5,415	58
Total	258,651	230,056	19,364	262,842	230,124	23,289
DeWitt		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	427	416	11	422	408	9
1-4	1,654	1,586	64	1,853	1,782	54
5-9	2,485	2,404	61	2,166	2,102	50
10-14	2,637	2,561	57	2,497	2,414	57
15-19	2,529	2,473	26	2,369	2,303	35
20-24	2,099	2,011	54	2,069	2,014	28
25-29	2,248	2,124	85	2,062	2,016	19
30-34	2,437	2,342	86	2,342	2,290	39
35-39	2,441	2,366	62	2,424	2,369	43
40-44	2,488	2,419	54	2,372	2,329	19
45-49	2,737	2,685	18	2,564	2,509	22
50-54	2,984	2,932	10	2,947	2,894	28
55-59	3,234	3,200	18	3,115	3,078	16
60-64	2,840	2,820	10	2,854	2,825	9
65-69	2,229	2,217	6	2,377	2,358	3
70-74	1,736	1,725	9	2,008	1,991	1
75-79	1,220	1,209	6	1,541	1,525	2
80-84	728	728	0	1,033	1,029	1
85+	734	727	2	1,336	1,334	1
Total	39,887	38,945	639	40,351	39,570	436

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Douglas		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	686	653	23	608	589	14
1-4	2,672	2,561	61	2,528	2,452	44
5-9	3,428	3,335	55	3,338	3,214	93
10-14	3,742	3,657	60	3,514	3,411	65
15-19	3,369	3,267	63	3,140	3,080	35
20-24	2,695	2,592	68	2,704	2,612	69
25-29	3,119	3,042	49	3,071	3,003	39
30-34	2,999	2,937	36	2,989	2,930	22
35-39	2,946	2,889	31	2,957	2,882	24
40-44	2,797	2,759	19	2,816	2,763	7
45-49	2,844	2,718	32	2,784	2,706	36
50-54	3,266	3,177	39	3,071	3,025	24
55-59	3,495	3,443	19	3,513	3,472	13
60-64	3,117	3,077	18	3,177	3,148	4
65-69	2,547	2,515	11	2,631	2,599	9
70-74	1,834	1,822	1	2,019	2,013	2
75-79	1,366	1,357	2	1,800	1,799	0
80-84	1,021	1,015	3	1,497	1,487	5
85+	850	838	2	1,605	1,596	2
Total	48,793	47,654	592	49,762	48,781	507
DuPage		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	27,195	21,841	1,895	26,028	20,746	1,813
1-4	113,706	90,637	7,272	109,388	86,800	7,356
5-9	149,686	118,223	10,308	142,831	112,266	9,810
10-14	158,884	125,952	11,319	152,375	120,706	10,913
15-19	159,105	127,721	12,446	151,379	121,207	11,862
20-24	148,953	120,060	11,360	143,696	115,624	10,445
25-29	147,670	117,654	10,091	140,441	108,150	10,318
30-34	153,200	120,979	8,602	150,312	114,563	10,478
35-39	152,903	119,284	8,430	152,450	115,981	10,658
40-44	145,131	115,026	7,426	148,946	114,604	10,762
45-49	156,204	128,306	7,272	163,645	131,453	9,924
50-54	165,900	141,250	6,867	178,130	149,316	8,838
55-59	167,409	145,197	5,961	179,132	153,459	7,741
60-64	143,718	124,260	4,526	153,480	130,357	5,930
65-69	111,198	94,961	2,932	122,004	103,106	4,316
70-74	76,194	64,597	1,773	88,626	75,907	2,356
75-79	48,305	41,253	916	60,749	53,114	1,378
80-84	30,539	27,047	501	44,894	40,467	835
85+	29,729	27,571	309	61,667	57,468	919
Total	2,285,629	1,871,819	120,206	2,370,173	1,925,294	136,652
Edgar		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	454	445	6	420	410	10
1-4	1,948	1,910	31	1,716	1,671	37
5-9	2,491	2,443	46	2,477	2,432	29
10-14	2,656	2,595	29	2,657	2,596	28
15-19	2,585	2,532	31	2,508	2,466	31
20-24	2,292	2,256	21	2,333	2,288	36
25-29	2,418	2,364	42	2,367	2,324	21
30-34	2,428	2,383	23	2,434	2,393	25
35-39	2,470	2,433	11	2,614	2,539	43
40-44	2,655	2,612	19	2,525	2,485	22
45-49	2,727	2,681	25	2,531	2,515	11
50-54	2,972	2,943	18	2,998	2,959	16
55-59	3,485	3,446	26	3,571	3,529	12
60-64	3,306	3,272	30	3,292	3,276	10
65-69	2,683	2,663	11	2,822	2,806	4
70-74	2,056	2,044	11	2,413	2,389	8
75-79	1,435	1,424	11	1,851	1,839	7
80-84	875	867	2	1,480	1,458	4
85+	829	823	1	1,905	1,896	6
Total	42,765	42,136	394	44,914	44,271	360

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Edwards		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	194	191	3	188	183	3
1-4	728	713	11	815	783	24
5-9	987	950	25	980	954	18
10-14	1,163	1,141	12	1,053	1,014	28
15-19	978	942	23	915	877	30
20-24	858	840	14	826	802	20
25-29	847	839	3	792	769	10
30-34	837	828	6	833	822	1
35-39	895	883	3	950	923	10
40-44	994	984	6	962	944	5
45-49	1,093	1,076	11	1,001	985	3
50-54	1,123	1,100	11	1,071	1,067	0
55-59	1,251	1,230	15	1,201	1,183	8
60-64	1,137	1,135	1	1,200	1,194	1
65-69	1,026	1,017	9	1,062	1,059	0
70-74	733	731	0	779	773	0
75-79	521	514	0	689	687	0
80-84	303	302	0	534	525	0
85+	328	327	1	663	663	0
Total	15,996	15,743	154	16,514	16,207	161
Effingham		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,183	1,151	26	1,091	1,068	14
1-4	4,608	4,498	87	4,466	4,316	106
5-9	5,827	5,643	97	5,495	5,345	85
10-14	5,748	5,612	70	5,458	5,280	75
15-19	5,577	5,411	61	4,934	4,849	43
20-24	5,433	5,282	75	4,924	4,838	54
25-29	5,732	5,572	84	5,419	5,288	65
30-34	5,699	5,588	40	5,099	5,006	33
35-39	5,100	4,980	57	4,918	4,821	28
40-44	4,671	4,579	45	4,429	4,345	15
45-49	4,990	4,904	35	4,914	4,813	32
50-54	6,075	5,993	33	6,150	6,049	18
55-59	6,553	6,490	29	6,491	6,437	22
60-64	5,539	5,484	11	5,577	5,546	12
65-69	4,354	4,311	14	4,601	4,568	8
70-74	2,969	2,946	3	3,658	3,627	5
75-79	2,299	2,287	5	3,049	3,035	7
80-84	1,490	1,483	0	2,185	2,179	2
85+	1,258	1,254	1	2,835	2,823	2
Total	85,105	83,468	773	85,693	84,233	626
Fayette		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	612	600	7	612	598	8
1-4	2,506	2,448	38	2,376	2,302	45
5-9	3,205	3,123	55	3,019	2,930	66
10-14	3,350	3,282	59	3,312	3,205	54
15-19	3,606	3,290	296	2,960	2,902	31
20-24	4,081	3,129	917	2,819	2,763	33
25-29	4,200	3,287	873	3,036	2,999	18
30-34	3,662	3,010	610	2,891	2,844	14
35-39	4,024	3,313	678	2,844	2,804	26
40-44	3,818	3,209	575	2,899	2,857	15
45-49	3,927	3,420	491	3,072	3,033	21
50-54	4,092	3,725	328	3,443	3,397	12
55-59	3,890	3,748	130	3,727	3,702	11
60-64	3,490	3,439	37	3,409	3,391	11
65-69	2,934	2,904	22	2,913	2,879	13
70-74	2,055	2,040	6	2,544	2,525	4
75-79	1,660	1,650	6	1,941	1,917	7
80-84	1,234	1,231	2	1,554	1,546	4
85+	1,046	1,041	5	1,801	1,791	5
Total	57,392	51,889	5,135	51,172	50,385	398

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Ford		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	370	360	6	371	360	8
1-4	1,645	1,598	26	1,464	1,417	35
5-9	2,157	2,054	67	1,927	1,860	39
10-14	2,261	2,167	80	2,315	2,231	60
15-19	2,283	2,197	69	2,147	2,072	44
20-24	1,952	1,865	65	1,701	1,650	37
25-29	1,931	1,830	72	1,745	1,695	34
30-34	1,905	1,824	75	1,828	1,774	30
35-39	1,947	1,898	26	1,983	1,948	12
40-44	1,969	1,910	33	1,858	1,811	16
45-49	2,009	1,984	10	2,046	1,999	17
50-54	2,193	2,153	19	2,353	2,328	15
55-59	2,718	2,689	10	2,724	2,685	15
60-64	2,303	2,253	25	2,371	2,340	2
65-69	1,749	1,729	10	1,715	1,712	1
70-74	1,246	1,240	2	1,411	1,401	5
75-79	979	973	3	1,263	1,257	6
80-84	745	742	3	1,052	1,051	1
85+	588	581	7	1,707	1,700	2
Total	32,950	32,047	608	33,981	33,291	379
Franklin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,238	1,202	26	1,148	1,109	35
1-4	5,016	4,835	125	4,354	4,191	116
5-9	6,249	6,037	152	5,519	5,336	111
10-14	6,406	6,222	103	5,938	5,763	114
15-19	6,007	5,880	85	5,645	5,463	109
20-24	5,464	5,344	78	5,104	4,973	70
25-29	5,794	5,659	97	5,547	5,454	56
30-34	5,218	5,153	46	5,493	5,345	47
35-39	5,658	5,561	55	5,832	5,700	32
40-44	5,860	5,794	31	6,042	5,932	30
45-49	6,354	6,232	42	6,205	6,093	37
50-54	6,597	6,536	27	6,813	6,734	20
55-59	6,931	6,832	62	7,030	6,956	27
60-64	6,430	6,339	56	6,774	6,712	15
65-69	5,832	5,777	21	6,283	6,221	10
70-74	4,464	4,434	10	5,283	5,224	21
75-79	3,332	3,287	11	4,131	4,074	18
80-84	2,036	2,011	3	2,737	2,712	11
85+	1,588	1,575	5	3,242	3,214	12
Total	96,474	94,710	1,035	99,120	97,206	891
Fulton		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	852	830	19	836	813	17
1-4	3,537	3,437	68	3,528	3,411	80
5-9	4,828	4,691	94	4,762	4,595	107
10-14	5,383	5,265	77	5,061	4,913	91
15-19	5,437	5,184	214	4,756	4,669	58
20-24	6,138	4,912	1,039	4,178	4,068	76
25-29	6,113	4,870	1,009	4,499	4,401	74
30-34	6,480	5,207	1,072	4,482	4,391	55
35-39	6,434	5,362	934	5,047	4,941	58
40-44	6,316	5,538	688	4,839	4,763	31
45-49	6,457	5,706	673	5,105	5,042	25
50-54	6,314	5,889	369	5,862	5,798	22
55-59	6,376	6,101	215	6,317	6,236	32
60-64	5,920	5,812	82	6,316	6,264	22
65-69	5,270	5,186	54	5,406	5,356	28
70-74	3,806	3,760	16	4,393	4,366	5
75-79	2,790	2,761	17	3,307	3,255	20
80-84	1,900	1,883	12	2,704	2,664	31
85+	1,819	1,799	15	3,547	3,517	24
Total	92,170	84,193	6,667	84,945	83,463	856

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Gallatin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	149	148	1	120	119	1
1-4	554	543	11	534	515	14
5-9	710	698	10	773	752	16
10-14	801	789	9	786	769	17
15-19	650	621	16	668	647	20
20-24	630	613	13	664	650	6
25-29	689	680	6	654	641	7
30-34	702	695	7	705	699	2
35-39	750	736	10	742	722	14
40-44	806	789	11	824	814	4
45-49	806	788	18	774	768	4
50-54	957	931	23	852	847	4
55-59	859	839	9	991	982	3
60-64	818	809	5	921	918	3
65-69	866	858	8	1,007	996	4
70-74	748	736	4	815	804	3
75-79	511	509	0	660	656	4
80-84	317	311	0	457	452	3
85+	182	176	1	320	312	7
Total	12,505	12,269	162	13,267	13,063	136
Greene		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	357	349	7	310	303	6
1-4	1,522	1,466	36	1,345	1,306	31
5-9	1,926	1,896	25	1,896	1,868	20
10-14	2,072	2,042	25	2,178	2,125	41
15-19	2,086	2,053	25	1,899	1,852	37
20-24	1,988	1,903	67	1,737	1,703	27
25-29	1,925	1,813	92	1,710	1,701	2
30-34	2,053	1,923	121	1,675	1,661	6
35-39	2,085	1,986	86	1,883	1,877	6
40-44	2,065	1,961	97	1,909	1,890	11
45-49	2,206	2,085	108	2,096	2,072	11
50-54	2,510	2,449	58	2,393	2,369	7
55-59	2,549	2,518	20	2,507	2,487	8
60-64	2,353	2,330	14	2,348	2,334	0
65-69	1,805	1,795	7	1,922	1,913	2
70-74	1,374	1,365	1	1,661	1,640	5
75-79	1,015	1,008	0	1,323	1,308	3
80-84	694	684	2	966	959	1
85+	707	699	1	1,054	1,050	3
Total	33,292	32,325	792	32,812	32,418	227
Grundy		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,561	1,502	39	1,435	1,382	35
1-4	6,719	6,475	164	6,202	5,944	162
5-9	9,320	8,943	209	8,619	8,198	230
10-14	10,079	9,574	293	9,432	9,050	224
15-19	8,877	8,456	269	8,428	8,118	206
20-24	7,392	7,098	209	7,247	6,977	180
25-29	7,586	7,254	209	7,482	7,164	199
30-34	8,224	7,861	214	8,501	8,201	165
35-39	9,102	8,774	165	9,020	8,658	178
40-44	8,462	8,158	155	8,393	8,060	153
45-49	8,830	8,575	158	8,747	8,430	163
50-54	8,972	8,780	98	8,825	8,557	133
55-59	8,625	8,476	74	8,558	8,375	86
60-64	7,022	6,913	42	7,218	7,091	46
65-69	5,622	5,505	76	5,835	5,705	50
70-74	4,065	3,985	43	4,503	4,440	21
75-79	2,751	2,716	13	3,186	3,157	15
80-84	1,478	1,462	7	2,282	2,240	20
85+	1,208	1,184	12	2,754	2,728	10
Total	125,895	121,691	2,449	126,667	122,475	2,276

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Hamilton		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	216	208	3	206	205	1
1-4	883	839	14	936	921	12
5-9	1,280	1,243	25	1,231	1,196	19
10-14	1,381	1,353	22	1,394	1,356	30
15-19	1,249	1,226	18	1,139	1,117	16
20-24	1,131	1,103	18	1,022	1,001	9
25-29	986	959	13	1,045	1,032	6
30-34	1,147	1,138	2	1,178	1,161	6
35-39	1,210	1,184	16	1,183	1,160	9
40-44	1,151	1,128	10	1,188	1,164	2
45-49	1,235	1,213	14	1,195	1,171	8
50-54	1,426	1,397	28	1,339	1,307	13
55-59	1,553	1,543	9	1,543	1,512	26
60-64	1,427	1,413	8	1,516	1,503	5
65-69	1,253	1,237	7	1,264	1,256	5
70-74	1,005	997	6	1,055	1,043	3
75-79	688	687	0	945	931	3
80-84	473	469	0	700	690	1
85+	349	347	2	955	951	3
Total	20,043	19,684	215	21,034	20,677	177
Hancock		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	472	463	7	481	468	8
1-4	2,057	1,997	44	1,886	1,793	66
5-9	2,802	2,719	63	2,471	2,361	80
10-14	2,842	2,769	50	2,752	2,648	70
15-19	2,624	2,567	36	2,471	2,385	38
20-24	2,368	2,308	37	2,147	2,106	24
25-29	2,338	2,260	35	2,160	2,124	17
30-34	2,479	2,395	28	2,377	2,327	17
35-39	2,416	2,379	23	2,501	2,437	18
40-44	2,547	2,523	8	2,322	2,285	10
45-49	2,641	2,609	14	2,557	2,535	14
50-54	3,217	3,163	34	3,229	3,190	15
55-59	3,568	3,523	19	3,568	3,540	10
60-64	3,436	3,415	10	3,462	3,439	5
65-69	3,005	2,991	7	3,135	3,105	10
70-74	2,105	2,085	8	2,666	2,639	6
75-79	1,711	1,692	11	2,026	2,012	5
80-84	1,259	1,251	1	1,432	1,425	0
85+	1,043	1,038	2	1,958	1,954	3
Total	44,930	44,147	437	45,601	44,773	416
Hardin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	75	75	0	77	76	1
1-4	308	308	0	331	313	17
5-9	548	541	7	471	447	14
10-14	605	579	11	562	528	18
15-19	587	561	8	548	526	9
20-24	443	418	13	450	426	7
25-29	455	442	2	370	360	3
30-34	452	440	6	463	457	5
35-39	540	532	3	536	528	3
40-44	595	580	1	505	497	1
45-49	696	683	8	647	638	0
50-54	736	719	13	770	751	5
55-59	762	732	11	754	729	9
60-64	746	732	4	939	920	4
65-69	844	838	4	834	827	2
70-74	701	698	3	630	629	0
75-79	517	515	2	452	430	6
80-84	216	216	0	352	347	1
85+	248	248	0	257	257	0
Total	10,074	9,857	96	9,948	9,686	105

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Henderson		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	179	175	3	154	149	5
1-4	714	707	4	657	638	16
5-9	876	857	14	872	842	22
10-14	860	846	10	914	869	20
15-19	917	891	19	944	909	28
20-24	850	825	15	851	844	6
25-29	807	781	20	797	787	2
30-34	850	816	25	800	795	1
35-39	824	812	8	800	799	0
40-44	834	826	2	888	858	3
45-49	930	917	8	1,114	1,072	11
50-54	1,307	1,293	3	1,302	1,283	7
55-59	1,569	1,537	8	1,553	1,535	7
60-64	1,438	1,429	8	1,379	1,358	7
65-69	1,240	1,234	3	1,218	1,209	3
70-74	1,045	1,036	2	1,027	1,022	4
75-79	760	760	0	852	847	1
80-84	469	469	0	602	596	0
85+	391	390	1	826	815	1
Total	16,860	16,601	153	17,550	17,227	144
Henry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,275	1,215	54	1,328	1,256	63
1-4	5,634	5,348	243	5,590	5,292	260
5-9	8,039	7,589	363	7,283	6,928	281
10-14	8,440	8,065	267	7,771	7,394	264
15-19	8,762	7,993	656	6,928	6,562	238
20-24	6,982	6,548	352	6,261	5,972	196
25-29	6,546	6,281	213	6,267	5,998	188
30-34	6,881	6,655	166	6,759	6,509	178
35-39	7,499	7,250	169	7,406	7,171	154
40-44	7,430	7,138	199	7,229	7,044	107
45-49	7,416	7,253	103	7,780	7,611	101
50-54	8,417	8,231	131	8,669	8,493	85
55-59	9,331	9,169	124	9,495	9,339	91
60-64	8,713	8,529	139	8,639	8,463	100
65-69	7,532	7,448	63	7,753	7,607	105
70-74	5,534	5,488	34	6,082	5,991	49
75-79	3,962	3,915	27	4,571	4,514	27
80-84	2,545	2,521	20	3,596	3,539	32
85+	2,362	2,318	24	4,541	4,493	39
Total	123,300	118,954	3,347	123,948	120,176	2,558
Iroquois		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	767	735	29	749	716	31
1-4	2,989	2,886	80	3,096	2,974	112
5-9	4,093	3,908	113	4,145	4,016	89
10-14	4,655	4,432	153	4,468	4,275	118
15-19	4,863	4,596	215	4,140	3,926	118
20-24	3,917	3,741	124	3,587	3,456	71
25-29	3,722	3,564	107	3,522	3,423	38
30-34	3,539	3,430	67	3,856	3,747	42
35-39	3,884	3,794	53	4,013	3,937	40
40-44	4,016	3,902	81	3,817	3,727	39
45-49	4,053	3,943	69	4,307	4,217	39
50-54	4,914	4,837	56	5,087	5,021	43
55-59	5,394	5,311	46	5,656	5,553	50
60-64	4,977	4,911	39	5,150	5,065	38
65-69	4,231	4,174	31	4,293	4,232	34
70-74	3,176	3,134	26	3,799	3,765	19
75-79	2,504	2,464	21	2,891	2,858	10
80-84	1,645	1,614	23	2,102	2,056	18
85+	1,521	1,509	5	3,127	3,103	15
Total	68,860	66,885	1,338	71,805	70,067	964

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Jackson		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,763	1,340	368	1,681	1,212	414
1-4	6,523	4,953	1,325	6,136	4,619	1,347
5-9	7,162	5,236	1,607	7,158	5,299	1,608
10-14	6,941	5,197	1,430	7,007	5,093	1,600
15-19	12,445	8,910	2,924	11,337	7,973	2,944
20-24	25,619	19,020	4,548	23,687	16,110	5,990
25-29	12,853	9,650	2,459	11,126	8,221	2,230
30-34	9,003	7,359	1,128	8,308	6,537	1,258
35-39	7,695	6,312	962	7,456	5,696	1,146
40-44	7,148	6,013	782	6,920	5,465	1,043
45-49	7,015	5,977	703	7,052	5,816	973
50-54	7,463	6,515	693	7,898	6,560	1,043
55-59	8,042	6,964	877	8,685	7,396	955
60-64	7,984	6,977	804	8,306	7,200	826
65-69	6,944	6,247	538	7,309	6,448	685
70-74	4,418	4,062	277	5,200	4,678	454
75-79	3,060	2,817	201	3,791	3,494	258
80-84	2,002	1,849	124	3,162	2,784	234
85+	2,014	1,855	114	4,179	3,767	274
Total	146,094	117,253	21,864	146,398	114,368	25,282
Jasper		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	306	305	1	256	255	1
1-4	1,227	1,217	9	1,071	1,054	9
5-9	1,579	1,554	21	1,458	1,448	5
10-14	1,614	1,595	13	1,574	1,553	13
15-19	1,446	1,414	23	1,495	1,459	25
20-24	1,145	1,135	5	1,265	1,234	13
25-29	1,283	1,266	8	1,273	1,260	8
30-34	1,436	1,414	11	1,253	1,240	6
35-39	1,512	1,501	5	1,359	1,342	5
40-44	1,322	1,305	9	1,209	1,193	2
45-49	1,364	1,351	2	1,574	1,559	1
50-54	1,954	1,934	12	1,781	1,771	3
55-59	1,985	1,972	2	1,801	1,797	2
60-64	1,650	1,631	13	1,745	1,727	1
65-69	1,400	1,388	10	1,407	1,395	3
70-74	974	965	5	1,063	1,057	1
75-79	721	714	4	863	861	0
80-84	613	610	0	628	611	3
85+	500	495	0	887	870	3
Total	24,031	23,766	153	23,962	23,686	104
Jefferson		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,279	1,071	191	1,180	972	191
1-4	4,922	4,156	689	4,735	3,905	753
5-9	5,920	5,047	809	5,886	4,872	846
10-14	5,805	4,982	713	5,541	4,827	641
15-19	5,825	4,815	893	4,849	4,163	608
20-24	6,288	4,945	1,253	5,087	4,314	658
25-29	6,927	5,594	1,225	5,452	4,707	578
30-34	6,515	5,219	1,188	5,425	4,817	515
35-39	6,641	5,506	969	5,268	4,705	431
40-44	6,321	5,297	866	5,126	4,624	388
45-49	6,520	5,781	654	5,675	5,260	327
50-54	6,716	6,046	586	6,110	5,756	306
55-59	6,564	6,107	411	6,477	6,099	306
60-64	6,176	5,815	281	6,579	6,152	343
65-69	5,558	5,246	254	5,630	5,285	284
70-74	3,989	3,794	156	4,473	4,312	119
75-79	2,828	2,708	88	3,299	3,177	106
80-84	1,757	1,711	35	2,437	2,333	78
85+	1,615	1,552	36	3,218	3,136	63
Total	98,166	85,392	11,297	92,447	83,416	7,541

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Jersey		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	530	515	12	523	493	9
1-4	2,280	2,218	48	2,271	2,085	44
5-9	3,125	3,054	37	3,099	2,966	62
10-14	3,525	3,421	39	3,402	3,288	59
15-19	3,726	3,610	67	3,838	3,688	96
20-24	3,568	3,432	87	3,676	3,554	69
25-29	3,036	2,950	58	2,957	2,894	37
30-34	3,058	2,992	41	3,037	2,992	21
35-39	3,056	2,987	30	3,154	3,093	35
40-44	3,052	2,985	34	3,040	3,012	10
45-49	3,551	3,508	15	3,574	3,516	12
50-54	4,106	4,051	19	4,406	4,239	30
55-59	4,339	4,266	45	4,569	4,371	31
60-64	3,747	3,698	26	3,962	3,877	40
65-69	3,028	2,986	19	3,234	3,205	7
70-74	2,236	2,212	13	2,499	2,487	1
75-79	1,773	1,764	3	2,091	2,085	3
80-84	1,098	1,083	0	1,527	1,522	0
85+	941	940	1	1,772	1,744	12
Total	53,775	52,672	594	56,631	55,111	578
Jo Daviess		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	457	440	14	410	401	9
1-4	1,984	1,912	60	1,925	1,827	56
5-9	3,067	2,967	67	2,820	2,721	59
10-14	3,365	3,258	77	3,051	2,968	61
15-19	3,206	3,117	75	2,762	2,671	50
20-24	2,671	2,612	37	2,356	2,277	43
25-29	2,412	2,367	23	2,197	2,135	36
30-34	2,662	2,600	27	2,541	2,471	29
35-39	2,654	2,595	40	2,604	2,548	26
40-44	2,890	2,839	23	2,799	2,756	22
45-49	3,152	3,096	28	3,134	3,074	30
50-54	3,722	3,669	17	3,721	3,664	19
55-59	4,254	4,205	28	4,445	4,402	21
60-64	4,306	4,257	24	4,727	4,682	21
65-69	4,746	4,702	11	4,653	4,619	8
70-74	3,586	3,547	13	3,757	3,730	6
75-79	2,582	2,557	6	2,667	2,658	1
80-84	1,517	1,488	1	1,758	1,754	1
85+	1,266	1,258	0	2,221	2,205	4
Total	54,499	53,486	571	54,548	53,563	502
Johnson		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	284	280	4	245	236	9
1-4	1,206	1,174	26	1,103	1,075	25
5-9	1,610	1,569	34	1,580	1,556	15
10-14	1,731	1,686	28	1,689	1,640	34
15-19	2,122	1,803	302	1,472	1,436	12
20-24	2,648	1,752	856	1,346	1,317	23
25-29	2,717	1,844	827	1,427	1,402	17
30-34	2,466	1,706	718	1,432	1,414	7
35-39	2,204	1,669	522	1,463	1,438	14
40-44	2,386	1,828	546	1,503	1,482	10
45-49	2,456	1,931	520	1,783	1,755	19
50-54	2,362	2,023	331	2,004	1,955	30
55-59	2,413	2,221	187	2,254	2,221	16
60-64	2,024	1,982	33	2,066	2,048	13
65-69	2,129	2,091	16	2,138	2,117	7
70-74	1,642	1,616	25	1,681	1,668	8
75-79	1,279	1,263	15	1,192	1,179	5
80-84	674	671	3	870	859	6
85+	504	492	12	835	830	5
Total	34,857	29,601	5,005	28,083	27,628	275

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Kane		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	17,005	15,033	1,292	15,963	13,978	1,316
1-4	71,173	62,367	5,561	68,335	59,572	5,561
5-9	97,426	83,641	7,804	94,382	80,800	7,655
10-14	105,943	91,132	8,179	101,191	86,815	7,715
15-19	100,693	86,331	8,396	95,304	81,514	7,712
20-24	85,907	73,189	7,780	82,498	70,903	7,031
25-29	78,972	67,427	6,785	75,173	63,653	6,566
30-34	83,894	73,354	5,470	82,123	70,752	5,825
35-39	90,305	79,243	5,213	88,555	76,434	5,880
40-44	90,316	78,614	5,150	91,026	78,500	5,629
45-49	95,179	84,338	5,012	94,788	83,253	5,359
50-54	93,730	84,651	4,589	93,490	83,651	4,931
55-59	87,135	79,155	4,281	87,942	79,218	4,542
60-64	71,338	64,758	3,499	75,173	67,647	3,945
65-69	56,419	51,360	2,577	62,295	56,467	3,060
70-74	38,542	35,285	1,544	45,532	41,689	1,917
75-79	25,302	23,194	946	30,786	28,238	1,379
80-84	15,523	14,381	511	21,562	20,138	736
85+	13,409	12,685	352	25,774	24,544	663
Total	1,318,211	1,160,138	84,941	1,331,892	1,167,766	87,422
Kankakee	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,347	2,562	749	3,194	2,400	760
1-4	13,514	10,434	2,933	12,960	9,812	3,009
5-9	17,981	13,840	3,839	17,260	13,334	3,646
10-14	19,517	15,097	4,053	18,293	14,199	3,711
15-19	21,068	16,322	4,301	21,030	16,921	3,642
20-24	21,544	17,398	3,690	21,410	17,298	3,704
25-29	17,336	13,593	3,407	16,836	12,870	3,667
30-34	16,137	13,103	2,758	16,452	13,239	2,850
35-39	16,390	13,554	2,601	16,994	13,817	2,814
40-44	16,083	13,500	2,250	16,339	13,314	2,662
45-49	16,953	14,336	2,307	17,262	14,335	2,593
50-54	18,361	15,674	2,437	18,903	15,908	2,714
55-59	18,737	16,006	2,476	19,275	16,364	2,688
60-64	16,926	14,707	1,980	17,464	14,852	2,366
65-69	13,276	11,607	1,441	14,890	12,958	1,738
70-74	9,828	8,827	924	11,123	9,886	1,093
75-79	6,479	5,838	558	8,276	7,375	823
80-84	4,767	4,271	441	6,147	5,441	651
85+	4,968	4,577	355	7,886	7,231	576
Total	273,212	225,246	43,500	281,994	231,554	45,707
Kendall	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,052	3,632	279	3,811	3,409	262
1-4	18,852	16,633	1,531	17,558	15,670	1,262
5-9	26,615	23,212	2,308	25,475	22,286	2,095
10-14	28,276	24,445	2,519	26,416	22,728	2,382
15-19	23,767	20,492	2,366	22,649	19,285	2,280
20-24	17,528	15,104	1,798	16,940	14,536	1,804
25-29	17,079	14,973	1,568	17,485	15,307	1,482
30-34	22,207	19,711	1,507	23,937	21,048	1,638
35-39	24,862	21,863	1,868	26,482	22,883	2,158
40-44	25,170	21,915	1,952	25,829	22,139	2,251
45-49	24,098	21,031	1,945	23,727	20,833	1,887
50-54	20,286	18,146	1,496	19,374	17,204	1,462
55-59	16,544	15,063	1,008	17,084	15,458	1,031
60-64	12,698	11,665	652	14,129	12,781	809
65-69	10,261	9,516	414	11,987	10,959	546
70-74	7,485	7,003	241	8,432	7,883	281
75-79	4,333	4,107	93	5,286	5,009	157
80-84	2,399	2,292	48	3,500	3,280	121
85+	2,065	1,979	46	3,978	3,811	64
Total	308,577	272,782	23,639	314,079	276,509	23,972

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Knox		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,492	1,194	272	1,379	1,081	247
1-4	5,860	4,727	1,048	5,301	4,262	902
5-9	6,773	5,763	906	6,599	5,501	999
10-14	7,436	6,420	934	6,998	6,063	820
15-19	8,186	7,030	973	7,868	6,806	819
20-24	9,433	7,234	1,777	8,506	7,337	874
25-29	8,736	6,589	1,958	6,802	6,028	691
30-34	8,176	6,330	1,704	6,413	5,773	544
35-39	8,158	6,634	1,413	6,691	6,126	470
40-44	7,581	6,255	1,237	6,647	6,129	368
45-49	7,625	6,680	868	7,131	6,675	306
50-54	8,416	7,674	631	8,440	8,034	319
55-59	8,798	8,204	500	9,166	8,775	296
60-64	8,963	8,488	396	9,417	9,022	282
65-69	7,708	7,389	268	8,224	7,951	198
70-74	5,690	5,517	137	6,655	6,423	191
75-79	4,115	3,939	154	4,829	4,672	138
80-84	2,722	2,665	56	4,195	4,001	151
85+	2,599	2,552	38	5,058	4,865	160
Total	128,467	111,284	15,270	126,319	115,524	8,775
Lake		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	19,431	15,767	2,111	18,782	15,159	2,061
1-4	85,915	69,333	8,784	82,065	66,608	8,266
5-9	121,424	96,254	11,974	116,033	92,565	11,317
10-14	134,092	108,843	12,026	128,065	102,932	11,455
15-19	145,607	119,933	13,904	128,492	104,833	12,049
20-24	138,180	112,670	14,484	115,025	92,753	12,499
25-29	100,747	79,854	10,581	90,212	69,944	11,115
30-34	99,204	79,040	8,508	98,294	76,351	9,564
35-39	106,795	85,582	7,643	109,555	85,045	9,291
40-44	111,948	89,912	7,324	115,532	91,677	8,621
45-49	123,376	103,110	7,652	127,643	104,987	8,560
50-54	130,438	112,252	8,155	135,448	115,463	8,977
55-59	126,639	110,831	7,914	130,836	113,100	8,646
60-64	102,462	90,345	5,795	107,521	93,236	6,617
65-69	78,376	69,355	3,998	84,021	73,417	4,534
70-74	53,723	47,641	2,346	60,065	52,903	2,952
75-79	33,814	30,033	1,484	42,040	37,155	2,108
80-84	22,036	19,876	854	30,176	26,957	1,519
85+	21,699	20,219	637	39,414	36,143	1,559
Total	1,755,906	1,460,850	136,174	1,759,219	1,451,228	141,710
LaSalle		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,117	2,912	148	2,912	2,708	147
1-4	12,427	11,686	553	11,658	10,955	492
5-9	16,396	15,419	644	15,729	14,640	562
10-14	17,882	17,017	625	17,488	16,378	657
15-19	17,928	16,700	1,025	16,705	15,895	584
20-24	17,666	15,600	1,842	15,055	14,342	454
25-29	17,958	15,920	1,754	15,438	14,634	443
30-34	17,680	16,140	1,235	15,505	14,887	336
35-39	17,187	15,869	1,096	15,470	14,866	311
40-44	16,484	15,229	1,062	15,078	14,581	208
45-49	17,662	16,493	950	17,002	16,489	211
50-54	20,405	19,606	566	19,937	19,335	244
55-59	21,723	21,149	377	21,511	21,076	201
60-64	19,307	18,900	214	18,803	18,469	135
65-69	15,222	14,997	107	15,635	15,370	115
70-74	10,587	10,447	68	12,149	11,964	49
75-79	7,757	7,692	27	9,837	9,742	30
80-84	5,350	5,321	16	7,384	7,307	35
85+	5,237	5,189	40	10,404	10,365	6
Total	277,975	262,286	12,349	273,700	264,003	5,220

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Lawrence		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	418	400	15	393	373	16
1-4	1,713	1,618	61	1,672	1,613	48
5-9	2,170	2,083	65	2,151	2,091	48
10-14	2,265	2,212	43	2,075	1,999	58
15-19	2,340	2,081	240	1,763	1,721	35
20-24	4,040	2,339	1,659	1,781	1,735	22
25-29	4,333	2,715	1,500	1,967	1,905	32
30-34	3,656	2,427	1,167	2,013	1,950	22
35-39	3,635	2,581	1,003	2,073	2,029	32
40-44	3,503	2,543	939	2,074	2,059	4
45-49	3,106	2,489	606	2,047	2,016	6
50-54	2,974	2,580	379	2,437	2,395	26
55-59	2,749	2,571	167	2,882	2,821	48
60-64	2,412	2,339	61	2,532	2,489	20
65-69	1,978	1,943	33	2,043	2,004	20
70-74	1,443	1,403	34	1,754	1,733	15
75-79	1,068	1,042	14	1,551	1,524	19
80-84	774	756	16	1,122	1,093	17
85+	667	642	20	1,475	1,446	24
Total	45,244	36,764	8,022	35,805	34,996	512
Lee		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	873	820	47	839	782	46
1-4	3,603	3,374	184	3,605	3,393	146
5-9	4,946	4,687	207	4,671	4,393	193
10-14	4,948	4,703	200	4,952	4,705	192
15-19	5,009	4,599	335	4,523	4,261	168
20-24	5,566	4,892	597	4,462	4,245	144
25-29	6,235	5,234	905	4,362	4,173	141
30-34	6,394	5,099	1,211	4,393	4,186	113
35-39	6,047	4,981	963	4,392	4,232	74
40-44	5,944	4,910	935	4,375	4,245	51
45-49	6,358	5,414	869	5,172	4,984	92
50-54	6,932	6,213	657	6,005	5,849	88
55-59	7,295	6,618	592	6,456	6,278	125
60-64	6,306	5,768	477	5,828	5,694	72
65-69	5,187	4,961	189	5,110	5,028	38
70-74	3,740	3,607	95	3,858	3,790	40
75-79	2,626	2,544	59	2,982	2,941	22
80-84	1,863	1,817	34	2,304	2,239	34
85+	1,566	1,556	7	3,034	2,997	17
Total	91,438	81,797	8,563	81,323	78,415	1,796
Livingston		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	985	932	43	1,018	974	37
1-4	4,170	3,883	210	3,865	3,674	161
5-9	5,529	5,181	225	5,130	4,798	208
10-14	6,159	5,855	254	5,352	5,092	188
15-19	6,127	5,738	321	5,290	4,998	257
20-24	5,821	5,060	669	5,444	4,956	411
25-29	5,893	5,020	700	5,279	4,734	415
30-34	5,730	5,108	514	5,452	4,940	380
35-39	5,497	4,905	515	5,141	4,727	345
40-44	5,405	4,850	488	5,077	4,646	388
45-49	5,759	5,195	509	5,461	5,111	288
50-54	6,493	6,025	436	6,458	6,223	184
55-59	7,116	6,871	217	6,898	6,717	122
60-64	6,126	5,985	99	6,043	5,916	74
65-69	4,931	4,860	53	5,110	5,043	27
70-74	3,237	3,187	20	4,038	4,023	10
75-79	2,635	2,609	10	3,192	3,160	16
80-84	1,788	1,774	6	2,441	2,399	13
85+	1,748	1,746	1	3,748	3,737	0
Total	91,149	84,784	5,290	90,437	85,868	3,524

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Logan		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	788	728	54	727	681	40
1-4	3,052	2,877	145	2,994	2,806	161
5-9	3,794	3,631	134	3,738	3,550	158
10-14	4,188	3,987	129	3,921	3,722	139
15-19	4,935	4,157	668	4,606	3,936	574
20-24	6,042	4,752	1,178	4,748	4,105	548
25-29	5,774	4,387	1,285	4,342	3,885	401
30-34	5,642	4,259	1,284	4,393	3,884	456
35-39	5,197	4,137	987	4,587	4,005	496
40-44	4,463	3,642	781	4,373	3,751	560
45-49	4,697	4,026	615	4,364	3,867	430
50-54	4,914	4,433	425	4,701	4,389	249
55-59	5,117	4,825	253	5,075	4,861	168
60-64	4,538	4,405	104	4,697	4,590	71
65-69	3,655	3,576	57	3,975	3,905	24
70-74	2,679	2,633	22	3,176	3,125	20
75-79	1,948	1,910	15	2,525	2,475	34
80-84	1,339	1,314	3	2,202	2,186	6
85+	1,314	1,307	1	2,836	2,797	29
Total	74,076	64,986	8,140	71,980	66,520	4,564
Macon		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,357	2,273	1,019	3,217	2,159	997
1-4	13,478	9,188	3,994	12,672	8,532	3,907
5-9	16,776	11,677	4,742	16,315	11,424	4,585
10-14	16,844	12,216	4,327	16,081	11,352	4,399
15-19	16,700	12,053	4,355	17,019	12,309	4,403
20-24	16,685	12,072	4,273	17,425	12,650	4,402
25-29	15,738	11,888	3,468	16,957	12,506	4,165
30-34	14,252	11,509	2,417	15,782	12,195	3,105
35-39	14,697	11,730	2,567	16,085	12,577	3,143
40-44	14,364	11,594	2,450	15,709	12,301	3,017
45-49	14,776	12,179	2,295	15,640	12,456	2,840
50-54	16,721	13,996	2,445	17,911	14,702	2,935
55-59	18,984	16,093	2,685	19,848	16,834	2,832
60-64	17,734	15,430	2,146	19,605	16,670	2,746
65-69	15,127	13,270	1,702	16,776	14,555	2,021
70-74	10,848	9,655	1,129	12,358	10,850	1,401
75-79	7,631	6,873	711	9,593	8,572	976
80-84	5,282	4,977	279	7,657	6,986	630
85+	4,969	4,671	271	10,531	9,747	747
Total	254,963	203,344	47,275	277,181	219,377	53,251
Macoupin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,220	1,176	33	1,029	1,000	24
1-4	4,857	4,698	112	4,633	4,472	113
5-9	7,031	6,810	143	6,335	6,137	139
10-14	7,800	7,594	129	7,025	6,806	144
15-19	7,408	7,165	172	6,773	6,516	188
20-24	6,485	6,277	174	6,274	6,040	178
25-29	6,125	5,992	104	6,135	6,004	93
30-34	6,533	6,424	59	6,514	6,388	63
35-39	6,665	6,513	91	6,811	6,669	51
40-44	6,777	6,602	94	6,728	6,553	53
45-49	7,188	7,080	80	6,994	6,860	52
50-54	7,982	7,867	77	8,607	8,482	42
55-59	8,925	8,770	84	8,985	8,863	52
60-64	8,299	8,210	64	8,540	8,400	76
65-69	6,767	6,685	35	7,205	7,111	57
70-74	4,811	4,756	16	5,381	5,329	36
75-79	3,359	3,331	11	4,046	3,995	30
80-84	2,405	2,384	15	3,420	3,391	13
85+	2,217	2,194	18	4,309	4,267	13
Total	112,854	110,528	1,511	115,744	113,283	1,417

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Madison		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	7,680	6,366	1,191	7,320	6,106	1,102
1-4	32,174	26,959	4,469	30,482	25,678	4,227
5-9	41,528	34,708	5,907	39,725	33,491	5,295
10-14	43,299	36,822	5,634	40,242	34,333	5,065
15-19	41,738	35,676	5,325	38,795	32,792	5,120
20-24	40,055	34,162	5,130	40,914	33,884	6,048
25-29	46,461	40,929	4,762	46,415	39,685	5,963
30-34	42,962	38,765	3,535	43,557	38,007	4,779
35-39	39,920	36,120	3,114	41,765	36,722	4,134
40-44	38,294	34,554	2,927	40,551	35,658	4,013
45-49	41,737	37,950	3,041	43,080	38,625	3,691
50-54	46,275	42,862	2,751	47,402	43,106	3,600
55-59	49,381	45,943	2,821	50,588	46,448	3,453
60-64	42,297	39,482	2,406	45,252	41,732	2,887
65-69	32,451	30,519	1,644	37,367	34,660	2,248
70-74	23,569	22,245	1,063	28,242	26,500	1,423
75-79	16,577	15,713	684	21,489	20,397	904
80-84	10,942	10,475	400	16,456	15,649	684
85+	9,748	9,432	283	20,750	19,934	714
Total	647,088	579,682	57,087	680,392	603,407	65,350
Marion		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,215	1,090	117	1,221	1,095	120
1-4	4,910	4,435	446	4,866	4,377	460
5-9	6,380	5,767	550	6,117	5,545	529
10-14	6,093	5,528	501	5,810	5,283	466
15-19	5,484	4,985	449	5,563	5,062	435
20-24	5,625	5,088	450	5,351	4,952	342
25-29	5,809	5,441	317	5,885	5,334	337
30-34	5,344	5,009	256	5,307	5,017	250
35-39	5,400	5,089	241	5,374	5,111	204
40-44	5,332	5,019	241	5,334	5,076	193
45-49	5,572	5,254	253	5,667	5,434	172
50-54	6,409	6,090	240	6,703	6,369	248
55-59	6,760	6,499	202	7,299	6,961	269
60-64	6,383	6,087	225	6,737	6,441	207
65-69	5,276	5,048	170	5,879	5,669	145
70-74	4,010	3,853	118	4,525	4,352	127
75-79	2,906	2,816	69	3,615	3,514	81
80-84	2,009	1,960	30	2,611	2,511	81
85+	1,797	1,753	36	3,488	3,381	98
Total	92,714	86,811	4,911	97,352	91,484	4,764
Marshall		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	318	309	5	295	288	6
1-4	1,209	1,174	20	1,284	1,241	37
5-9	1,691	1,640	33	1,597	1,534	49
10-14	1,759	1,703	43	1,646	1,594	25
15-19	1,749	1,702	33	1,473	1,423	25
20-24	1,668	1,626	26	1,601	1,558	27
25-29	1,598	1,551	30	1,420	1,394	22
30-34	1,496	1,457	23	1,567	1,521	17
35-39	1,636	1,577	18	1,515	1,479	19
40-44	1,698	1,646	20	1,547	1,499	19
45-49	1,774	1,741	24	1,766	1,736	5
50-54	2,072	2,048	8	2,208	2,186	8
55-59	2,318	2,295	9	2,281	2,262	3
60-64	2,311	2,285	12	2,262	2,245	7
65-69	1,886	1,871	7	2,046	2,035	2
70-74	1,561	1,546	2	1,602	1,592	2
75-79	1,070	1,068	1	1,330	1,320	4
80-84	727	727	0	1,051	1,044	1
85+	689	684	0	1,202	1,188	0
Total	29,230	28,650	314	29,693	29,139	278

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Mason	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	321	312	9	340	334	5
1-4	1,458	1,415	30	1,357	1,314	35
5-9	1,946	1,885	43	1,867	1,817	29
10-14	2,049	1,988	35	2,282	2,230	27
15-19	2,155	2,095	39	2,069	2,001	35
20-24	1,887	1,838	32	1,669	1,631	25
25-29	1,788	1,740	42	1,662	1,630	14
30-34	1,701	1,638	46	1,847	1,813	15
35-39	1,981	1,888	52	1,932	1,892	10
40-44	1,997	1,948	28	2,044	2,001	22
45-49	2,267	2,235	24	2,094	2,060	11
50-54	2,525	2,489	23	2,544	2,506	16
55-59	2,601	2,583	11	2,655	2,623	6
60-64	2,462	2,440	11	2,462	2,437	7
65-69	2,320	2,301	9	2,277	2,260	1
70-74	1,700	1,695	1	1,903	1,885	0
75-79	1,279	1,278	1	1,385	1,380	3
80-84	738	737	1	1,073	1,070	0
85+	724	723	1	1,490	1,481	2
Total	33,899	33,228	438	34,952	34,365	263
Massac	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	415	372	41	356	319	36
1-4	1,693	1,515	161	1,530	1,356	168
5-9	2,203	1,933	252	2,307	2,055	232
10-14	2,329	2,099	195	2,460	2,242	189
15-19	2,052	1,833	182	2,086	1,858	206
20-24	1,881	1,727	144	1,811	1,636	157
25-29	1,752	1,639	92	1,889	1,754	114
30-34	1,834	1,707	106	2,008	1,854	131
35-39	1,910	1,762	131	2,297	2,148	119
40-44	2,161	1,974	164	2,245	2,072	142
45-49	2,390	2,212	148	2,271	2,129	112
50-54	2,522	2,334	173	2,585	2,342	208
55-59	2,622	2,390	200	2,945	2,683	218
60-64	2,360	2,175	175	2,478	2,306	139
65-69	1,983	1,857	115	2,174	2,028	121
70-74	1,626	1,501	83	1,925	1,837	80
75-79	1,216	1,161	42	1,401	1,347	47
80-84	793	747	44	1,180	1,104	71
85+	826	780	33	1,561	1,466	84
Total	34,568	31,718	2,481	37,509	34,536	2,574
McDonough	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	668	603	57	720	633	72
1-4	2,883	2,544	258	2,705	2,366	253
5-9	3,712	3,258	289	3,510	3,109	284
10-14	3,838	3,474	242	3,671	3,292	233
15-19	6,607	5,824	474	7,669	6,403	991
20-24	13,067	11,125	1,499	11,957	10,066	1,333
25-29	6,217	5,647	443	4,738	4,222	435
30-34	4,248	3,962	209	4,130	3,734	307
35-39	3,735	3,442	181	3,761	3,382	201
40-44	3,492	3,242	139	3,507	3,222	129
45-49	3,551	3,289	143	3,672	3,468	110
50-54	4,114	3,817	115	4,229	4,028	93
55-59	4,494	4,310	109	4,848	4,642	133
60-64	4,408	4,255	97	4,663	4,462	120
65-69	3,998	3,895	55	4,108	3,997	41
70-74	2,818	2,739	55	2,996	2,889	54
75-79	1,875	1,811	27	2,339	2,272	30
80-84	1,190	1,159	6	1,991	1,965	14
85+	1,309	1,294	5	3,074	3,054	13
Total	76,224	69,690	4,403	78,288	71,206	4,846

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
McHenry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	8,107	7,662	210	7,735	7,255	227
1-4	35,485	33,459	895	33,715	31,519	1,002
5-9	50,987	47,204	1,661	48,829	45,175	1,309
10-14	58,617	54,324	1,576	55,655	51,664	1,342
15-19	57,413	53,593	1,473	53,770	50,145	1,277
20-24	47,976	45,228	1,143	45,199	42,326	1,120
25-29	42,506	39,963	1,063	39,613	37,249	849
30-34	44,329	41,772	1,052	43,208	40,611	744
35-39	47,814	44,836	981	47,663	44,512	878
40-44	50,133	46,515	1,124	51,476	47,746	910
45-49	58,608	55,139	1,128	60,280	56,841	907
50-54	62,842	60,051	973	63,904	60,932	881
55-59	59,775	57,478	879	60,277	57,764	657
60-64	47,335	45,708	452	47,867	45,862	425
65-69	35,763	34,592	273	38,480	36,847	336
70-74	25,234	24,428	123	28,698	27,735	153
75-79	15,862	15,321	74	19,031	18,434	104
80-84	9,474	9,217	41	12,440	12,067	82
85+	7,564	7,369	31	14,537	14,224	45
Total	765,824	723,859	15,152	772,377	728,908	13,248
McLean		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,101	3,904	705	5,124	3,872	700
1-4	20,902	16,282	2,730	20,876	16,106	2,776
5-9	26,282	20,995	3,315	25,892	20,503	3,290
10-14	27,152	22,246	3,310	26,022	21,216	3,189
15-19	34,349	28,769	4,088	38,862	33,028	4,352
20-24	54,000	45,723	5,544	56,790	47,942	5,941
25-29	28,569	22,725	2,927	28,974	23,167	2,835
30-34	28,163	21,655	2,422	27,805	22,332	2,523
35-39	27,210	21,834	2,163	27,397	22,348	2,351
40-44	25,060	20,748	1,870	24,263	20,595	2,055
45-49	24,536	21,117	2,083	25,263	21,891	2,142
50-54	25,527	22,726	1,946	26,977	23,938	2,063
55-59	25,341	23,045	1,643	26,972	24,498	1,758
60-64	21,552	19,856	1,203	24,167	22,398	1,177
65-69	17,406	16,194	775	18,953	17,811	751
70-74	11,726	11,157	305	13,047	12,338	480
75-79	7,764	7,460	175	9,767	9,262	319
80-84	5,087	4,890	130	7,420	7,070	236
85+	5,056	4,865	99	10,126	9,828	200
Total	420,783	356,191	37,433	444,697	380,143	39,138
Menard		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	318	311	6	285	280	4
1-4	1,386	1,332	42	1,261	1,241	18
5-9	1,895	1,831	50	1,890	1,831	49
10-14	2,051	1,981	51	2,094	2,012	67
15-19	1,987	1,930	31	1,837	1,765	41
20-24	1,684	1,639	34	1,548	1,474	43
25-29	1,543	1,501	31	1,614	1,583	19
30-34	1,541	1,499	29	1,840	1,800	28
35-39	1,949	1,872	65	1,852	1,824	19
40-44	1,802	1,744	32	1,799	1,751	25
45-49	1,785	1,756	17	2,039	2,009	16
50-54	2,318	2,296	19	2,550	2,502	16
55-59	2,558	2,543	10	2,446	2,391	24
60-64	2,163	2,157	6	2,257	2,235	11
65-69	1,890	1,859	17	2,025	2,005	8
70-74	1,286	1,264	7	1,450	1,438	7
75-79	929	915	6	1,140	1,134	3
80-84	605	601	3	736	732	0
85+	495	490	5	996	990	0
Total	30,185	29,521	461	31,659	30,997	398

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Mercer		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	381	369	11	339	333	6	
1-4	1,629	1,570	51	1,604	1,559	32	
5-9	2,212	2,158	36	2,401	2,331	37	
10-14	2,554	2,485	50	2,527	2,449	37	
15-19	2,607	2,553	39	2,284	2,219	39	
20-24	2,079	2,009	36	1,856	1,798	34	
25-29	2,013	1,925	70	1,822	1,796	15	
30-34	2,084	2,051	24	2,001	1,959	28	
35-39	2,163	2,107	39	2,247	2,215	13	
40-44	2,314	2,264	38	2,204	2,181	16	
45-49	2,392	2,357	21	2,632	2,603	12	
50-54	2,873	2,823	28	2,998	2,952	22	
55-59	3,133	3,100	11	2,962	2,925	27	
60-64	2,878	2,842	10	2,784	2,771	4	
65-69	2,533	2,522	5	2,504	2,484	6	
70-74	1,956	1,941	8	2,099	2,096	2	
75-79	1,404	1,392	6	1,546	1,545	1	
80-84	888	887	0	1,087	1,084	2	
85+	906	900	6	1,512	1,501	6	
Total	38,999	38,255	489	39,409	38,801	339	
Monroe		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	894	879	7	822	808	9	
1-4	3,840	3,762	40	3,647	3,516	39	
5-9	5,308	5,219	50	5,221	5,055	61	
10-14	5,866	5,769	38	5,455	5,353	36	
15-19	5,831	5,732	52	5,013	4,897	53	
20-24	4,526	4,433	34	4,141	4,044	38	
25-29	4,320	4,234	31	4,262	4,179	28	
30-34	4,833	4,784	29	4,975	4,870	31	
35-39	5,536	5,434	49	5,341	5,268	28	
40-44	5,266	5,187	40	5,101	4,972	38	
45-49	5,563	5,480	52	6,192	6,111	18	
50-54	6,505	6,431	24	6,821	6,752	18	
55-59	7,128	7,057	25	7,072	6,994	18	
60-64	6,041	5,969	31	5,934	5,856	17	
65-69	4,467	4,438	12	4,449	4,407	6	
70-74	3,014	2,986	6	3,181	3,162	6	
75-79	2,131	2,112	7	2,668	2,652	5	
80-84	1,508	1,491	12	2,433	2,421	1	
85+	1,567	1,552	2	2,872	2,860	8	
Total	84,144	82,949	541	85,600	84,177	458	
Montgomery		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	726	707	14	746	720	19	
1-4	2,951	2,869	63	3,089	3,001	63	
5-9	4,352	4,246	93	4,018	3,919	75	
10-14	4,409	4,306	74	4,071	3,972	73	
15-19	4,244	4,011	192	3,716	3,627	61	
20-24	5,178	4,385	753	3,461	3,357	63	
25-29	5,512	4,635	852	3,513	3,411	45	
30-34	5,277	4,528	699	3,852	3,787	35	
35-39	5,054	4,366	643	3,862	3,807	18	
40-44	4,932	4,358	526	3,661	3,594	46	
45-49	5,207	4,727	438	4,103	4,036	18	
50-54	5,412	5,105	277	5,130	5,069	19	
55-59	5,484	5,300	162	5,286	5,241	11	
60-64	5,073	4,982	53	4,903	4,835	29	
65-69	4,119	4,047	38	4,101	4,037	13	
70-74	2,856	2,822	16	3,182	3,148	6	
75-79	2,195	2,180	7	2,855	2,827	8	
80-84	1,532	1,511	9	2,195	2,174	8	
85+	1,569	1,554	9	3,348	3,313	15	
Total	76,082	70,639	4,918	69,092	67,875	625	

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Morgan		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	952	820	124	863	723	133
1-4	3,668	3,156	456	3,423	2,915	475
5-9	4,732	4,167	501	4,337	3,926	376
10-14	4,988	4,435	489	4,512	4,059	395
15-19	5,973	5,148	673	5,268	4,730	423
20-24	6,431	5,314	1,002	5,874	5,338	457
25-29	5,824	4,856	865	5,176	4,715	403
30-34	6,084	4,804	1,175	4,838	4,537	239
35-39	5,778	4,656	1,030	4,649	4,355	230
40-44	5,131	4,319	737	4,511	4,271	168
45-49	5,275	4,643	552	5,005	4,761	164
50-54	6,078	5,526	483	5,919	5,698	180
55-59	6,464	6,017	381	6,378	6,142	190
60-64	5,622	5,345	221	5,770	5,605	115
65-69	4,900	4,787	80	5,224	5,109	84
70-74	3,460	3,365	70	4,191	4,112	69
75-79	2,445	2,368	67	3,252	3,193	55
80-84	1,737	1,695	29	2,412	2,377	32
85+	1,572	1,556	13	3,534	3,508	11
Total	87,114	76,977	8,948	85,136	80,074	4,199
Moultrie		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	480	472	7	462	457	5
1-4	1,924	1,887	26	1,956	1,922	26
5-9	2,636	2,586	38	2,454	2,394	48
10-14	2,811	2,750	32	2,670	2,615	47
15-19	2,551	2,500	29	2,209	2,161	35
20-24	2,059	2,008	33	1,895	1,843	29
25-29	2,134	2,075	34	2,086	2,052	20
30-34	2,150	2,103	34	2,233	2,205	20
35-39	2,170	2,137	26	2,306	2,277	12
40-44	2,000	1,970	17	2,063	2,024	12
45-49	2,083	2,063	14	2,094	2,075	11
50-54	2,358	2,329	5	2,499	2,456	10
55-59	2,410	2,393	5	2,634	2,615	1
60-64	2,342	2,323	7	2,416	2,395	9
65-69	1,945	1,938	6	2,160	2,145	8
70-74	1,411	1,405	1	1,523	1,508	5
75-79	1,033	1,024	7	1,191	1,185	3
80-84	770	762	8	1,034	1,029	0
85+	697	691	6	1,604	1,604	0
Total	35,964	35,416	335	37,489	36,962	301
Ogle		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,367	1,308	37	1,254	1,195	44
1-4	5,859	5,599	169	5,520	5,206	240
5-9	8,105	7,727	254	7,686	7,295	280
10-14	8,719	8,345	211	8,867	8,512	248
15-19	8,728	8,332	258	8,344	8,040	211
20-24	7,580	7,232	237	6,941	6,697	160
25-29	7,224	6,944	185	6,793	6,576	109
30-34	7,077	6,844	145	7,214	7,020	126
35-39	7,470	7,176	172	7,349	7,134	83
40-44	7,503	7,234	170	7,457	7,242	80
45-49	8,610	8,362	125	8,650	8,468	89
50-54	9,799	9,635	90	9,577	9,404	75
55-59	9,879	9,714	82	10,176	10,034	76
60-64	8,553	8,418	77	8,335	8,216	24
65-69	6,955	6,846	57	7,296	7,217	24
70-74	5,537	5,473	18	5,988	5,923	7
75-79	3,795	3,772	7	4,501	4,438	13
80-84	2,464	2,445	6	3,235	3,222	3
85+	2,048	2,045	1	3,957	3,928	14
Total	127,272	123,451	2,301	129,140	125,767	1,906

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Peoria		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	6,625	4,263	2,039	6,367	3,945	2,038
1-4	26,461	16,844	8,055	24,776	15,457	7,797
5-9	31,535	19,806	9,743	29,464	18,677	8,897
10-14	30,211	19,786	8,906	29,052	19,190	8,321
15-19	29,907	20,620	8,154	29,678	20,317	8,333
20-24	29,583	20,285	7,827	30,553	20,912	8,594
25-29	32,419	23,941	6,493	33,190	23,135	8,268
30-34	30,672	22,754	5,157	31,272	22,361	6,611
35-39	28,963	21,469	4,653	28,868	21,271	5,594
40-44	25,934	20,013	4,108	27,623	20,787	5,154
45-49	26,699	21,206	4,018	28,454	22,027	4,981
50-54	28,317	23,246	4,052	29,313	23,312	4,874
55-59	28,796	24,022	3,994	32,129	26,336	5,038
60-64	27,164	22,907	3,596	30,301	25,288	4,342
65-69	22,594	19,568	2,512	25,992	22,146	3,238
70-74	16,306	14,405	1,560	19,007	16,577	2,095
75-79	10,971	9,721	1,002	13,808	12,272	1,279
80-84	7,311	6,610	517	10,734	9,666	915
85+	6,827	6,271	493	14,305	13,249	932
Total	447,295	337,737	86,879	474,886	356,925	97,301
Perry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	494	457	32	550	509	41
1-4	2,110	1,957	135	2,128	1,999	105
5-9	2,764	2,515	210	2,717	2,515	162
10-14	3,346	3,110	213	3,045	2,877	134
15-19	3,616	2,912	632	2,506	2,385	108
20-24	5,201	3,292	1,827	2,558	2,417	114
25-29	4,907	3,574	1,242	2,607	2,508	86
30-34	4,318	3,083	1,175	2,604	2,490	79
35-39	4,176	3,153	953	2,782	2,702	53
40-44	3,982	3,131	790	3,022	2,941	50
45-49	3,903	3,207	664	2,872	2,786	50
50-54	3,942	3,470	417	3,367	3,233	98
55-59	3,774	3,453	265	3,458	3,344	85
60-64	3,562	3,382	160	3,445	3,358	65
65-69	2,856	2,775	64	3,185	3,104	63
70-74	2,162	2,105	40	2,571	2,513	41
75-79	1,612	1,596	11	1,781	1,723	40
80-84	1,022	996	23	1,328	1,305	17
85+	817	796	18	1,788	1,746	37
Total	58,564	48,964	8,871	48,314	46,455	1,428
Piatt		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	443	433	8	452	443	8
1-4	1,904	1,858	35	1,868	1,838	20
5-9	2,487	2,406	64	2,316	2,248	49
10-14	2,873	2,793	55	2,625	2,533	58
15-19	2,639	2,579	38	2,610	2,531	53
20-24	2,177	2,120	30	2,002	1,931	42
25-29	2,105	2,054	32	2,023	1,973	32
30-34	2,354	2,315	26	2,388	2,357	15
35-39	2,503	2,446	33	2,396	2,375	7
40-44	2,403	2,374	19	2,458	2,402	16
45-49	2,424	2,384	24	2,558	2,508	12
50-54	2,971	2,911	29	3,104	3,054	12
55-59	3,369	3,338	19	3,397	3,370	11
60-64	2,893	2,863	19	2,946	2,921	4
65-69	2,430	2,418	4	2,463	2,453	3
70-74	1,784	1,774	0	1,961	1,959	1
75-79	1,265	1,262	0	1,571	1,565	0
80-84	790	785	4	1,174	1,170	1
85+	823	815	3	1,122	1,113	4
Total	40,637	39,928	442	41,434	40,744	348

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Pike		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	474	467	6	463	458	5	
1-4	2,017	1,970	41	1,764	1,743	20	
5-9	2,467	2,416	38	2,357	2,326	25	
10-14	2,565	2,509	34	2,430	2,402	23	
15-19	2,474	2,379	69	2,211	2,160	36	
20-24	2,327	2,143	159	1,987	1,942	30	
25-29	2,253	2,073	163	2,211	2,193	18	
30-34	2,422	2,204	189	2,103	2,087	15	
35-39	2,277	2,151	115	2,130	2,107	6	
40-44	2,293	2,110	161	2,104	2,083	9	
45-49	2,621	2,504	100	2,339	2,315	0	
50-54	2,531	2,456	54	2,598	2,568	2	
55-59	2,738	2,695	28	2,897	2,870	9	
60-64	2,870	2,841	20	2,789	2,768	9	
65-69	2,325	2,307	10	2,290	2,268	4	
70-74	1,762	1,745	10	1,943	1,923	6	
75-79	1,381	1,363	5	1,658	1,655	2	
80-84	862	856	2	1,296	1,292	4	
85+	768	767	1	1,759	1,737	2	
Total	39,427	37,956	1,205	39,329	38,897	225	

Pope		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	67	65	2	59	57	2	
1-4	288	267	21	185	166	15	
5-9	381	345	29	332	308	18	
10-14	470	435	30	395	374	21	
15-19	911	534	366	540	365	168	
20-24	832	526	292	516	424	87	
25-29	441	386	45	422	396	13	
30-34	442	410	26	483	460	17	
35-39	500	494	6	480	474	4	
40-44	543	535	6	562	545	6	
45-49	664	625	29	609	600	1	
50-54	845	829	13	782	765	7	
55-59	961	919	22	1,019	988	10	
60-64	939	920	10	983	966	4	
65-69	942	931	6	858	841	5	
70-74	711	704	4	659	640	7	
75-79	528	519	4	506	504	1	
80-84	410	402	6	342	342	0	
85+	253	243	0	355	355	0	
Total	11,128	10,089	917	10,087	9,570	386	

Pulaski		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	168	118	49	167	110	57	
1-4	579	409	156	644	409	229	
5-9	816	494	301	777	482	280	
10-14	968	598	359	966	569	385	
15-19	858	533	316	780	447	323	
20-24	728	445	260	705	430	245	
25-29	858	525	329	770	536	222	
30-34	645	451	186	797	552	238	
35-39	771	543	221	734	501	224	
40-44	685	450	234	859	553	290	
45-49	732	530	198	746	490	248	
50-54	940	663	268	902	594	300	
55-59	1,078	754	309	1,193	719	461	
60-64	1,059	721	335	1,158	791	351	
65-69	918	653	265	1,061	735	317	
70-74	601	418	183	742	473	267	
75-79	498	327	166	596	402	191	
80-84	376	271	105	418	306	112	
85+	274	183	91	445	331	112	
Total	13,552	9,086	4,331	14,460	9,430	4,852	

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Putnam		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	135	132	3	109	107	2
1-4	627	600	26	532	485	28
5-9	826	794	25	687	665	14
10-14	902	871	27	840	831	6
15-19	866	834	29	753	711	22
20-24	840	800	36	668	639	13
25-29	723	706	13	642	604	23
30-34	757	744	7	744	722	15
35-39	828	803	8	778	765	7
40-44	760	747	6	703	679	9
45-49	854	843	6	880	868	1
50-54	1,055	1,052	0	1,093	1,080	6
55-59	1,245	1,228	9	1,242	1,231	8
60-64	1,281	1,267	14	1,062	1,054	0
65-69	1,076	1,070	6	1,060	1,056	0
70-74	787	783	4	830	817	0
75-79	526	525	1	580	576	0
80-84	367	367	0	361	359	2
85+	209	209	0	471	471	0
Total	14,664	14,375	220	14,035	13,720	156
Randolph		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	820	757	57	835	775	55
1-4	3,481	3,205	255	3,398	3,159	221
5-9	4,366	4,066	248	4,183	3,882	258
10-14	4,685	4,399	231	4,257	3,952	265
15-19	4,589	4,080	455	3,969	3,682	258
20-24	5,828	4,212	1,539	3,773	3,473	250
25-29	7,329	4,710	2,534	3,897	3,667	183
30-34	7,483	4,841	2,567	3,992	3,793	156
35-39	6,809	4,739	2,016	4,100	3,891	151
40-44	6,399	4,710	1,608	4,034	3,831	152
45-49	6,378	5,013	1,315	4,194	4,013	128
50-54	6,733	5,782	920	4,981	4,816	118
55-59	6,618	5,945	631	5,487	5,325	119
60-64	5,675	5,288	370	5,221	5,058	121
65-69	4,275	4,117	130	4,448	4,337	96
70-74	3,185	3,075	103	3,680	3,551	87
75-79	2,288	2,227	56	2,856	2,803	39
80-84	1,435	1,420	15	2,390	2,356	24
85+	1,510	1,478	31	3,251	3,210	34
Total	89,886	74,064	15,081	72,946	69,574	2,715
Richland		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	492	476	10	466	449	11
1-4	2,090	2,004	54	2,043	1,961	55
5-9	2,625	2,542	50	2,331	2,241	47
10-14	2,609	2,504	66	2,418	2,328	51
15-19	2,360	2,279	46	2,061	1,998	46
20-24	2,182	2,106	27	2,031	1,973	28
25-29	2,410	2,314	37	2,248	2,141	50
30-34	2,303	2,218	38	2,345	2,254	37
35-39	2,366	2,298	37	2,247	2,185	20
40-44	2,206	2,142	37	2,217	2,165	8
45-49	2,340	2,305	13	2,289	2,245	4
50-54	2,705	2,671	15	2,786	2,757	4
55-59	2,875	2,830	26	3,025	2,997	12
60-64	2,735	2,688	33	2,720	2,683	11
65-69	2,137	2,103	14	2,268	2,241	4
70-74	1,564	1,543	9	1,857	1,818	7
75-79	1,414	1,398	2	1,626	1,610	2
80-84	932	926	1	1,284	1,275	5
85+	884	873	0	1,847	1,828	4
Total	39,229	38,220	515	40,109	39,149	406

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Rock Island		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,657	3,430	987	4,390	3,209	915
1-4	18,840	14,077	3,830	17,860	13,279	3,560
5-9	23,195	17,589	4,528	22,398	17,016	4,221
10-14	22,713	18,027	3,991	21,353	16,910	3,603
15-19	23,214	18,616	3,738	21,869	17,784	3,306
20-24	22,685	18,000	3,781	22,563	18,566	3,187
25-29	22,996	18,481	3,479	22,696	18,336	3,275
30-34	23,595	18,565	3,403	21,438	17,575	2,633
35-39	23,035	18,481	2,998	21,515	18,045	2,651
40-44	20,749	16,994	2,820	20,304	17,276	2,250
45-49	21,613	18,183	2,725	20,865	18,255	1,955
50-54	22,927	20,145	2,185	23,400	21,071	1,758
55-59	25,054	22,651	1,850	26,290	23,968	1,792
60-64	23,925	22,057	1,480	25,635	23,274	1,839
65-69	19,753	18,427	1,077	22,310	20,463	1,406
70-74	14,689	13,560	919	16,605	15,403	958
75-79	10,731	9,994	519	13,027	12,263	656
80-84	6,774	6,391	276	9,879	9,390	411
85+	6,359	6,124	222	12,620	12,055	453
Total	357,504	299,792	44,808	367,017	314,138	40,829
Saline		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	793	744	44	757	694	53
1-4	3,018	2,824	175	2,943	2,710	196
5-9	3,592	3,264	263	3,155	2,883	213
10-14	3,692	3,353	286	3,403	3,150	176
15-19	4,652	3,513	1,081	3,072	2,853	163
20-24	3,507	3,229	226	3,284	3,051	184
25-29	3,732	3,506	165	3,832	3,676	102
30-34	3,583	3,353	181	3,508	3,366	108
35-39	3,310	3,105	151	3,484	3,303	109
40-44	3,345	3,163	122	3,511	3,296	130
45-49	3,999	3,817	136	3,855	3,668	143
50-54	4,076	3,899	132	4,385	4,228	94
55-59	4,102	3,986	88	4,519	4,351	134
60-64	4,021	3,862	119	4,293	4,136	121
65-69	3,455	3,324	102	3,799	3,666	96
70-74	2,730	2,617	87	3,093	2,979	86
75-79	1,786	1,722	51	2,498	2,380	93
80-84	1,299	1,262	30	1,790	1,730	55
85+	1,024	1,013	10	2,076	1,994	61
Total	59,716	55,556	3,449	61,257	58,114	2,317
Sangamon		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,781	4,200	1,393	5,555	4,021	1,369
1-4	23,894	17,695	5,314	22,273	16,280	5,329
5-9	31,658	23,992	6,676	30,246	22,763	6,604
10-14	32,921	25,408	6,735	31,858	24,338	6,700
15-19	31,395	24,301	6,399	29,895	23,053	6,101
20-24	29,350	22,246	5,711	30,436	22,818	6,371
25-29	30,078	24,344	4,895	32,119	25,085	6,016
30-34	31,027	25,883	4,241	33,209	26,907	5,180
35-39	30,109	25,104	3,945	31,792	25,978	4,757
40-44	28,394	24,279	3,189	29,896	25,116	3,903
45-49	30,587	26,570	3,212	32,044	27,402	3,689
50-54	34,083	30,007	3,342	36,073	31,662	3,625
55-59	34,588	30,914	3,123	37,824	33,597	3,605
60-64	31,177	28,409	2,321	35,446	31,791	3,009
65-69	26,039	23,910	1,775	30,623	27,814	2,286
70-74	17,317	15,897	1,134	21,371	19,627	1,425
75-79	11,630	10,769	633	15,710	14,596	929
80-84	7,753	7,344	353	11,731	10,960	627
85+	7,147	6,866	245	15,790	14,885	721
Total	474,928	398,138	64,636	513,891	428,693	72,246

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Schuyler		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	149	140	9	146	130	13
1-4	618	580	37	581	541	30
5-9	931	889	40	961	925	29
10-14	967	950	15	1,064	1,017	41
15-19	1,014	996	13	983	957	26
20-24	885	862	19	777	762	10
25-29	1,017	946	65	811	786	13
30-34	1,010	910	86	889	835	40
35-39	1,261	1,152	98	842	822	10
40-44	1,334	1,194	140	997	965	25
45-49	1,505	1,326	179	1,063	1,015	36
50-54	1,422	1,271	142	1,215	1,178	20
55-59	1,419	1,286	123	1,248	1,236	10
60-64	1,386	1,338	47	1,257	1,239	6
65-69	1,166	1,145	17	1,069	1,064	2
70-74	951	936	9	887	887	0
75-79	583	575	8	712	709	3
80-84	434	431	3	567	566	1
85+	413	413	0	726	721	0
Total	18,465	17,340	1,050	16,795	16,355	315
Scott		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	119	118	0	119	119	0
1-4	595	581	10	439	429	5
5-9	717	702	9	795	779	15
10-14	854	821	22	781	778	2
15-19	775	759	13	791	772	10
20-24	696	671	13	629	604	12
25-29	589	586	1	639	588	6
30-34	575	559	14	719	711	4
35-39	747	736	11	741	726	5
40-44	782	774	6	777	767	7
45-49	805	788	11	818	810	0
50-54	978	974	2	1,068	1,059	3
55-59	1,127	1,122	0	963	960	1
60-64	877	872	3	873	871	2
65-69	659	658	1	773	762	10
70-74	469	468	1	590	587	3
75-79	477	475	2	554	554	0
80-84	314	310	3	347	345	2
85+	213	213	0	458	453	0
Total	12,368	12,187	122	12,874	12,674	87
Shelby		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	637	627	9	584	575	7
1-4	2,472	2,419	46	2,433	2,379	42
5-9	3,225	3,161	43	3,040	2,986	42
10-14	3,562	3,489	52	3,195	3,151	31
15-19	3,126	3,056	44	3,155	3,117	31
20-24	2,928	2,850	42	2,802	2,771	23
25-29	2,999	2,926	31	2,868	2,821	22
30-34	2,945	2,896	19	2,893	2,846	15
35-39	3,103	3,062	15	2,853	2,826	8
40-44	3,045	2,980	37	2,940	2,919	9
45-49	3,378	3,337	23	3,259	3,230	10
50-54	3,872	3,829	25	3,959	3,914	2
55-59	4,089	4,071	4	4,210	4,181	12
60-64	3,918	3,899	6	4,051	4,006	13
65-69	3,517	3,488	9	3,724	3,688	10
70-74	2,762	2,748	4	2,941	2,924	2
75-79	1,997	1,981	1	2,105	2,089	4
80-84	1,264	1,251	4	1,659	1,650	4
85+	1,327	1,316	1	2,317	2,306	1
Total	54,166	53,386	415	54,988	54,379	288

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

St Clair		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	8,448	4,905	3,361	7,925	4,561	3,179	
1-4	34,644	20,619	13,210	32,770	19,051	12,831	
5-9	44,683	26,643	16,810	42,238	25,275	15,879	
10-14	45,195	27,224	16,904	43,264	25,685	16,487	
15-19	43,156	25,734	16,366	41,032	23,752	16,303	
20-24	42,774	25,464	16,358	41,119	23,143	16,787	
25-29	42,815	27,750	13,886	44,392	26,858	16,249	
30-34	41,182	28,832	11,261	44,334	28,330	14,713	
35-39	41,362	29,787	10,634	44,177	28,742	14,104	
40-44	38,509	26,659	10,859	42,200	26,484	14,415	
45-49	39,472	27,687	10,916	43,624	28,055	14,300	
50-54	45,260	33,032	11,532	48,567	32,978	14,471	
55-59	45,984	34,275	11,025	49,984	35,090	13,733	
60-64	39,554	29,460	9,433	44,297	30,910	12,282	
65-69	30,562	23,290	6,842	34,410	24,111	9,384	
70-74	20,559	15,719	4,563	24,773	17,903	6,282	
75-79	13,742	10,658	2,866	18,854	14,020	4,412	
80-84	9,465	7,504	1,861	15,261	11,660	3,354	
85+	8,763	7,214	1,462	18,596	14,876	3,545	
Total	636,129	432,456	190,149	681,817	441,484	222,710	

Stark		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	154	147	4	159	151	8	
1-4	566	544	13	680	635	41	
5-9	759	739	15	831	795	22	
10-14	869	851	14	844	812	17	
15-19	861	828	23	903	876	17	
20-24	739	713	18	728	706	13	
25-29	673	654	13	648	634	9	
30-34	702	679	15	610	594	9	
35-39	762	746	11	742	732	4	
40-44	817	812	0	770	753	9	
45-49	776	769	2	851	832	12	
50-54	1,022	1,012	5	924	916	2	
55-59	1,089	1,081	4	949	944	0	
60-64	1,031	1,017	0	1,140	1,111	8	
65-69	841	833	3	844	817	4	
70-74	730	725	2	721	719	1	
75-79	546	536	5	572	572	0	
80-84	339	334	5	456	451	5	
85+	246	246	0	599	599	0	
Total	13,522	13,266	152	13,971	13,649	181	

Stephenson		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,240	932	292	1,209	947	255	
1-4	5,169	3,961	1,142	5,067	3,920	1,101	
5-9	6,744	5,337	1,323	6,847	5,364	1,402	
10-14	7,228	5,846	1,300	6,930	5,420	1,395	
15-19	7,038	5,811	1,105	6,484	5,146	1,225	
20-24	6,447	5,317	1,037	6,172	4,997	1,101	
25-29	5,999	4,974	919	6,086	5,000	1,013	
30-34	5,591	4,818	709	6,037	5,141	832	
35-39	5,539	4,785	696	6,008	5,194	697	
40-44	5,779	5,079	637	5,976	5,288	600	
45-49	7,089	6,243	753	7,007	6,304	619	
50-54	7,889	7,100	731	8,296	7,446	754	
55-59	8,724	8,017	654	8,962	8,102	769	
60-64	8,215	7,586	574	8,648	8,039	526	
65-69	6,930	6,508	361	7,421	6,960	362	
70-74	5,171	4,913	227	5,915	5,571	300	
75-79	3,838	3,660	161	4,758	4,476	256	
80-84	2,883	2,777	90	3,796	3,624	158	
85+	2,698	2,627	46	5,404	5,215	158	
Total	110,211	96,291	12,757	117,023	102,154	13,523	

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Tazewell		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,895	3,738	109	3,663	3,491	107
1-4	16,538	15,859	420	15,809	15,059	497
5-9	21,608	20,635	539	21,448	20,592	514
10-14	22,465	21,538	520	21,963	20,951	475
15-19	20,649	19,854	470	19,052	18,329	407
20-24	18,348	17,529	517	17,178	16,604	375
25-29	20,005	18,836	784	19,389	18,576	336
30-34	22,054	20,785	877	20,852	20,074	361
35-39	22,727	21,717	708	21,678	20,933	278
40-44	20,913	20,031	541	20,924	20,269	226
45-49	21,409	20,674	435	21,222	20,653	198
50-54	22,111	21,537	327	22,742	22,309	160
55-59	23,161	22,731	259	24,465	24,138	101
60-64	21,383	21,134	100	22,697	22,422	104
65-69	17,826	17,655	68	19,608	19,364	42
70-74	12,799	12,679	36	14,946	14,774	27
75-79	9,096	9,024	26	11,741	11,615	33
80-84	6,561	6,534	12	9,217	9,120	26
85+	5,923	5,896	6	11,461	11,397	19
Total	329,471	318,386	6,754	340,055	330,670	4,286
Union		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	450	433	14	469	457	11
1-4	1,863	1,803	48	1,809	1,745	53
5-9	2,451	2,336	64	2,321	2,226	55
10-14	2,780	2,650	73	2,721	2,624	54
15-19	2,470	2,344	74	2,304	2,222	53
20-24	2,330	2,244	57	2,149	2,081	50
25-29	2,712	2,586	92	2,503	2,445	42
30-34	2,445	2,328	69	2,211	2,160	20
35-39	2,459	2,320	84	2,311	2,220	42
40-44	2,543	2,426	52	2,580	2,454	66
45-49	2,741	2,626	72	2,728	2,650	35
50-54	3,015	2,967	33	3,076	3,020	35
55-59	3,251	3,183	39	3,215	3,154	24
60-64	3,065	2,989	58	3,087	3,021	28
65-69	2,666	2,592	38	2,707	2,664	15
70-74	1,981	1,960	7	2,400	2,372	10
75-79	1,677	1,653	10	1,718	1,702	11
80-84	1,020	1,008	10	1,205	1,198	7
85+	764	762	2	1,394	1,373	1
Total	42,683	41,210	896	42,908	41,788	612
Vermilion		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,513	1,790	694	2,472	1,823	625
1-4	10,495	7,559	2,808	10,160	7,548	2,515
5-9	13,416	10,133	3,101	12,746	9,691	2,874
10-14	13,269	10,418	2,654	12,566	9,727	2,630
15-19	12,562	10,001	2,390	11,633	9,154	2,283
20-24	12,048	9,226	2,678	11,206	8,609	2,445
25-29	12,212	9,303	2,698	11,452	9,123	2,159
30-34	11,846	9,347	2,347	11,106	9,077	1,830
35-39	11,850	9,448	2,267	10,867	9,029	1,552
40-44	11,684	9,615	1,888	10,789	9,179	1,348
45-49	11,455	9,799	1,481	11,372	9,840	1,289
50-54	12,795	11,172	1,430	13,330	11,761	1,393
55-59	13,777	12,325	1,329	14,094	12,534	1,387
60-64	12,738	11,463	1,137	13,682	12,228	1,243
65-69	10,735	9,959	624	12,037	11,004	876
70-74	8,123	7,564	451	9,120	8,334	624
75-79	5,854	5,455	263	7,209	6,612	470
80-84	3,730	3,522	175	5,257	4,943	267
85+	3,491	3,299	175	6,147	5,842	256
Total	194,593	161,398	30,590	197,245	166,058	28,066

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Wabash		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	380	368	8	319	307	10
1-4	1,613	1,510	64	1,233	1,193	33
5-9	1,847	1,773	49	1,748	1,691	37
10-14	1,839	1,776	45	1,723	1,646	36
15-19	1,756	1,661	25	1,552	1,521	25
20-24	1,779	1,583	67	1,486	1,420	30
25-29	1,790	1,691	46	1,716	1,648	30
30-34	1,741	1,678	40	1,638	1,596	19
35-39	1,763	1,722	7	1,549	1,511	6
40-44	1,578	1,548	9	1,561	1,533	9
45-49	1,483	1,453	17	1,663	1,617	22
50-54	1,954	1,910	31	1,901	1,859	14
55-59	2,187	2,169	3	2,303	2,261	18
60-64	2,065	2,036	17	2,216	2,187	9
65-69	1,773	1,746	17	1,705	1,687	8
70-74	1,191	1,169	13	1,351	1,344	3
75-79	909	901	4	1,018	1,011	0
80-84	622	618	0	956	949	3
85+	624	621	2	1,279	1,268	1
Total	28,894	27,933	464	28,917	28,249	313
Warren		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	558	482	43	529	465	50
1-4	2,311	1,918	193	1,890	1,667	142
5-9	2,682	2,411	131	2,551	2,304	147
10-14	2,569	2,363	146	2,677	2,478	138
15-19	3,566	3,290	171	3,561	3,317	180
20-24	3,355	3,080	165	3,383	3,174	155
25-29	2,165	1,929	112	2,131	1,886	75
30-34	2,433	2,046	177	2,347	2,111	67
35-39	2,539	2,273	125	2,303	2,149	79
40-44	2,363	2,169	102	2,378	2,226	67
45-49	2,399	2,245	93	2,373	2,276	56
50-54	2,681	2,529	99	2,658	2,572	56
55-59	2,968	2,813	77	3,100	3,013	47
60-64	2,980	2,864	31	2,999	2,937	27
65-69	2,485	2,425	50	2,537	2,482	24
70-74	1,789	1,745	29	1,953	1,931	16
75-79	1,398	1,377	8	1,723	1,687	25
80-84	872	860	6	1,228	1,200	22
85+	630	609	16	1,533	1,508	16
Total	42,743	39,428	1,774	43,854	41,383	1,389
Washington		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	383	374	6	398	385	10
1-4	1,608	1,529	55	1,559	1,504	42
5-9	1,969	1,898	56	2,033	1,981	41
10-14	2,328	2,241	64	2,164	2,076	61
15-19	2,032	1,910	96	1,963	1,853	77
20-24	1,801	1,726	56	1,872	1,813	42
25-29	2,173	2,117	44	1,968	1,948	12
30-34	2,068	2,020	36	1,941	1,903	22
35-39	2,175	2,137	20	2,165	2,120	30
40-44	2,120	2,082	23	1,924	1,905	7
45-49	2,154	2,109	35	2,182	2,143	10
50-54	2,666	2,623	28	2,648	2,624	15
55-59	2,959	2,940	4	2,862	2,847	7
60-64	2,744	2,711	17	2,337	2,309	9
65-69	2,070	2,056	6	1,908	1,896	5
70-74	1,476	1,464	2	1,683	1,658	13
75-79	1,126	1,125	1	1,449	1,437	0
80-84	793	788	2	934	928	1
85+	802	795	2	1,358	1,358	0
Total	35,447	34,645	553	35,348	34,688	404

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Wayne		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	499	490	5	521	511	7
1-4	2,011	1,968	28	2,099	2,050	33
5-9	2,642	2,575	45	2,517	2,450	56
10-14	2,679	2,584	65	2,583	2,490	59
15-19	2,428	2,344	45	2,325	2,248	27
20-24	2,213	2,154	20	2,042	2,007	21
25-29	2,346	2,305	31	2,219	2,150	51
30-34	2,342	2,315	18	2,221	2,132	24
35-39	2,315	2,298	5	2,572	2,479	10
40-44	2,281	2,239	17	2,246	2,211	9
45-49	2,477	2,423	13	2,433	2,386	16
50-54	2,744	2,689	28	2,800	2,778	4
55-59	3,089	3,043	19	2,938	2,917	8
60-64	2,776	2,741	23	2,868	2,859	6
65-69	2,440	2,421	9	2,576	2,555	5
70-74	1,947	1,935	2	2,237	2,230	1
75-79	1,589	1,575	7	1,816	1,810	0
80-84	1,026	1,023	2	1,333	1,320	2
85+	792	785	2	1,409	1,394	1
Total	40,636	39,907	384	41,755	40,977	340
White		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	400	386	12	373	354	6
1-4	1,752	1,685	53	1,652	1,574	20
5-9	2,221	2,173	18	2,303	2,241	31
10-14	2,150	2,103	36	2,070	2,032	24
15-19	1,925	1,880	29	1,812	1,779	19
20-24	1,736	1,658	48	1,683	1,631	35
25-29	1,888	1,825	44	1,875	1,846	10
30-34	2,164	2,091	44	2,076	2,050	7
35-39	1,999	1,957	32	2,021	2,002	10
40-44	1,791	1,761	19	1,824	1,799	17
45-49	2,097	1,999	63	2,023	1,968	13
50-54	2,481	2,441	17	2,439	2,403	16
55-59	2,752	2,706	30	2,726	2,689	12
60-64	2,371	2,340	17	2,534	2,509	4
65-69	2,044	2,011	12	2,191	2,175	7
70-74	1,560	1,545	2	1,813	1,802	3
75-79	1,297	1,287	8	1,588	1,579	1
80-84	868	853	1	1,241	1,233	5
85+	791	790	0	1,538	1,521	4
Total	34,287	33,491	485	35,782	35,187	244
Whiteside		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,595	1,505	83	1,522	1,432	80
1-4	6,719	6,336	338	6,324	5,957	306
5-9	9,059	8,561	395	8,358	7,809	428
10-14	9,181	8,695	347	8,953	8,441	368
15-19	9,227	8,765	341	8,554	8,013	400
20-24	8,133	7,663	358	7,674	7,336	251
25-29	8,018	7,636	294	7,594	7,303	215
30-34	7,388	6,964	312	7,647	7,316	227
35-39	7,852	7,463	288	7,413	7,154	140
40-44	8,093	7,797	196	8,071	7,813	156
45-49	9,006	8,697	159	8,889	8,673	114
50-54	9,595	9,326	175	9,754	9,537	137
55-59	10,499	10,275	126	10,707	10,479	128
60-64	10,075	9,859	107	10,284	10,056	91
65-69	8,266	8,085	80	8,805	8,641	70
70-74	6,112	6,027	51	6,877	6,775	40
75-79	4,604	4,557	31	5,373	5,290	34
80-84	3,033	2,985	31	4,060	4,021	22
85+	2,937	2,920	4	5,673	5,632	8
Total	139,392	134,116	3,716	142,532	137,678	3,215

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Will	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	19,301	15,633	2,657	18,886	15,156	2,731
1-4	85,112	68,319	11,509	81,650	65,639	10,872
5-9	122,236	97,123	15,814	117,663	93,100	15,490
10-14	138,847	110,074	18,381	132,667	104,607	17,536
15-19	136,051	106,819	20,690	125,818	99,575	17,890
20-24	115,125	89,610	19,486	108,031	84,983	16,961
25-29	99,835	78,607	15,864	94,518	73,776	14,491
30-34	102,149	83,134	13,115	103,387	82,331	13,052
35-39	113,378	91,805	13,307	117,986	92,529	14,711
40-44	122,370	97,553	14,133	125,492	98,505	15,835
45-49	131,737	107,099	14,774	134,584	107,426	16,781
50-54	129,529	108,508	13,577	129,357	107,038	15,128
55-59	115,220	97,256	12,325	116,712	97,149	13,702
60-64	91,140	77,194	9,108	94,290	78,258	10,883
65-69	70,162	59,883	6,728	78,346	65,725	8,497
70-74	50,000	43,297	4,243	56,765	48,531	5,133
75-79	31,266	27,299	2,234	39,540	34,387	3,220
80-84	18,799	16,539	1,214	26,719	23,583	1,972
85+	15,474	14,081	753	30,849	28,101	1,851
Total	1,707,731	1,389,833	209,912	1,733,260	1,400,399	216,736
Williamson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,978	1,778	168	1,893	1,716	146
1-4	8,293	7,524	624	7,812	6,947	636
5-9	10,671	9,637	790	9,902	8,934	726
10-14	10,709	9,763	788	10,268	9,373	689
15-19	9,428	8,585	712	8,898	8,138	597
20-24	9,314	8,238	901	8,761	8,070	554
25-29	11,520	10,134	1,115	10,917	10,069	591
30-34	11,380	10,049	1,114	10,680	9,923	455
35-39	11,539	10,243	1,008	10,642	9,903	486
40-44	10,942	9,908	844	10,177	9,513	366
45-49	10,881	9,965	719	10,361	9,741	384
50-54	11,320	10,666	476	11,328	10,836	320
55-59	11,649	11,149	366	12,067	11,574	311
60-64	10,504	10,160	251	11,112	10,665	313
65-69	9,321	9,066	168	10,203	9,877	211
70-74	7,144	6,880	167	8,562	8,314	131
75-79	5,036	4,912	65	6,343	6,228	67
80-84	3,123	3,052	38	4,279	4,186	61
85+	2,588	2,507	56	4,780	4,706	51
Total	167,340	154,216	10,370	168,985	158,713	7,095
Winnebago	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	9,065	6,693	2,041	8,740	6,429	1,990
1-4	36,840	27,261	8,145	34,904	26,079	7,512
5-9	47,674	35,430	10,180	45,510	34,017	9,639
10-14	49,102	36,822	10,089	46,660	35,136	9,205
15-19	47,397	36,234	9,144	45,083	34,651	8,483
20-24	43,673	33,734	8,152	44,411	33,928	8,717
25-29	44,544	34,866	7,952	45,825	34,829	9,105
30-34	42,951	34,512	6,281	44,346	34,889	7,274
35-39	41,542	34,252	5,465	43,741	34,893	6,841
40-44	41,993	35,004	5,240	43,204	35,032	6,095
45-49	45,626	38,609	5,211	46,731	38,985	5,797
50-54	49,161	42,466	5,173	50,289	42,628	5,964
55-59	49,947	43,885	4,764	51,867	44,775	5,585
60-64	44,520	39,463	3,801	47,929	42,003	4,647
65-69	36,734	32,839	3,037	40,664	36,134	3,590
70-74	27,300	24,686	1,883	31,211	27,996	2,444
75-79	17,732	16,187	1,017	22,491	20,139	1,763
80-84	11,897	10,948	740	16,777	15,454	1,070
85+	10,891	10,279	456	21,247	20,069	951
Total	698,589	574,170	98,771	731,630	598,066	106,672

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Woodford		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,117	1,087	27	1,007	987	16	
1-4	4,979	4,827	91	4,436	4,308	102	
5-9	6,944	6,643	127	6,384	6,202	122	
10-14	7,268	7,056	128	6,678	6,507	109	
15-19	6,968	6,699	143	6,676	6,496	122	
20-24	5,821	5,646	107	5,664	5,464	120	
25-29	5,168	5,027	92	4,803	4,702	47	
30-34	5,296	5,195	59	5,608	5,379	48	
35-39	6,036	5,930	69	5,971	5,859	45	
40-44	5,639	5,549	39	5,579	5,481	22	
45-49	5,962	5,850	49	6,013	5,882	24	
50-54	6,810	6,684	50	6,818	6,693	33	
55-59	7,086	7,000	28	7,132	7,050	24	
60-64	6,659	6,601	22	6,617	6,503	46	
65-69	5,264	5,187	18	5,074	4,971	31	
70-74	3,478	3,441	12	3,783	3,753	5	
75-79	2,515	2,497	7	3,064	3,037	6	
80-84	1,719	1,714	2	2,385	2,368	4	
85+	1,887	1,885	2	3,784	3,776	5	
Total	96,616	94,518	1,072	97,476	95,418	931	

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Illinois		Males			Females	
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	392,933	92,533	300,400	375,853	89,513	286,340
1-4	1,594,982	381,726	1,213,256	1,524,528	369,829	1,154,699
5-9	2,050,931	520,355	1,530,576	1,971,152	504,777	1,466,375
10-14	2,128,789	529,189	1,599,600	2,042,860	507,093	1,535,767
15-19	2,157,485	489,789	1,667,696	2,060,383	473,012	1,587,371
20-24	2,232,687	457,564	1,775,123	2,158,289	437,720	1,720,569
25-29	2,275,511	447,610	1,827,901	2,217,667	403,181	1,814,486
30-34	2,214,525	448,594	1,765,931	2,189,228	404,963	1,784,265
35-39	2,111,473	444,496	1,666,977	2,107,550	406,943	1,700,607
40-44	2,004,409	415,208	1,589,201	2,023,721	385,023	1,638,698
45-49	2,066,134	356,735	1,709,399	2,105,583	328,413	1,777,170
50-54	2,142,538	287,927	1,854,611	2,211,298	265,710	1,945,588
55-59	2,139,456	229,434	1,910,022	2,250,832	217,491	2,033,341
60-64	1,847,151	169,381	1,677,770	2,000,110	165,799	1,834,311
65-69	1,470,348	114,656	1,355,692	1,653,572	120,392	1,533,180
70-74	1,031,967	70,607	961,360	1,233,526	82,375	1,151,151
75-79	701,707	44,247	657,460	915,144	55,445	859,699
80-84	465,185	28,187	436,998	681,861	38,658	643,203
85+	437,082	23,741	413,341	877,382	37,123	840,259
Total	31,465,293	5,551,979	25,913,314	32,600,539	5,293,460	27,307,079
Cook	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	170,898	53,987	116,911	163,703	52,415	111,288
1-4	664,952	221,388	443,564	638,455	213,877	424,578
5-9	813,309	298,306	515,003	786,617	288,159	498,458
10-14	811,790	300,780	511,010	785,528	287,871	497,657
15-19	801,846	276,233	525,613	788,011	270,721	517,290
20-24	869,923	266,234	603,689	883,170	260,189	622,981
25-29	1,086,296	277,934	808,362	1,098,899	257,426	841,473
30-34	1,037,003	276,344	760,659	1,041,926	253,718	788,208
35-39	915,190	267,971	647,219	924,782	248,275	676,507
40-44	829,467	251,339	578,128	848,585	232,441	616,144
45-49	817,452	217,412	600,040	845,643	200,828	644,815
50-54	818,098	177,806	640,292	859,343	167,688	691,655
55-59	811,168	146,727	664,441	880,656	142,719	737,937
60-64	695,264	112,243	583,021	788,264	112,045	676,219
65-69	545,635	77,184	468,451	647,205	82,267	564,938
70-74	375,653	47,839	327,814	479,044	57,253	421,791
75-79	254,980	30,050	224,930	360,216	38,821	321,395
80-84	173,374	19,267	154,107	269,132	26,890	242,242
85+	168,427	16,133	152,294	345,912	25,511	320,401
Total	12,660,725	3,335,177	9,325,548	13,435,091	3,219,114	10,215,977
DuPage	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	27,195	5,822	21,373	26,028	5,592	20,436
1-4	113,706	23,824	89,882	109,388	23,294	86,094
5-9	149,686	33,458	116,228	142,831	32,820	110,011
10-14	158,884	33,638	125,246	152,375	32,387	119,988
15-19	159,105	30,233	128,872	151,379	29,133	122,246
20-24	148,953	26,804	122,149	143,696	25,223	118,473
25-29	147,670	26,148	121,522	140,441	22,370	118,071
30-34	153,200	27,233	125,967	150,312	23,929	126,383
35-39	152,903	27,653	125,250	152,450	25,057	127,393
40-44	145,131	25,052	120,079	148,946	24,489	124,457
45-49	156,204	22,105	134,099	163,645	21,150	142,495
50-54	165,900	17,936	147,964	178,130	16,753	161,377
55-59	167,409	13,347	154,062	179,132	13,083	166,049
60-64	143,718	9,221	134,497	153,480	9,110	144,370
65-69	111,198	5,853	105,345	122,004	6,321	115,683
70-74	76,194	3,386	72,808	88,626	4,218	84,408
75-79	48,305	2,163	46,142	60,749	2,757	57,992
80-84	30,539	1,380	29,159	44,894	1,856	43,038
85+	29,729	1,053	28,676	61,667	2,080	59,587
Total	2,285,629	336,309	1,949,320	2,370,173	321,622	2,048,551

Total five-year population, 2014-2018, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Kane	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	17,005	7,811	9,194	15,963	7,295	8,668
1-4	71,173	31,204	39,969	68,335	30,317	38,018
5-9	97,426	43,127	54,299	94,382	42,590	51,792
10-14	105,943	45,304	60,639	101,191	43,789	57,402
15-19	100,693	40,037	60,656	95,304	39,028	56,276
20-24	85,907	35,004	50,903	82,498	33,527	48,971
25-29	78,972	31,481	47,491	75,173	28,885	46,288
30-34	83,894	32,260	51,634	82,123	29,525	52,598
35-39	90,305	34,835	55,470	88,555	31,531	57,024
40-44	90,316	33,063	57,253	91,026	31,269	59,757
45-49	95,179	28,113	67,066	94,788	25,946	68,842
50-54	93,730	22,018	71,712	93,490	19,113	74,377
55-59	87,135	16,436	70,699	87,942	14,934	73,008
60-64	71,338	11,142	60,196	75,173	10,894	64,279
65-69	56,419	7,640	48,779	62,295	7,692	54,603
70-74	38,542	4,723	33,819	45,532	4,985	40,547
75-79	25,302	2,837	22,465	30,786	3,277	27,509
80-84	15,523	1,566	13,957	21,562	2,062	19,500
85+	13,409	1,330	12,079	25,774	1,804	23,970
Total	1,318,211	429,931	888,280	1,331,892	408,463	923,429
Lake	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	19,431	6,688	12,743	18,782	6,518	12,264
1-4	85,915	28,380	57,535	82,065	27,545	54,520
5-9	121,424	39,087	82,337	116,033	38,071	77,962
10-14	134,092	40,081	94,011	128,065	38,390	89,675
15-19	145,607	38,893	106,714	128,492	35,459	93,033
20-24	138,180	34,536	103,644	115,025	30,884	84,141
25-29	100,747	27,866	72,881	90,212	24,746	65,466
30-34	99,204	27,911	71,293	98,294	25,748	72,546
35-39	106,795	29,249	77,546	109,555	27,918	81,637
40-44	111,948	28,426	83,522	115,532	27,435	88,097
45-49	123,376	25,168	98,208	127,643	23,369	104,274
50-54	130,438	20,284	110,154	135,448	18,653	116,795
55-59	126,639	15,041	111,598	130,836	13,647	117,189
60-64	102,462	9,814	92,648	107,521	9,264	98,257
65-69	78,376	6,227	72,149	84,021	6,468	77,553
70-74	53,723	3,597	50,126	60,065	4,116	55,949
75-79	33,814	2,226	31,588	42,040	2,621	39,419
80-84	22,036	1,421	20,615	30,176	1,720	28,456
85+	21,699	991	20,708	39,414	1,688	37,726
Total	1,755,906	385,886	1,370,020	1,759,219	364,260	1,394,959
Will	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	19,301	4,805	14,496	18,886	4,878	14,008
1-4	85,112	20,323	64,789	81,650	20,231	61,419
5-9	122,236	29,293	92,943	117,663	29,034	88,629
10-14	138,847	32,125	106,722	132,667	30,606	102,061
15-19	136,051	30,141	105,910	125,818	27,954	97,864
20-24	115,125	25,327	89,798	108,031	23,828	84,203
25-29	99,835	21,523	78,312	94,518	19,859	74,659
30-34	102,149	22,025	80,124	103,387	20,669	82,718
35-39	113,378	23,693	89,685	117,986	22,401	95,585
40-44	122,370	23,467	98,903	125,492	22,641	102,851
45-49	131,737	20,433	111,304	134,584	18,802	115,782
50-54	129,529	15,708	113,821	129,357	14,158	115,199
55-59	115,220	11,210	104,010	116,712	9,944	106,768
60-64	91,140	7,609	83,531	94,290	6,978	87,312
65-69	70,162	4,863	65,299	78,346	5,002	73,344
70-74	50,000	3,200	46,800	56,765	3,429	53,336
75-79	31,266	1,884	29,382	39,540	2,324	37,216
80-84	18,799	1,193	17,606	26,719	1,789	24,930
85+	15,474	973	14,501	30,849	1,450	29,399
Total	1,707,731	299,795	1,407,936	1,733,260	285,977	1,447,283

APPENDIX B

ISCR County Cancer Site Groups

ISCR cancer site groups used in county tables	SEER site recodes
1 oral cavity & pharynx	20010-20100
2 esophagus	21010
3 stomach	21020
4 colorectal	21041-21052
5 liver	21071
6 pancreas	21100
7 lung & bronchus	22030
8 bone	23000
9 melanoma of skin	25010
10 breast-invasive	26000 (behavior 3 only)
11 cervix	27010
12 uterus	27020-27030
13 ovary	27040
14 prostate	28010
15 testis	28020
16 urinary bladder	29010
17 kidney & renal pelvis	29020
18 brain & CNS	31010-31040
19 Hodgkin lymphoma	33011-33012
20 non-Hodgkin lymphoma	33041-33042
21 myeloma	34000
22 leukemia	35011-35043
23 all other sites	21030, 21060, 21072, 21080, 21090, 21110, 21120, 21130, 22010, 22020, 22050, 22060, 24000, 25020, 27050, 27060, 27070 28030, 28040, 29030, 29040, 30000, 32010, 32020, 36010, 36020, 37000
24 breast <i>in situ</i>	26000 (behavior 2 only)

APPENDIX C

Formulas for Rates

Appendix C – formulas for rates

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. The standard populations used for this report is the U.S. populations 2000. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the ith age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{Arate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100,000$$

Age-Adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^y stdmil_j \right)}$$

$$\nu = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

References:

Johnson NL, Kotz S. *Distributions in Statistics: Discrete Distributions*. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.